


E-38



BEGREEN
CableManagementSystems

3E basor
E L E C T R I C



BASORTRAY - SCM




ERE50



ER2E



ERE / MRE



FRE



4

BASORFIL - SCM



BF2R



BFR



30

BASORTRAV - SCM



FE / FE2



48

BASORSUPPORT - SCM






66

BASORSUPPORT - SPM




BASORPLAST - SCP



90

BASORCANAL - SCE




110

BASORTUB






118

BASORFIX - ACC



124



145



ERE 50	P.	06
ER2E	P.	10
ERE	P.	12
MRE	P.	16
FRE	P.	18





L > 100 m*
UNE-EN 61537
UNE-EN 50085

M0
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
-50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3 5
UNE-EN 61537


20J
UNE-EN 61537
UNE-EN 50085



IP3X
IEC 60529

IP2X
IEC 60529

IK07
IEC 50102



TERE 50



PTER 50



CPRER 50



CCER 50



CXER 50



JUER 50



JUERP 50



B1

B		H50 (2)	
mm	inch	cm ²	in ²
50	2	24	3,7



ERE 50




L = 3 m (10 ft)



	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m
ERE 50X50	50	2"	50	2"	2/10181	9,56	2/10182	18,89

4/100 x B1 (2/4356 - PG // 2/6826 - HDG).



ERE-C 50




L = 3 m (10 ft)




	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m
ERE-C 50X50	50	2"	50	2"	2/10183	10,56	2/10184	19,44

2/100 x B1 (2/4356 - PG // 2/6826 - HDG).




TERE 50



L = 3 m (10 ft)


	B		PG		HDG	
	mm	inch	REF.	€/m	REF.	€/m
TERE 50	50	2"	2/10282	6,00	2/10283	13,67



PTER 50 i304



	B		H		e	i304	
	mm	inch	mm	inch	mm	REF.	€/u
PTER 50X50 i304	50	2"	50	2"	1,5	2/8234	4,22






CPER 50



	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
CPER 50x50	50	2"	50	2"	2/3235	17,11	2/6950	21,11

1 x JUER50 (2/2051-PG / 2/2056-HDG)




CCER 50



	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
CCER 50x50	50	2"	50	2"	2/3236	19,44	2/6952	23,11

1 x JUER50 (2/2051-PG / 2/2056-HDG)




CXER 50




	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
CXER 50x50	50	2"	50	2"	2/3238	19,22	2/6951	23,89

1 x JUER50 (2/2051-PG / 2/2056-HDG)




JUER 50



	B		PG		HDG	
	mm	inch	REF.	€/u	REF.	€/u
JUER 50x50	50	2"	2/2051	2,89	2/2056	4,00

4/100 x B1 (2/4356 - PG // 2/6826 - HDG)






JUERP 50



JUERP 50

2/100 x B1 (2/4356 PG // 2/6826 HDG)

PG		HDG	
REF.	€/u	REF.	€/u
2/8825		2/8826	




TFERE 50



TFERE 50X50

2/100 x B1 (2/4356 - GS // 2/6826 - GC)

B		B		PG		HDG	
mm	inch	mm	inch	REF.	€/u	REF.	€/u
50	2"	50	2"	2/17267	1,72	2/17268	2,58




B1



B1-100



Pap Nm	EZ		HDG	
	REF.	€/u	REF.	€/u
6	2/4356	23,00	2/6826	32,11




ERE 50

B/P ERE 50



B/P ERE 50 + TERE 50



B/P ERE 50 + TERE 50 + PTER 50



B/P ERE 50 + CPER 50



B/P ERE 50 + CCER 50



B/P ERE 50 + CXER 50




B/P ERE 50 + SCR



B/P ERE 50 + 4182CD





L > 100 m*
UNE-EN 61537
UNE-EN 50085

MO
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
-50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3
UNE-EN 61537

20J
UNE-EN 61537
UNE-EN 50085



IP23
IEC 60529

IK10
IEC 50102

IK07
IEC 50102




CPERC



TCPERC



CCERC



TCCERC




CXERC




TCXERC



TERC



TTERC



CRERC



TCRERC



AS



TAS



SUCP



PS



PBCH-1



JUER



JUER-A



JUER-B



JUER-U




PTERE



REER

B		H60 (2 1/3")	
mm	inch	cm²	in²
100	4"	59	9,1
150	6"	89	13,7
200	8"	119	18,4
300	12"	178	27,5
400	16"	238	36,8
500	20"	298	46,1
600	24"	358	55,4




ER2E H60




L = 3 m (10 ft)



	B		H		PG	
	mm	inch	mm	inch	REF.	€/m
ER2E 100X60 GS	100	4"	60	2 1/3"	2/10233	11,89
ER2E 150X60 GS	150	6"	60	2 1/3"	2/10234	13,67
ER2E 200X60 GS	200	8"	60	2 1/3"	2/10235	17,22
ER2E 300X60 GS	300	12"	60	2 1/3"	2/10236	24,78
ER2E 400X60 GS	400	16"	60	2 1/3"	2/10237	33,44
ER2E 500X60 GS	500	20"	60	2 1/3"	2/10238	39,78
ER2E 600X60 GS	600	24"	60	2 1/3"	2/10239	45,78




TERE




L = 3 m (10 ft)

(400/500/600 - L = 2 m (6,56 ft))




	B		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
TERE 100	100	4"	2/1312	6,00	2/1321	10,67	2/4560	28,56
TERE 150	150	6"	2/1313	8,22	2/1322	14,67	2/5123	37,89
TERE 200	200	8"	2/1314	10,56	2/1323	18,44	2/4561	46,44
TERE 300	300	12"	2/1316	16,22	2/1325	28,67	2/4716	64,00
TERE 400	400	16"	2/1317	24,33	2/1326	37,67	2/4931	92,44
TERE 500	500	20"	2/1318	33,33	2/1327	50,22	2/4562	111,78
TERE 600	600	24"	2/1319	39,56	2/1328	59,67	2/5357	131,56



PTERE i304




	H		i304	
	mm	inch	REF.	€/u
PTERE 35 i304	35	1 3/8"	2/7059	6,11
PTERE 60 i304	60	2 1/3"	2/7060	4,44
PTERE 80 i304	80	3 1/7"	2/7061	4,56
PTERE 100 i304	100	4"	2/7062	4,67



6" !!





P
basor
9800892

L > 100 m *

UNE-EN 61537
UNE-EN 50085

MO
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
-50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3 5
9A
UNE-EN 61537

20J
UNE-EN 61537
UNE-EN 50085



IP44
IEC 60529

IP23
IEC 60529

IK10
IEC 50102

IK07
IEC 50102



CPERC



TCPERC



CCERC



TCCERC



CXERC



TCXERC



TERC



TTERC



CRERC



TCRERC



AS



TAS



SUCP



PS



PBCH-1



JUER



JUER-A



JUER-B



JUER-U



PTERE



REER

B		H35 (1 3/8")		H60 (2 1/3")		H80 (3 1/7")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	34	5,2	59	9,1	78	12,0	98	15,1
150	6"	51	7,9	89	13,7	118	18,2	148	22,9
200	8"	69	10,6	119	18,4	158	24,4	198	30,6
300	12"	103	15,9	178	27,5	238	36,8	298	46,1
400	16"	-	-	238	36,8	317	49,1	397	61,5
500	20"	-	-	298	46,1	397	61,5	497	77,0
600	24"	-	-	358	55,4	477	73,9	597	92,5



ERE H35




L = 3 m (10 ft)



	B		H		PG		HDG		i
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	
ERE 100X35	100	4"	35	1 3/8"	2/1192	8,44	2/1222	14,44	3
ERE 150X35	150	6"	35	1 3/8"	2/1193	10,56	2/1223	18,22	0
ERE 200X35	200	8"	35	1 3/8"	2/1194	12,67	2/1224	22,00	4
ERE 300X35	300	12"	35	1 3/8"	2/1195	18,33	2/1225	32,67	S

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)



ERE-C H35




L = 3 m (10 ft)



	B		H		PG		HDG		i
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	
ERE-C 100X35	100	4"	35	1 3/8"	2/1252	8,44	2/1282		3
ERE-C 150X35	150	6"	35	1 3/8"	2/1253	10,56	2/1283		0
ERE-C 200X35	200	8"	35	1 3/8"	2/1254	12,67	2/1284		4
ERE-C 300X35	300	12"	35	1 3/8"	2/1255	18,33	2/1285		S

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)



ERE H60




L = 3 m (10 ft)




	B		H		PG		HDG		i304	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
ERE 100X60	100	4"	60	2 1/3"	2/1197	10,56	2/1227	18,22	2/4795	47,22
ERE 150X60	150	6"	60	2 1/3"	2/1198	12,56	2/1228	21,89	2/4319	56,89
ERE 200X60	200	8"	60	2 1/3"	2/1199	16,22	2/1229	28,67	2/4688	67,78
ERE 300X60	300	12"	60	2 1/3"	2/1201	23,78	2/1231	37,11	2/4317	90,33
ERE 400X60	400	16"	60	2 1/3"	2/1202	33,00	2/1232	49,89	2/4933	122,11
ERE 500X60	500	20"	60	2 1/3"	2/1203	40,00	2/1233	60,00	2/5030	
ERE 600X60	600	24"	60	2 1/3"	2/1204	46,00	2/1234	69,33	2/4373	165,67

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)



ERE-C H60




L = 3 m (10 ft)



	B		H		PG		HDG		i304	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
ERE-C 100X60	100	4"	60	2 1/3"	2/1257	10,56	2/1287	18,22	2/4907	47,22
ERE-C 150X60	150	6"	60	2 1/3"	2/1258	12,56	2/1288	21,89	2/5028	56,56
ERE-C 200X60	200	8"	60	2 1/3"	2/1259	16,22	2/1289	28,67	2/5029	67,78
ERE-C 300X60	300	12"	60	2 1/3"	2/1261	23,78	2/1291	37,11	2/4306	90,33
ERE-C 400X60	400	16"	60	2 1/3"	2/1262	33,00	2/1292	49,89	2/5196	122,11
ERE-C 500X60	500	20"	60	2 1/3"	2/1263	40,00	2/1293	60,00	-	-
ERE-C 600X60	600	24"	60	2 1/3"	2/1264	46,00	2/1294	69,33	2/5197	165,67

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)





ERE H80




L = 3 m (10 ft)




	B		H		PG		HDG		
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	
ERE 100X80	100	4"	80	3 1/7"	2/1205	12,44	2/1235	23,44	i 304 S
ERE 150X80	150	6"	80	3 1/7"	2/1206	14,33	2/1236	27,44	
ERE 200X80	200	8"	80	3 1/7"	2/1207	17,78	2/1237	31,67	
ERE 300X80	300	12"	80	3 1/7"	2/1209	26,22	2/1239	44,33	
ERE 400X80	400	16"	80	3 1/7"	2/1210	35,00	2/1240	53,11	
ERE 500X80	500	20"	80	3 1/7"	2/1211	44,22	2/1241	65,11	
ERE 600X80	600	24"	80	3 1/7"	2/1212	51,11	2/1242	75,11	

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)



ERE-C H80




L = 3 m (10 ft)



	B		H		PG		HDG		
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	
ERE-C 100X80	100	4"	80	3 1/7"	2/1265	12,78	2/1295	23,44	i 304 S
ERE-C 150X80	150	6"	80	3 1/7"	2/1266	14,33	2/1296	27,44	
ERE-C 200X80	200	8"	80	3 1/7"	2/1267	17,78	2/1297	31,67	
ERE-C 300X80	300	12"	80	3 1/7"	2/1269	26,22	2/1299	44,33	
ERE-C 400X80	400	16"	80	3 1/7"	2/1270	35,00	2/1300	53,11	
ERE-C 500X80	500	20"	80	3 1/7"	2/1271	44,22	2/1301	65,11	
ERE-C 600X80	600	24"	80	3 1/7"	2/1272	51,11	2/1302	75,11	

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)



ERE H100




L = 3 m (10 ft)




	B		H		PG		HDG		
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	
ERE 100X100	100	4"	100	4"	2/1213	14,44	2/1243	27,22	i 304 S
ERE 150X100	150	6"	100	4"	2/1214	16,33	2/1244	31,11	
ERE 200X100	200	8"	100	4"	2/1215	19,78	2/1245	35,22	
ERE 300X100	300	12"	100	4"	2/1217	27,89	2/1247	47,44	
ERE 400X100	400	16"	100	4"	2/1218	38,44	2/1248	57,89	
ERE 500X100	500	20"	100	4"	2/1219	46,67	2/1249	68,78	
ERE 600X100	600	24"	100	4"	2/1220	52,44	2/1250	77,67	

4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)





ERE-C H100




L = 3 m (10 ft)



	B		H		PG		HDG		
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	
ERE-C 100X100	100	4"	100	4"	2/1273	14,44	2/1303	27,22	i 304 S
ERE-C 150X100	150	6"	100	4"	2/1274	16,33	2/1304	31,11	
ERE-C 200X100	200	8"	100	4"	2/1275	19,78	2/1305	35,22	
ERE-C 300X100	300	12"	100	4"	2/1277	27,89	2/1307	47,44	
ERE-C 400X100	400	16"	100	4"	2/1278	38,44	2/1308	57,89	
ERE-C 500X100	500	20"	100	4"	2/1279	46,67	2/1309	68,78	
ERE-C 600X100	600	24"	100	4"	2/1280	52,44	2/1310	77,67	



4/100 x B1 - (2/4356-ZINC / 2/6826-HDG / 2/4925-i304)




TERE




L = 3 m (10 ft)

(400/500/600 - 2 m (6,56 ft))




	B		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
TERE 100	100	4"	2/1312	6,00	2/1321	10,67	2/4560	28,56
TERE 150	150	6"	2/1313	8,22	2/1322	14,67	2/5123	37,89
TERE 200	200	8"	2/1314	10,56	2/1323	18,44	2/4561	46,44
TERE 300	300	12"	2/1316	16,22	2/1325	28,67	2/4716	64,00
TERE 400	400	16"	2/1317	24,33	2/1326	37,67	2/4931	92,44
TERE 500	500	20"	2/1318	33,33	2/1327	50,22	2/4562	111,78
TERE 600	600	24"	2/1319	39,56	2/1328	59,67	2/5357	131,56






PTERE i304



	H		i304	
	mm	inch	REF.	€/u
PTERE 35 i304	35	1 3/8"	2/7059	6,11
PTERE 60 i304	60	2 1/3"	2/7060	4,44
PTERE 80 i304	80	3 1/7"	2/7061	4,56
PTERE 100 i304	100	4"	2/7062	4,67





B		H60 (2 1/3")		H60 (3 1/7")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	59	9,1	78	12,0	98	15,1
150	6"	89	13,7	118	18,2	148	22,9
200	8"	119	18,4	158	24,4	198	30,6
300	12"	178	27,5	238	36,8	298	46,1
400	16"	238	36,8	317	49,1	397	61,5
500	20"	298	46,1	397	61,5	497	77,0
600	24"	358	55,4	477	73,9	597	92,5



MRE H60




L = 3 m (10 ft)

	B		H		e	PG		HDG		i
	mm	inch	mm	inch	mm	REF.	€/m	REF.	€/m	
MRE-100X60	100	4"	60	2 1/3"	1	2/7273	17,56	2/7517	26,44	304
MRE-150X60	150	6"	60	2 1/3"	1	2/7274	21,22	2/7518	32,11	
MRE-200X60	200	8"	60	2 1/3"	1	2/7275	25,11	2/7519	37,89	
MRE-300X60	300	12"	60	2 1/3"	1	2/7276	32,89	2/7520	49,56	
MRE-400X60	400	16"	60	2 1/3"	1	2/7277	40,56	2/7521	61,11	
MRE-500X60	500	20"	60	2 1/3"	1	2/7278	49,22	2/7522	73,67	
MRE-600X60	600	24"	60	2 1/3"	1	2/7279	56,44	2/7523	84,89	



4/100 x B1

(2/4356 - PG / 2/6826 - HDG / 2/4925-i304).



MRE H100




L = 3 m (10 ft)

	B		H		e	PG		HDG		i
	mm	inch	mm	inch	mm	REF.	€/m	REF.	€/m	
MRE-150X100	100	4"	100	4"	1	2/7409	27,11	2/7524	41,00	304
MRE-200X100	150	6"	100	4"	1	2/7410	30,89	2/7525	46,78	
MRE-300X100	200	8"	100	4"	1	2/7411	38,67	2/7526	58,56	
MRE-400X100	300	12"	100	4"	1	2/7412	45,33	2/7527	70,11	
MRE-500X100	500	20"	100	4"	1	2/7413	55,00	2/7528	82,67	
MRE-600X100	600	24"	100	4"	1	2/7414	62,33	2/7529	93,89	



4/100 x B1

(2/4356 - PG / 2/6826 - HDG / 2/4925-i304).




TERE




L = 3 m (10 ft)

(400/500/600 - L = 2 m (6,56 ft))

	B		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
TERE 100	100	4"	2/1312	6,00	2/1321	10,67	2/4560	28,56
TERE 150	150	6"	2/1313	8,22	2/1322	14,67	2/5123	37,89
TERE 200	200	8"	2/1314	10,56	2/1323	18,44	2/4561	46,44
TERE 300	300	12"	2/1316	16,22	2/1325	28,67	2/4716	64,00
TERE 400	400	16"	2/1317	24,33	2/1326	37,67	2/4931	92,44
TERE 500	500	20"	2/1318	33,33	2/1327	50,22	2/4562	111,78
TERE 600	600	24"	2/1319	39,56	2/1328	59,67	2/5357	131,56





L > 100 m*
UNE-EN 61537
UNE-EN 50085

M0
UNE-EN 61537
UNE-EN 50085
UNE 23727

150°C
50°C
UNE-EN 61537

120°C
-25°C
UNE-EN 50085

3 5
UNE-EN 61537

20J
UNE-EN 61537
UNE-EN 50085



IP44
IEC 60529

IP23
IEC 60529

IK10
IEC 50102

IK07
IEC 50102



CPERC



TCPERC



CCERC



TCCERC




CXERC




TCXERC



TERC



TTERC



CRERC




TCRERC



AS



TAS



SUCP



PS



PBCH-1



JUER



JUER-A



JUER-B



JUER-U



PTERE



REER

B		H35 (1 3/8")							
		H60 (2 1/3")		H80 (3 1/7")		H100 (4")			
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	34	5,2	59	9,1	78	12,0	98	15,1
150	6"	51	7,9	89	13,7	118	18,2	148	22,9
200	8"	69	10,6	119	18,4	158	24,4	198	30,6
300	12"	103	15,9	178	27,5	238	36,8	298	46,1
400	16"	-	-	238	36,8	317	49,1	397	61,5
500	20"	-	-	298	46,1	397	61,5	497	77,0
600	24"	-	-	358	55,4	477	73,9	597	92,5



FRE H35




L = 3 m (10 ft)



	B		H		e	PG		HDG	
	mm	inch	mm	inch	mm	REF.	€/m	REF.	€/m
FRE 100X35	100	4"	35	1 3/8"	1,5	2/0001	26,11	2/20051	34,67
FRE 150X35	150	6"	35	1 3/8"	1,5	2/0002	31,56	2/20052	42,44
FRE 200X35	200	8"	35	1 3/8"	1,5	2/0003	37,00	2/20053	50,33
FRE 300X35	300	12"	35	1 3/8"	1,5	2/0004	48,00	2/20054	65,89



4/100 x B1
(6/100xB1 → 300x35) (2/4356 - PG / 2/6826 - HDG / 2/4925-i304).



FRE H60




L = 3 m (10 ft)



	B		H		e	PG		HDG	
	mm	inch	mm	inch	mm	REF.	€/m	REF.	€/m
FRE 100X60	100	4"	60	2 1/3"	1,5	2/0006	26,89	2/0056	38,22
FRE 150X60	150	6"	60	2 1/3"	1,5	2/0007	32,22	2/0057	45,89
FRE 200X60	200	8"	60	2 1/3"	1,5	2/0008	37,56	2/0058	53,56
FRE 300X60	300	12"	60	2 1/3"	1,5	2/0009	48,22	2/0059	68,89
FRE 400X60	400	16"	60	2 1/3"	1,5	2/0010	65,00	2/0060	90,00
FRE 500X60	500	20"	60	2 1/3"	1,5	2/0011	76,22	2/0061	105,78
FRE 600X60	600	24"	60	2 1/3"	1,5	2/0012	87,67	2/0062	122,00



4/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304).



FRE H80




L = 3 m (10 ft)



	B		H		e	PG		HDG	
	mm	inch	mm	inch	mm	REF.	€/m	REF.	€/m
FRE 100X80	100	4"	80	3 1/7"	1,5	2/0013	31,22	2/0063	44,33
FRE 150X80	150	6"	80	3 1/7"	1,5	2/0014	36,56	2/0064	52,00
FRE 200X80	200	8"	80	3 1/7"	1,5	2/0015	41,89	2/0065	59,67
FRE 300X80	300	12"	80	3 1/7"	1,5	2/0016	52,56	2/0066	75,00
FRE 400X80	400	16"	80	3 1/7"	1,5	2/0017	69,33	2/0067	96,11
FRE 500X80	500	20"	80	3 1/7"	1,5	2/0018	80,56	2/0068	112,00
FRE 600X80	600	24"	80	3 1/7"	1,5	2/0019	92,00	2/0069	128,11




4/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304).






FRE H100




L = 3 m (10 ft)




	B		H		e	PG		HDG	
	mm	inch	mm	inch	mm	REF.	€/m	REF.	€/m
FRE 100X100	100	4"	100	4"	1,5	-	-	2/4556	50,44
FRE 150X100	150	6"	100	4"	1,5	2/0020	40,78	2/0070	58,11
FRE 200X100	200	8"	100	4"	1,5	2/0021	46,11	2/0071	65,78
FRE 300X100	300	12"	100	4"	1,5	2/0022	56,78	2/0072	81,11
FRE 400X100	400	16"	100	4"	1,5	2/0023	73,56	2/0073	102,22
FRE 500X100	500	20"	100	4"	1,5	2/0024	84,78	2/0074	118,11
FRE 600X100	600	24"	100	4"	1,5	2/0025	96,22	2/0075	134,22

4/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304).




TERE




L = 3 m (10 ft)

(400/500/600 - L = 2 m (6,56 ft))



	B		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
TERE 100	100	4"	2/1312	6,00	2/1321	10,67	2/4560	28,56
TERE 150	150	6"	2/1313	8,22	2/1322	14,67	2/5123	37,89
TERE 200	200	8"	2/1314	10,56	2/1323	18,44	2/4561	46,44
TERE 300	300	12"	2/1316	16,22	2/1325	28,67	2/4716	64,00
TERE 400	400	16"	2/1317	24,33	2/1326	37,67	2/4931	92,44
TERE 500	500	20"	2/1318	33,33	2/1327	50,22	2/4562	111,78
TERE 600	600	24"	2/1319	39,56	2/1328	59,67	2/5357	131,56




TFRE



L = 3 m (10 ft)

(400/600 - L = 2 m (6,56 ft))


	B		e	PG		GAC - HDG - FVZ
	mm	inch	mm	REF.	€/m	
TFRE 100	100	4"	1,5	2/6008	15,89	S
TFRE 150	150	6"	1,5	2/10031	21,22	
TFRE 200	200	8"	1,5	2/6009	26,56	
TFRE 300	300	12"	1,5	2/6010	37,22	
TFRE 400	400	16"	1,5	2/6199	48,56	
TFRE 500	500	20"	1,5	2/10032	59,22	
TFRE 600	600	24"	1,5	2/6012	69,89	



PTERE i304




	H		i304	
	mm	inch	REF.	€/u
PTERE 35 i304	35	1 3/8"	2/7059	6,11
PTERE 60 i304	60	2 1/3"	2/7060	4,44
PTERE 80 i304	80	3 1/7"	2/7061	4,56
PTERE 100 i304	100	4"	2/7062	4,67







CPERC



	B		H		PG		HDG		i304	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
CPERC 100x35	100	4"	35	1 3/8"	2/1337	24,00	2/1368	33,22	-	-
CPERC 150x35	150	6"	35	1 3/8"	2/1338	24,78	2/1369	37,11	-	-
CPERC 200x35	200	8"	35	1 3/8"	2/1339	28,67	2/1370	45,33	-	-
CPERC 300x35	300	12"	35	1 3/8"	2/1340	38,56	2/1371	65,78	-	-
CPERC 100x60	100	4"	60	2 1/3"	2/1344	22,00	2/1375	34,11	2/4777	45,33
CPERC 150x60	150	6"	60	2 1/3"	2/1345	24,78	2/1376	40,00	2/5317	54,00
CPERC 200x60	200	8"	60	2 1/3"	2/1346	28,67	2/1377	48,44	2/4778	62,89
CPERC 300x60	300	12"	60	2 1/3"	2/1348	40,22	2/1379	70,78	2/6180	85,56
CPERC 400x60	400	16"	60	2 1/3"	2/1349	53,67	2/1380	97,44	2/7390	123,44
CPERC 500x60	500	20"	60	2 1/3"	2/1350	69,89	2/1381	128,89	-	-
CPERC 600x60	600	24"	60	2 1/3"	2/1351	84,67	2/1382	161,33	2/7391	198,56
CPERC 100x80	100	4"	80	3 1/7"	2/1352	25,89	2/1383	42,44	-	-
CPERC 150x80	150	6"	80	3 1/7"	2/1353	29,56	2/1384	50,78	-	-
CPERC 200x80	200	8"	80	3 1/7"	2/1354	34,11	2/1385	60,67	-	-
CPERC 300x80	300	12"	80	3 1/7"	2/1356	46,78	2/1387	86,33	-	-
CPERC 400x80	400	16"	80	3 1/7"	2/1357	61,33	2/1388	116,22	-	-
CPERC 500x80	500	20"	80	3 1/7"	2/1358	79,00	2/1389	152,22	-	-
CPERC 600x80	600	24"	80	3 1/7"	2/1359	95,78	2/1390	189,89	-	-
CPERC 100x100	100	4"	100	4"	2/1360	28,56	2/1391	46,67	-	-
CPERC 150x100	150	6"	100	4"	2/1361	32,00	2/1392	55,00	-	-
CPERC 200x100	200	8"	100	4"	2/1362	37,67	2/1393	66,22	-	-
CPERC 300x100	300	12"	100	4"	2/1364	50,78	2/1395	92,56	-	-
CPERC 400x100	400	16"	100	4"	2/1365	65,56	2/1396	123,33	-	-
CPERC 500x100	500	20"	100	4"	2/1366	82,78	2/1397	159,00	-	-
CPERC 600x100	600	24"	100	4"	2/1367	100,44	2/1398	197,89	-	-




2 JUER



TCPERC



	B		PG		HDG		i304	
	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
TCPERC 100	100	4"	2/1430	10,44	2/1437	15,11	2/3560	30,33
TCPERC 150	150	6"	2/1431	13,00	2/1438	20,44	2/3561	36,89
TCPERC 200	200	8"	2/1432	15,78	2/1439	26,22	2/3562	44,00
TCPERC 300	300	12"	2/1433	21,67	2/1440	39,11	2/3563	61,33
TCPERC 400	400	16"	2/1434	28,67	2/1441	55,00	2/4752	82,44
TCPERC 500	500	20"	2/1435	41,89	2/1442	78,78	-	-
TCPERC 600	600	24"	2/1436	55,89	2/1443	104,67	2/4753	135,89








CCERC




	B		H		PG		HDG		i304	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
CCERC 100x35	100	4"	35	1 3/8"	2/1451	15,78	2/1482	21,44	-	-
CCERC 150x35	150	6"	35	1 3/8"	2/1452	18,67	2/1483	26,00	-	-
CCERC 200x35	200	8"	35	1 3/8"	2/1453	20,89	2/1484	29,89	-	-
CCERC 300x35	300	12"	35	1 3/8"	2/1454	25,00	2/1485	37,67	-	-
CCERC 100x60	100	4"	60	2 1/3"	2/1458	17,00	2/1489	25,78	2/4908	52,56
CCERC 150x60	150	6"	60	2 1/3"	2/1459	19,44	2/1490	30,22	2/5157	59,00
CCERC 200x60	200	8"	60	2 1/3"	2/1460	21,56	2/1491	34,56	2/5024	72,33
CCERC 300x60	300	12"	60	2 1/3"	2/1462	27,00	2/1493	44,11	2/6503	83,89
CCERC 400x60	400	16"	60	2 1/3"	2/1463	31,78	2/1494	53,11	2/7392	97,22
CCERC 500x60	500	20"	60	2 1/3"	2/1464	36,00	2/1495	61,56	-	-
CCERC 600x60	600	24"	60	2 1/3"	2/1465	40,33	2/1496	70,22	2/7393	121,00
CCERC 100x80	100	4"	80	3 1/7"	2/1466	19,56	2/1497	31,11	-	-
CCERC 150x80	150	6"	80	3 1/7"	2/1467	22,00	2/1498	35,89	-	-
CCERC 200x80	200	8"	80	3 1/7"	2/1468	24,33	2/1499	40,44	-	-
CCERC 300x80	300	12"	80	3 1/7"	2/1470	31,56	2/1501	54,67	-	-
CCERC 400x80	400	16"	80	3 1/7"	2/1471	35,11	2/1502	60,67	-	-
CCERC 500x80	500	20"	80	3 1/7"	2/1472	39,56	2/1503	69,78	-	-
CCERC 600x80	600	24"	80	3 1/7"	2/1473	44,11	2/1504	79,00	-	-
CCERC 100x100	100	4"	100	4"	2/1474	21,56	2/1505	35,22	-	-
CCERC 150x100	150	6"	100	4"	2/1475	24,22	2/1506	40,56	-	-
CCERC 200x100	200	8"	100	4"	2/1476	26,67	2/1507	45,44	-	-
CCERC 300x100	300	12"	100	4"	2/1478	32,67	2/1509	56,44	-	-
CCERC 400x100	400	16"	100	4"	2/1479	38,00	2/1510	66,89	-	-
CCERC 500x100	500	20"	100	4"	2/1480	42,89	2/1511	77,00	-	-
CCERC 600x100	600	24"	100	4"	2/1481	47,67	2/1512	86,89	-	-



TCCERC



	B		PG		HDG		i304	
	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
TCCERC 100	100	4"	2/1544	12,67	2/1551	16,78	2/3263	35,56
TCCERC 150	150	6"	2/1545	13,67	2/1552	19,33	2/3264	44,22
TCCERC 200	200	8"	2/1546	15,33	2/1553	22,44	2/3265	49,56
TCCERC 300	300	12"	2/1547	17,89	2/1554	28,22	2/3266	60,11
TCCERC 400	400	16"	2/1548	21,56	2/1555	35,11	2/3271	70,44
TCCERC 500	500	20"	2/1549	24,89	2/1556	41,44	-	-
TCCERC 600	600	24"	2/1550	27,89	2/1557	47,56	2/4724	89,56







CXERC




	B		H		PG		HDG		i304	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
CXERC 100x35	100	4"	35	1 3/8"	2/1565	16,11	2/1596	21,22	-	-
CXERC 150x35	150	6"	35	1 3/8"	2/1566	17,67	2/1597	24,44	-	-
CXERC 200x35	200	8"	35	1 3/8"	2/1567	19,67	2/1598	27,89	-	-
CXERC 300x35	300	12"	35	1 3/8"	2/1568	23,00	2/1599	34,56	-	-
CXERC 100x60	100	4"	60	2 1/3"	2/1572	16,44	2/1603	24,33	2/4909	50,22
CXERC 150x60	150	6"	60	2 1/3"	2/1573	18,00	2/1604	27,44	2/5158	55,89
CXERC 200x60	200	8"	60	2 1/3"	2/1574	19,78	2/1605	31,00	2/5025	68,22
CXERC 300x60	300	12"	60	2 1/3"	2/1576	22,67	2/1607	37,00	2/6817	77,11
CXERC 400x60	400	16"	60	2 1/3"	2/1577	27,00	2/1608	44,67	2/7514	88,22
CXERC 500x60	500	20"	60	2 1/3"	2/1578	31,00	2/1609	52,00	-	-
CXERC 600x60	600	24"	60	2 1/3"	2/1579	34,33	2/1610	58,67	2/7515	106,56
CXERC 100x80	100	4"	80	3 1/7"	2/1580	18,56	2/1611	28,78	-	-
CXERC 150x80	150	6"	80	3 1/7"	2/1581	20,11	2/1612	31,89	-	-
CXERC 200x80	200	8"	80	3 1/7"	2/1582	21,89	2/1613	35,44	-	-
CXERC 300x80	300	12"	80	3 1/7"	2/1584	24,89	2/1615	41,78	-	-
CXERC 400x80	400	16"	80	3 1/7"	2/1585	29,11	2/1616	49,11	-	-
CXERC 500x80	500	20"	80	3 1/7"	2/1586	33,11	2/1617	56,44	-	-
CXERC 600x80	600	24"	80	3 1/7"	2/1587	36,44	2/1618	63,11	-	-
CXERC 100x100	100	4"	100	4"	2/1588	20,33	2/1619	32,00	-	-
CXERC 150x100	150	6"	100	4"	2/1589	21,89	2/1620	35,44	-	-
CXERC 200x100	200	8"	100	4"	2/1590	23,67	2/1621	38,67	-	-
CXERC 300x100	300	12"	100	4"	2/1592	26,67	2/1623	45,00	-	-
CXERC 400x100	400	16"	100	4"	2/1593	31,00	2/1624	52,67	-	-
CXERC 500x100	500	20"	100	4"	2/1594	35,00	2/1625	60,00	-	-
CXERC 600x100	600	24"	100	4"	2/1595	38,33	2/1626	66,67	-	-




2 JUER



TCXERC




	B		PG		HDG		i304	
	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
TCXERC 100x35	100	4"	2/1658	16,67	2/1689	21,67	-	-
TCXERC 150x35	150	6"	2/1659	17,89	2/1690	24,89	-	-
TCXERC 200x35	200	8"	2/1660	19,22	2/1691	28,33	-	-
TCXERC 300x35	300	12"	2/1661	21,78	2/1692	34,78	-	-
TCXERC 100x60	100	4"	2/1665	14,22	2/1696	20,11	2/3565	38,78
TCXERC 150x60	150	6"	2/1666	15,56	2/1697	23,67	2/3249	49,22
TCXERC 200x60	200	8"	2/1667	18,33	2/1698	28,78	2/3253	56,89
TCXERC 300x60	300	12"	2/1669	22,22	2/1700	37,00	2/3250	70,44
TCXERC 400x60	400	16"	2/1670	26,89	2/1701	46,11	2/3251	83,89
TCXERC 500x60	500	20"	2/1671	31,11	2/1702	55,00	-	-
TCXERC 600x60	600	24"	2/1672	35,00	2/1703	63,22	2/3252	108,33
TCXERC 100x80	100	4"	2/1673	14,56	2/1704	21,00	-	-
TCXERC 150x80	150	6"	2/1674	16,11	2/1705	25,11	-	-
TCXERC 200x80	200	8"	2/1675	19,11	2/1706	30,44	-	-
TCXERC 300x80	300	12"	2/1677	23,22	2/1708	39,56	-	-
TCXERC 400x80	400	16"	2/1678	28,11	2/1709	49,33	-	-
TCXERC 500x80	500	20"	2/1679	31,67	2/1710	56,11	-	-
TCXERC 600x80	600	24"	2/1680	36,78	2/1711	67,89	-	-
TCXERC 100x100	100	4"	2/1681	14,89	2/1712	21,89	-	-
TCXERC 150x100	150	6"	2/1682	16,56	2/1713	26,22	-	-
TCXERC 200x100	200	8"	2/1683	19,78	2/1714	32,22	-	-
TCXERC 300x100	300	12"	2/1685	24,22	2/1716	41,89	-	-
TCXERC 400x100	400	16"	2/1686	29,33	2/1717	52,44	-	-
TCXERC 500x100	500	20"	2/1687	34,11	2/1718	62,56	-	-
TCXERC 600x100	600	24"	2/1688	38,67	2/1719	72,44	-	-






TERC




	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
TERC 100x35	100	4"	35	1 3/8"	2/1751	24,22	2/1782	38,44
TERC 150x35	150	6"	35	1 3/8"	2/1752	28,44	2/1783	47,89
TERC 200x35	200	8"	35	1 3/8"	2/1753	34,44	2/1784	62,22
TERC 300x35	300	12"	35	1 3/8"	2/1754	46,44	2/1785	86,00
TERC 100x60	100	4"	60	2 1/3"	2/1758	25,89	2/1789	42,67
TERC 150x60	150	6"	60	2 1/3"	2/1759	30,78	2/1790	53,00
TERC 200x60	200	8"	60	2 1/3"	2/1760	37,11	2/1791	67,56
TERC 300x60	300	12"	60	2 1/3"	2/1762	50,44	2/1793	93,22
TERC 400x60	400	16"	60	2 1/3"	2/1763	64,00	2/1794	123,67
TERC 500x60	500	20"	60	2 1/3"	2/1764	78,89	2/1795	158,33
TERC 600x60	600	24"	60	2 1/3"	2/1765	101,00	2/1796	203,22
TERC 100x80	100	4"	80	3 1/7"	2/1766	27,11	2/1797	45,89
TERC 150x80	150	6"	80	3 1/7"	2/1767	32,00	2/1798	56,22
TERC 200x80	200	8"	80	3 1/7"	2/1768	38,44	2/1799	71,11
TERC 300x80	300	12"	80	3 1/7"	2/1770	51,89	2/1801	96,89
TERC 400x80	400	16"	80	3 1/7"	2/1771	65,56	2/1802	127,78
TERC 500x80	500	20"	80	3 1/7"	2/1772	80,67	2/1803	163,00
TERC 600x80	600	24"	80	3 1/7"	2/1773	102,89	2/1804	207,78
TERC 100x100	100	4"	100	4"	2/1774	29,22	2/1805	50,00
TERC 150x100	150	6"	100	4"	2/1775	34,11	2/1806	60,67
TERC 200x100	200	8"	100	4"	2/1776	40,78	2/1807	75,78
TERC 300x100	300	12"	100	4"	2/1778	54,11	2/1809	101,67
TERC 400x100	400	16"	100	4"	2/1779	68,00	2/1810	133,11
TERC 500x100	500	20"	100	4"	2/1780	83,22	2/1811	168,56
TERC 600x100	600	24"	100	4"	2/1781	105,67	2/1812	214,00

i 3 0 4


S



2 JUER




TTERC



	B		PG		HDG	
	mm	inch	REF.	€/u	REF.	€/u
TTERC 100	100	4"	2/1844	13,00	2/1852	20,89
TTERC 150	150	6"	2/1845	15,89	2/1853	27,44
TTERC 200	200	8"	2/1846	19,00	2/1854	34,56
TTERC 300	300	12"	2/1848	26,11	2/1855	51,33
TTERC 400	400	16"	2/1849	36,67	2/1856	73,22
TTERC 500	500	20"	2/1850	49,22	2/1857	99,33
TTERC 600	600	24"	2/1851	62,89	2/1858	128,44


i 3 0 4

S






CRERC




	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
CRERC 100x35	100	4"	35	1 3/8"	2/1866	31,67	2/1897	49,44
CRERC 150x35	150	6"	35	1 3/8"	2/1867	36,22	2/1898	60,22
CRERC 200x35	200	8"	35	1 3/8"	2/1868	41,00	2/1899	71,89
CRERC 300x35	300	12"	35	1 3/8"	2/1869	42,44	2/1900	71,33
CRERC 100x60	100	4"	60	2 1/3"	2/1873	32,44	2/1904	53,33
CRERC 150x60	150	6"	60	2 1/3"	2/1874	37,11	2/1905	64,11
CRERC 200x60	200	8"	60	2 1/3"	2/1875	42,11	2/1906	75,78
CRERC 300x60	300	12"	60	2 1/3"	2/1877	58,33	2/1908	107,78
CRERC 400x60	400	16"	60	2 1/3"	2/1878	72,00	2/1909	139,78
CRERC 500x60	500	20"	60	2 1/3"	2/1879	87,00	2/1910	176,00
CRERC 600x60	600	24"	60	2 1/3"	2/1872	108,11	2/1911	218,11
CRERC 100x80	100	4"	80	3 1/7"	2/1881	33,89	2/1912	56,78
CRERC 150x80	150	6"	80	3 1/7"	2/1882	38,56	2/1913	67,56
CRERC 200x80	200	8"	80	3 1/7"	2/1883	43,67	2/1914	79,56
CRERC 300x80	300	12"	80	3 1/7"	2/1885	59,78	2/1916	111,22
CRERC 400x80	400	16"	80	3 1/7"	2/1886	73,44	2/1917	143,56
CRERC 500x80	500	20"	80	3 1/7"	2/1887	88,44	2/1918	179,67
CRERC 600x80	600	24"	80	3 1/7"	2/1880	110,11	2/1919	223,11
CRERC 100x100	100	4"	100	4"	2/1889	36,78	2/1920	62,22
CRERC 150x100	150	6"	100	4"	2/1890	41,44	2/1921	73,00
CRERC 200x100	200	8"	100	4"	2/1891	46,56	2/1922	84,89
CRERC 300x100	300	12"	100	4"	2/1893	62,67	2/1924	116,67
CRERC 400x100	400	16"	100	4"	2/1894	76,44	2/1925	149,00
CRERC 500x100	500	20"	100	4"	2/1895	91,22	2/1926	184,78
CRERC 600x100	600	24"	100	4"	2/1896	114,33	2/1927	231,89


i 304
S



2 JUER




TCRERC



	B		PG		HDG	
	mm	inch	REF.	€/u	REF.	€/u
TCRERC 100	100	4"	2/1959	13,56	2/1967	24,00
TCRERC 150	150	6"	2/1960	16,22	2/1968	31,00
TCRERC 200	200	8"	2/1961	20,67	2/1969	40,11
TCRERC 300	300	12"	2/1963	28,44	2/1971	59,00
TCRERC 400	400	16"	2/1964	37,89	2/1972	81,33
TCRERC 500	500	20"	2/1965	53,44	2/1973	111,67
TCRERC 600	600	24"	2/1966	68,44	2/1974	143,44

i 304
S






AS



	B		H		PG		HDG	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
AS 100x35	100	4"	35	1 3/8"	2/1983	31,14	2/2015	36,26
AS 150x35	150	6"	35	1 3/8"	2/1984	31,78	2/2016	37,69
AS 200x35	200	8"	35	1 3/8"	2/1985	32,43	2/2017	39,14
AS 300x35	300	12"	35	1 3/8"	2/1987	32,71	2/2019	41,15
AS 100x60	100	4"	60	2 1/3"	2/1991	30,91	2/2023	37,12
AS 150x60	150	6"	60	2 1/3"	2/1992	31,55	2/2024	38,53
AS 200x60	200	8"	60	2 1/3"	2/1993	32,27	2/2025	44,03
AS 300x60	300	12"	60	2 1/3"	2/1995	38,45	2/2027	52,05
AS 400x60	400	16"	60	2 1/3"	2/1996	43,85	2/2028	60,26
AS 500x60	500	20"	60	2 1/3"	2/1997	50,36	2/2029	63,15
AS 600x60	600	24"	60	2 1/3"	2/1998	53,55	2/2030	66,20
AS 100x80	100	4"	80	3 1/7"	2/1999	32,52	2/2031	39,35
AS 150x80	150	6"	80	3 1/7"	2/2000	33,17	2/2032	40,79
AS 200x80	200	8"	80	3 1/7"	2/2001	33,82	2/2033	46,20
AS 300x80	300	12"	80	3 1/7"	2/2003	39,81	2/2035	53,28
AS 400x80	400	16"	80	3 1/7"	2/2004	45,35	2/2036	61,50
AS 500x80	500	20"	80	3 1/7"	2/2005	51,98	2/2037	64,15
AS 600x80	600	24"	80	3 1/7"	2/2006	52,36	2/2038	67,20
AS 100x100	100	4"	100	4"	2/2007	33,08	2/2039	40,58
AS 150x100	150	6"	100	4"	2/2008	33,82	2/2040	42,24
AS 200x100	200	8"	100	4"	2/2009	34,46	2/2041	47,64
AS 300x100	300	12"	100	4"	2/2011	40,49	2/2043	54,73
AS 400x100	400	16"	100	4"	2/2012	46,00	2/2044	62,93
AS 500x100	500	20"	100	4"	2/2013	62,65	2/2045	71,13
AS 600x100	600	24"	100	4"	2/2014	63,69	2/2046	79,34

i 304

S



2 JUER + 4/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304)




TAS



	B		PG		HDG	
	mm	inch	REF.	€/u	REF.	€/u
TAS 100	100	4"	2/8325	8,78	2/8332	13,33
TAS 150	150	6"	2/8326	9,89	2/8333	15,44
TAS 200	200	8"	2/8327	11,22	2/8334	17,78
TAS 300	300	12"	2/8328	13,44	2/8335	22,00
TAS 400	400	16"	2/8329	21,78	2/8336	32,44
TAS 500	500	20"	2/8330	25,22	2/8337	37,89
TAS 600	600	24"	2/8331	28,89	2/8338	43,56

i 304


S



REER




	B		H		PG		HDG		i304	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
REER 50/35	50	2"	35	1 3/8"	2/6290	2,93	2/6298	3,19	-	-
REER 50/60	50	2"	60	2 1/3"	2/6291	3,07	2/6299	3,60	2/8767	3,44
REER 50/80	50	2"	80	3 1/7"	2/6292	3,23	2/6300	3,94	-	-
REER 50/100	50	2"	100	4"	2/6293	3,38	2/6301	4,28	-	-
REER 100/35	100	4"	35	1 3/8"	2/6294	2,95	2/6302	3,36	-	-
REER 100/60	100	4"	60	2 1/3"	2/6295	3,21	2/6303	3,90	2/8768	4,22
REER 100/80	100	4"	80	3 1/7"	2/6296	3,41	2/6304	4,34	-	-
REER 100/100	100	4"	100	4"	2/6297	3,61	2/6305	4,67	-	-




2/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304)



PS




L = 3 m (10 ft)




	H		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
PS 35	35	1 3/8"	2/3476	4,89	2/3479	5,67	-	-
PS 60	60	2 1/3"	2/2066	6,00	2/3480	7,78	2/3645	20,33
PS 80	80	3 1/7"	2/3477	7,33	2/3481	9,44	-	-
PS 100	100	4"	2/3478	8,33	2/3482	11,00	2/5138	29,89



1/100 x B1 (500 ↔ 500 mm) (2/4356 - PG / 2/6826 - HDG / 2/4925-i304)



SUCP




	B		H		PG		i304	
	mm	inch	mm	inch	REF.	€/u	REF.	€/u
SUCP	160	6 2/7"	130	5 1/8"	2/14255	2,32	2/14256	9,78




2/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925 - i304)




29-70 mm




79x50, 98-128x50, 15-55x82




L: 30 - 147



JUER



JUER 35



JUER 60




JUER 80/100


	H		PG		HDG		i304	
	mm	inch	REF.	€/u	REF.	€/u	REF.	€/u
JUER 35	35	1 3/8"	2/2047	2,63	2/2052	3,33	2/3232	
JUER 60	60	2 1/3"	2/2048	1,23	2/2053	1,92	2/3233	3,33
JUER 80	80	3 1/7"	2/2049	1,77	2/2054	2,71	-	-
JUER 100	100	4"	2/2050	2,32	2/2055	3,44	-	-




2/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304)



JUER 35



JUER 60



JUER 80/100





JUER-A



	H		PG		HDG		i
	mm	inch	REF.	€/u	REF.	€/u	
JUER-A 35	35	1 3/8"	2/3226	7,22	2/5298	9,33	304
JUER-A 60	60	2 1/3"	2/3229	6,89	2/4439	10,33	
JUER-A 80	80	3 1/7"	2/6327	8,33	2/5055	10,33	
JUER-A 100	100	4"	2/6209	9,11	2/6416	11,67	


4/100 x B1 (2/4356 - PG / 2/6826 - HDG / 2/4925-i304)



JUER-BFR



	i304	
	REF.	€/u
JUER-BFR 60/65	2/7018	22,33




JUER-B



	H		PG		HDG		i
	mm	inch	REF.	€/u	REF.	€/u	
JUER-B 35	35	1 3/8"	2/7204	5,11	2/7208	6,33	304
JUER-B 60	60	2 1/3"	2/7205	4,33	2/4440	4,89	
JUER-B 80	80	3 1/7"	2/7206	5,00	2/7209	5,89	
JUER-B 100	100	4"	2/7207	6,00	2/7210	7,67	


2/100 x B1 (2/4356 - PG / 2/6826 + HDG / 2/4925-i304)



JUER-U 60




	H		PG	
	mm	inch	REF.	€/u
JUER-U 60	60	2 1/3"	2/5740	11,87



PBCH-20 1MM PVC 90




	e	L	PVC	
	mm	m	REF.	€/u
PBCH-20 1MM PVC 90	≤ 1	20	2/10086	404,89



B1-100









	L mm	Pap Nm	EZ		HDG		i304	
			REF.	€/u	REF.	€/u	REF.	€/u
B1-100	14	6	2/4356	23,00	2/6826	32,11	-	-
B1-100	20	6	-	-	-	-	2/4925	80,00











B					
		H65 (2")		H105 (4")	
mm	inch	cm ²	in ²	cm ²	in ²
60	2 1/3"	21	3,3	-	-
100	4"	43	6,7	-	-
150	6"	72	11,2	-	-
200	8"	100	15,5	186	28,8
300	12"	156	24,2	291	45,1
400	16"	212	32,9	396	61,4
500	20"	268	41,5	501	77,7
600	24"	324	50,2	606	93,9

B x H		NEMA VE1		NMX-J-511-ANCE	
mm	inch	EZ	i304/i316	EZ	i304/i316
60x65	2"x2"	-	-	-	-
100x65	4"x2"	-	-	6AA	6AA
150x65	6"x2"	-	-	6AA	5AA
200x65	8"x2"	5AA	5AA	6AA/5BB	6AA/5BB
300x65	12"x2"	5AA	5AA	6BB	6BB
400x65	16"x2"	5AA	5AA	6BB	6BB
500x65	20"x2"	5AA	5A	6BB	6BB
600x65	24"x2"	5A	5AA	6BB	6BB
200x105	8"x4"	5AA	5AA	6BB	6BB
300x105	12"x4"	5A	5AA	6BB	6BB
400x105	16"x4"	8AA/5A	5A	6A	6BB
500x105	20"x4"	8AA/5A	5AA	6A	6BB
600x105	24"x4"	8AA/5A	5AA	6A	6BB




BF2R H65




L = 3 m (10 ft)

	B		H			EZ		EZ 1000	
	mm	inch	mm	inch		REF.	€/m	REF.	€/m
BF2R 60X65	60	2"	65	2"	0	2/7389	8,89	2/17354	10,05
BF2R 100X65	100	4"	65	2"	0	2/7248	9,32	2/17355	10,65
BF2R 150X65	150	6"	65	2"	0	2/7249	10,75	2/17356	12,39
BF2R 200X65	200	8"	65	2"	0	2/7250	13,46	2/17357	15,21
BF2R 300X65	300	12"	65	2"	1	2/7251	19,46	2/17358	22,59
BF2R 400X65	400	16"	65	2"	1	2/7394	22,78	2/17359	25,69
BF2R 500X65	500	20"	65	2"	2	2/7395	30,33	2/17361	34,01
BF2R 600X65	600	24"	65	2"	2	2/7396	35,11	2/17362	38,17




TERE (BF2R H65)



L = 3 m (10 ft)

	B		PG		HDG	
	mm	inch	REF.	€/m	REF.	€/m
TBF 60	60	2"	2/6044	11,56	2/3614	17,00
TERE 100	100	4"	2/1312	6,00	2/1321	10,67
TERE 150	150	6"	2/1313	8,22	2/1322	14,67
TERE 200	200	8"	2/1314	10,56	2/1323	18,44
TERE 300	300	12"	2/1316	16,22	2/1325	28,67
TERE 400	400	16"	2/1317	24,33	2/1326	37,67
TERE 500	500	20"	2/1318	33,33	2/1327	50,22
TERE 600	600	24"	2/1319	39,56	2/1328	59,67




BF2R H105



L = 3 m (10 ft)

	B		H			EZ		EZ 1000	
	mm	inch	mm	inch		REF.	€/m	REF.	€/m
BF2R 200X105	200	8"	105	4"	0	2/7397	19,16	2/17365	22,02
BF2R 300X105	300	12"	105	4"	1	2/7398	24,37	2/17366	27,48
BF2R 400X105	400	16"	105	4"	1	2/7399	32,63	2/17367	37,13
BF2R 500X105	500	20"	105	4"	2	2/7400	35,00	2/17369	39,76
BF2R 600X105	600	24"	105	4"	2	2/7401	39,22	2/17370	44,44




TEBFR (BF2R H105)



L = 1,5 m (5 ft)

	B		PG		HDG	
	mm	inch	REF.	€/m	REF.	€/m
TEBFR 200	200	8"	2/9791	17,33	2/9888	25,00
TEBFR 300	300	12"	2/9792	23,33	2/9889	34,00
TEBFR 400	400	16"	2/9793	30,56	2/9890	44,22
TEBFR 500	500	20"	2/9794	40,33	2/9891	57,78
TEBFR 600	600	24"	2/9795	46,89	2/9892	67,78






BF2R H65



L = 3 m (10 ft)

	B		H			i304	
	mm	inch	mm	inch		REF.	€/m
BF2R 60X65	60	2"	65	2"	0	2/7516	29,44
BF2R 100X65	100	4"	65	2"	0	2/7502	39,00
BF2R 150X65	150	6"	65	2"	0	2/7503	41,78
BF2R 200X65	200	8"	65	2"	0	2/7504	51,67
BF2R 300X65	300	12"	65	2"	1	2/7505	76,67
BF2R 400X65	400	16"	65	2"	1	2/7506	91,78
BF2R 500X65	500	20"	65	2"	2	2/7507	106,44
BF2R 600X65	600	24"	65	2"	2	2/7508	120,33




TERE (BF2R H65)



L = 3 m (10 ft)

	B		i304	
	mm	inch	REF.	€/m
TBF 60	60	2"	2/5594	23,22
TERE 100	100	4"	2/4560	28,56
TERE 150	150	6"	2/5123	37,89
TERE 200	200	8"	2/4561	46,44
TERE 300	300	12"	2/4716	64,00
TERE 400	400	16"	2/4931	92,44
TERE 500	500	20"	2/4562	111,78
TERE 600	600	24"	2/5357	131,56




BF2R H105



L = 3 m (10 ft)

	B		H			i304	
	mm	inch	mm	inch		REF.	€/m
BF2R 200X105	200	8"	105	4"	0	2/7509	57,78
BF2R 300X105	300	12"	105	4"	1	2/7510	85,44
BF2R 400X105	400	16"	105	4"	1	2/7511	102,44
BF2R 500X105	500	20"	105	4"	2	2/7512	123,89
BF2R 600X105	600	24"	105	4"	2	2/7513	143,00





TEBFR (BF2R H105)






L = 1,5 m (5 ft)

	B		PG	
	mm	inch	REF.	€/m
TEBFR 200	200	8"	2/9791	17,33
TEBFR 300	300	12"	2/9792	23,33
TEBFR 400	400	16"	2/9793	30,56
TEBFR 500	500	20"	2/9794	40,33
TEBFR 600	600	24"	2/9795	46,89







B		H35 (1 3/8")		H65 (2 5/9")		H105 (4 1/7")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²
60	2 1/3"	-	-	23	3,6	-	-
100	4"	27	4,2	47	7,3	-	-
150	6"	42	6,5	75	11,6	-	-
200	8"	58	9,0	102	15,8	193	30,0
300	12"	89	13,8	157	24,3	297	46,0
400	16"	-	-	212	32,9	401	62,2
500	20"	-	-	267	26,7	505	78,3
600	24"	-	-	322	49,9	609	94,4

B x H		NEMA VE1		NMX-J-511-ANCE	
mm	inch	EZ/HDG	i304/i316	EZ/HDG	i304/i316
100x35	4"x1 3/8"	-	-	5AA	5AA
150x35	6"x1 3/8"	-	-	5AA	5AA
200x35	8"x1 3/8"	-	-	5AA	5AA
300x35	12"x1 3/8"	-	-	6AA	-
60x65	2"x2"	-	-	-	-
100x65	4"x2"	-	-	6AA	6AA
150x65	6"x2"	-	-	6AA	5AA
200x65	8"x2"	5AA	5AA	6AA/5BB	6AA/5BB
300x65	12"x2"	5AA	5AA	6BB	6BB
400x65	16"x2"	5AA	5AA	6BB	6BB
500x65	20"x2"	5AA	5A	6BB	6BB
600x65	24"x2"	5A	5AA	6BB	6BB
200x105	8"x4"	5AA	5AA	6BB	6BB
300x105	12"x4"	5A	5AA	6BB	6BB
400x105	16"x4"	8AA/5A	5A	6A	6BB
500x105	20"x4"	8AA/5A	5AA	6A	6BB
600x105	24"x4"	8AA/5A	5AA	6A	6BB





BFR H35





L = 3 m (10 ft)


	B		H		EZ		HDG		i304		i316	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m	REF.	€/m
BF 60X35	60	2"	35	1 3/8"	2/6407	7,83	2/8230	9,89	2/6516	53,22	2/8233	63,89
BFR 100X35	100	4"	35	1 3/8"	2/3616	7,40	2/0286	12,33	2/0303	27,58	2/7415	39,67
BFR 150X35	150	6"	35	1 3/8"	2/3617	8,44	2/0287	14,56	2/0304	37,06	2/7416	49,28
BFR 200X35	200	8"	35	1 3/8"	2/3618	9,33	2/0288	17,56	2/0305	37,44	2/7417	58,56
BFR 300X35	300	12"	35	1 3/8"	2/3619	15,62	2/0289	23,78	2/0306	47,22	2/7418	77,44

100, 150, 200 2x CGBF (2/4364-EZ / 2/4360-HDG).

300 3x CGBF (2/4364-EZ / 2/4360-HDG)



BFR H65



BFR-2F 60x65

L = 3 m (10 ft)




L = 3 m (10 ft)

	B		H		EZ		HDG		i304		i316	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m	REF.	€/m
BFR-2F 60X65	60	2"	55	2"	2/10009	8,00	2/15576	12,67	-	-	-	-
BFR 100X65	100	4"	65	2"	2/3622	8,56	2/0291	13,11	2/0308	35,82	2/7420	49,56
BFR 150X65	150	6"	65	2"	2/3623	9,79	2/0292	14,11	2/0309	38,32	2/7421	53,00
BFR 200X65	200	8"	65	2"	2/3624	12,08	2/0293	18,11	2/0310	49,23	2/7422	66,56
BFR 300X65	300	12"	65	2"	2/3625	17,49	2/0294	25,00	2/0311	74,86	2/7423	99,00
BFR 400X65	400	16"	65	2"	2/4407	22,45	2/0295	32,00	2/0312	90,42	2/7424	119,89
BFR 500X65	500	20"	65	2"	2/4409	29,88	2/0296	43,56	2/0313	106,16	2/7425	138,89
BFR 600X65	600	24"	65	2"	2/3626	33,50	2/0297	47,89	2/0314	122,22	2/7426	161,00

≤ 200 2x URB (2/6217-EZ / 2/6219-HDG).

≥ 300 2x URB (2/6217-EZ / 2/6219-HDG)
+ 1x CGBF (2/4364-EZ / 2/4360-HDG).



60x65




BFR 60X65




L = 3 m (10 ft)

	B		H		i304		i316	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m
BFR 60X65	60	2"	55	2"	2/0307	28,15	2/7419	35,33


2 x URB (2/6217-EZ / 2/6219-GC)




TERE



L = 3 m (10 ft)



	B		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
TBF 60	60	2"	2/6044	11,56	2/3614	17,00	2/5594	23,22
TERE 100	100	4"	2/1312	6,00	2/1321	10,67	2/4560	28,56
TERE 150	150	6"	2/1313	8,22	2/1322	14,67	2/5123	37,89
TERE 200	200	8"	2/1314	10,56	2/1323	18,44	2/4561	46,44
TERE 300	300	12"	2/1316	16,22	2/1325	28,67	2/4716	64,00
TERE 400	400	16"	2/1317	24,33	2/1326	37,67	2/4931	92,44
TERE 500	500	20"	2/1318	33,33	2/1327	50,22	2/4562	111,78
TERE 600	600	24"	2/1319	39,56	2/1328	59,67	2/5357	131,56





EBFR H105



L = 3 m (10 ft)




basorfil Energy E-BFR


	B		H		EZ		HDG	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m
EBFR 200x105	200	8"	105	4"	2/7312	18,25	2/7333	26,78
EBFR 300x105	300	12"	105	4"	2/7313	23,03	2/7334	35,89
EBFR 400x105	400	16"	105	4"	2/7314	31,97	2/7335	44,56
EBFR 500x105	500	20"	105	4"	2/7315	36,66	2/7336	55,44
EBFR 600x105	600	24"	105	4"	2/7316	40,32	2/7337	60,22

B ≤ 200 2x URB (2/6217-EZ / 2/6219-GC)

B ≥ 300 2x URB (2/6217-EZ / 2/6219-GC) + 1x CGBF (2/4364-EZ - 2/4360-GC)




TEBFR



L = 3 m (10 ft)



	B		PG		HDG	
	mm	inch	REF.	€/m	REF.	€/m
TEBFR 200	200	8"	2/9791	17,33	2/9888	25,00
TEBFR 300	300	12"	2/9792	23,33	2/9889	34,00
TEBFR 400	400	16"	2/9793	30,56	2/9890	44,22
TEBFR 500	500	20"	2/9794	40,33	2/9891	57,78
TEBFR 600	600	24"	2/9795	46,89	2/9892	67,78



BFR H105




L = 3 m (10 ft)



	B		H		i304		i316	
	mm	inch	mm	inch	REF.	€/m	REF.	€/m
BFR 200X105	200	8"	105	4"	2/0315	73,05	2/7427	112,44
BFR 300X105	300	12"	105	4"	2/0316	90,30	2/7428	138,33
BFR 400X105	400	16"	105	4"	2/0317	105,60	2/7429	163,22
BFR 500X105	500	20"	105	4"	2/0318	127,11	2/7430	184,33
BFR 600X105	600	24"	105	4"	2/0319	134,33	2/7431	212,78

≤ 200 2x URB (2/6217-EZ / 2/6219-HDG).


≥ 300 2x URB (2/6217-EZ / 2/6219-HDG) + 1x CGBF (2/4364-EZ / 2/4360-HDG).




TERE



L = 3 m (10 ft)



	B		i304	
	mm	inch	REF.	€/m
TERE 200	200	8"	2/4561	46,44
TERE 300	300	12"	2/4716	64,00
TERE 400	400	16"	2/4931	92,44
TERE 500	500	20"	2/4562	111,78
TERE 600	600	24"	2/5357	131,56





PS




L = 3 m (10 ft)



	H		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
PS 35	35	1 3/8"	2/3476	4,89	2/3479	5,67	-	-
PS 60	60	2 1/3"	2/2066	6,00	2/3480	7,78	2/3645	20,33
PS 80	80	3 1/7"	2/3477	7,33	2/3481	9,44	-	-
PS 100	100	4"	2/3478	8,33	2/3482	11,00	2/5138	29,89



L3 - 3 x GBF (2/0337-EZ / 2/0339-HDG / 2/0340-i304) + 3 x B1 (2/4356-EZ / 2/6826-HDG / 2/4925-i304)



URBF



URBF 35



URBF 65/105

URBF 65/105 URBF 35	PG		HDG	
	REF.	€/u	REF.	€/u
URBF 65/105	2/6217	1,09	2/6219	1,15
URBF 35	2/7271	1,46	2/7272	1,67



65 / 105



UR BFR 65/105 E-BFR 105




105





65




UR BFR 35



URBF 65/105



URBF 35





CGBF



CGBF	Pap Nm	PG		HDG		i304	
		REF.	€/u	REF.	€/u	REF.	€/u
CGBF	6	2/4364	0,81	2/4360	1,00	2/4915	2,51

BFR 60-200 x 2u

BFR 300-600 x 3u






ULA




	Pap Nm	PG		HDG		i304	
		REF.	€/u	REF.	€/u	REF.	€/u
ULA 65/105	6	2/4919	1,52	2/4363	1,81	2/4921	3,89



CTBF




	Pap Nm	PG		HDG		i304	
		REF.	€/u	REF.	€/u	REF.	€/u
CTBF	6	2/4362	0,52	2/7132	0,67	2/4923	2,00




CGBF i316 / CTBF2 i316



	Pap Nm	i316	
		REF.	€/u
CGBF i316	6	2/5358	3,23



	Pap Nm	i316	
		Ref.	€/u
CTBF2 i316	6	2/8229	3,35




JUBFR-A 65/105



	PG		i304	
	REF.	€/u	Ref.	€/u
JUBFR-A 65/105	2/9868	12,16	2/9869	18,78




2 x GBF (2/0337-EZ / 2/0340-i304) + 2 x B1 (2/4356-EZ / 2/4925-i304)






GBF



	EZ		HDG		i304		i316	
	REF.	€/u	REF.	€/u	REF.	€/u	REF.	€/u
GBF	2/0337	0,27	2/0339	0,30	2/0340	0,66	2/1104	0,82




UCBF



	Pap Nm	EZ		HDG		i304	
		REF.	€/u	REF.	€/u	REF.	€/u
UCBF	6	2/5059	2,64	2/5060	2,74	2/5093	4,41

BFR100 x 2u ; BFR150 x 3 u; BFR200 x 4 u

BFR300 x 5u ; BFR400 x 6 u; BFR500 x 7 u; BFR600 x 8 u




JUER-BFR 60/65 i304



	i304	
	REF.	€/u
JUER-BFR 60/65 i304	2/7018	22,33

2 x TBF + 2 x B1




MU



	L mm	e mm	PG		HDG		i304		i316	
			REF.	€/u	REF.	€/u	REF.	€/u	REF.	€/u
MU 500	500	1	2/0357	2,06	-	-	2/9872	3,44	2/14244	4,67
MU 275	275	1,5	2/10007	1,46	-	-	-	-	-	-

TBF / (GBF + B1)





SSC



SSC





M8



BFR/BF2R 65-200

PG		HDG		i304	
REF.	€/u	REF.	€/u	REF.	€/u
2/2064	0,71	2/0363	0,84	2/0373	1,46



SL




SL



Mod. 60x65 - 100x65.



PG		HDG		i304	
REF.	€/u	REF.	€/u	REF.	€/u
2/0355	2,56	2/0365	4,33	2/0375	7,15



SLS



SLS




BFR/BF2R 60x65 - 100x65



BFR/BF2R 60x65..200x65



PG		HDG		i304	
REF.	€/u	REF.	€/u	REF.	€/u
2/0360	1,29	2/0370	1,84	2/0380	4,00



SST




SST



H35 + VR8/VR10

PG	
REF.	€/u
2/5724	2,32






STBF 100X65 GS



STBF 60X65 GS
STBF 100X65 GS
STBF 100X35 GS




PG	
REF.	€/u
2/17314	4,22
2/0886	4,22
2/9675	



STB



	PG		HDG		i304	
	REF.	€/u	REF.	€/u	REF.	€/u
STB	2/0356	5,44	2/0366	9,44	2/0376	10,33



STBU




STBU



H65/H105
H105



PG	
REF.	€/u
2/5834	6,56




PTBFR



PTBFR




	e mm	PG		i304	
		REF.	€/u	REF.	€/u
PTBFR	1,5	2/10253	1,85	2/10254	3,05







SUC




SUC



29-70 mm




79x50, 98-128x50, 15-55x82



L: 30 -147


	PG		HDG		i304	
	REF.	€/u	REF.	€/u	REF.	€/u
SUC	2/0358	9,44	2/0368	15,00	2/0378	20,89



SUCM




SUCM



L: 30 - 48

	PG		HDG		i304	
	REF.	€/u	REF.	€/u	REF.	€/u
SUCM	2/0359	1,80	2/0369	2,48	2/0379	9,78



SUCM 35




SUCM 35



2 x TBF (2/4362-EZ - 2/7132-HDG - 2/4923-i304)

	PG		HDG		i304	
	REF.	€/u	REF.	€/u	REF.	€/u
SUCM 35	2/6343	4,11	2/7256	5,67	2/0379	9,78




BJC



BJC



	PG		HDG	
	REF.	€/u	REF.	€/u
BJC	2/6451	9,06	2/6452	12,44




BJCM GS



BJCM GS



	PG	
	REF.	€/u
BJCM GS	2/9807	7,44







SFL



SFL



PG	
REF.	€/u
2/5906	6,22




PBF



PBF



	e mm	PG		HDG		i304	
		REF.	€/u	REF.	€/u	REF.	€/u
PBF	1,5	2/5590	4,67	2/4397	6,00	2/8777	8,44




PBF 60 i304



PBF 60 i304



	B		e mm	i304	
	mm	inch		REF.	€/u
PBF 60 i304	60	2 3/8"	1,5	2/7304	6,33



SFS 140 GS




SFS 140 GS



C-SVO + (2 x B1)



	e mm	PG	
		REF.	€/u
SFS 140 GS	2	2/5602	4,89





KFS





KFS



2KFS+C-SVO_FS500+2/100 B2

PG

REF.	€/u
2/8231	9,20



CFBFR41 i304




CFBFR41 i304



i304

REF.	€/u
2/10284	2,03



A








TDC



BPZ





	REF.	€/u
TDC	2/5066	ACC
BPZ	2/7224	ACC











TFE



CPFE 60



CCCXFE 60



TEFE 60



CRFE 60



REFE 60



BFE



PTFE



JUFE 60



JUFE-A 60



JUFE-B 60



B2 M8X15

B		H60 (2 1/3")	
		cm ²	in ²
mm	inch		
100	4"	45	7,0
150	6"	67	10,4
200	8"	89	13,8
300	12"	134	20,8
400	16"	178	27,6
500	20"	223	36,1
600	24"	267	41,4



FE H60




L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch		REF.	€/m
FE 100x60x1,5-333 3M GC	100	4"	63	2 1/2"	1,5	2/0749	43,33
FE 150x60x1,5-333 3M GC	150	6"	63	2 1/2"	1,5	2/0750	45,33
FE 200x60x1,5-333 3M GC	200	8"	63	2 1/2"	1,5	2/0751	47,33
FE 300x60x1,5-333 3M GC	300	12"	63	2 1/2"	1,5	2/0752	51,22
FE 400x60x1,5-333 3M GC	400	16"	63	2 1/2"	1,5	2/0753	55,22
FE 500x60x1,5-333 3M GC	500	20"	63	2 1/2"	1,5	2/0754	61,67
FE 600x60x1,5-333 3M GC	600	24"	63	2 1/2"	1,5	2/0755	65,56



4/100 x B2 (2/6792-HDG)




TFE



L = 3 m (10 ft)

400/500/600 - L= 2 m (6,56 ft)

	B		e	HDG	
	mm	inch		REF.	€/m
TFE 100x1,5 3M GC	100	4"	1,5	2/4937	30,78
TFE 150x1,5 3M GC	150	6"	1,5	2/4472	39,00
TFE 200x1,5 3M GC	200	8"	1,5	2/4473	48,33
TFE 300x1,5 3M GC	300	12"	1,5	2/3579	63,44
TFE 400x1,5 2M GC	400	16"	1,5	2/4430	79,89
TFE 500x1,5 2M GC	500	20"	1,5	2/4509	96,78
TFE 600x1,5 2M GC	600	24"	1,5	2/4494	113,11




TFEL



L = 3 m (10 ft)

400/500/600 - L= 2 m (6,56 ft)

	B		e	HDG	
	mm	inch		REF.	€/m
TFEL 100x0,8 3M GC	100	4"	0,8	2/10000	
TFEL 150x0,8 3M GC	150	6"	0,8	2/10001	
TFEL 200x0,8 3M GC	200	8"	0,8	2/10002	
TFEL 300x0,8 3M GC	300	12"	0,8	2/10003	
TFEL 400x1 2M GC	400	16"	1	2/10004	
TFEL 500x1 2M GC	500	20"	1	2/10005	
TFEL 600x1 2M GC	600	24"	1	2/10006	




CPFE 60



	B		H		e	HDG	
	mm	inch	mm	inch		REF.	€/u
CPFE-125 100x60x1,5 GC	100	4"	63	2 1/2"	1,5	2/0770	70,89
CPFE-125 150x60x1,5 GC	150	6"	63	2 1/2"	1,5	2/0771	76,89
CPFE-125 200x60x1,5 GC	200	8"	63	2 1/2"	1,5	2/0772	83,22
CPFE-125 300x60x1,5 GC	300	12"	63	2 1/2"	1,5	2/0773	95,56
CPFE-125 400x60x1,5 GC	400	16"	63	2 1/2"	1,5	2/0774	107,44
CPFE-125 500x60x1,5 GC	500	20"	63	2 1/2"	1,5	2/0775	120,00
CPFE-125 600x60x1,5 GC	600	24"	63	2 1/2"	1,5	2/0776	133,56



4/100 x B2 (2/6792-HDG)






CCCXFE 60



	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
CCCXFE 100x60x1,5 GC	100	4"	63	2 1/2"	1,5	2/5222	81,11
CCCXFE 150x60x1,5 GC	150	6"	63	2 1/2"	1,5	2/5223	83,00
CCCXFE 200x60x1,5 GC	200	8"	63	2 1/2"	1,5	2/5224	86,22
CCCXFE 300x60x1,5 GC	300	12"	63	2 1/2"	1,5	2/5225	92,33
CCCXFE 400x60x1,5 GC	400	16"	63	2 1/2"	1,5	2/5226	98,44
CCCXFE 500x60x1,5 GC	500	20"	63	2 1/2"	1,5	2/5227	104,56
CCCXFE 600x60x1,5 GC	600	24"	63	2 1/2"	1,5	2/5228	110,78



4/100 x B2 (2/6792-HDG)




TEFE 60



	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
TEFE-125 100x60x1,5 GC	100	4"	63	2 1/2"	1,5	2/0812	93,78
TEFE-125 150x60x1,5 GC	150	6"	63	2 1/2"	1,5	2/0813	102,67
TEFE-125 200x60x1,5 GC	200	8"	63	2 1/2"	1,5	2/0814	111,56
TEFE-125 300x60x1,5 GC	300	12"	63	2 1/2"	1,5	2/0815	125,78
TEFE-125 400x60x1,5 GC	400	16"	63	2 1/2"	1,5	2/0816	140,00
TEFE-125 500x60x1,5 GC	500	20"	63	2 1/2"	1,5	2/0817	154,33
TEFE-125 600x60x1,5 GC	600	24"	63	2 1/2"	1,5	2/0818	168,56



4/100 x B2 (2/6792-HDG)




CRFE 60




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
CRFE-125 100x60x1,5 GC	100	4"	63	2 1/2"	1,5	2/0833	110,78
CRFE-125 150x60x1,5 GC	150	6"	63	2 1/2"	1,5	2/0834	122,89
CRFE-125 200x60x1,5 GC	200	8"	63	2 1/2"	1,5	2/0835	135,11
CRFE-125 300x60x1,5 GC	300	12"	63	2 1/2"	1,5	2/0836	155,89
CRFE-125 400x60x1,5 GC	400	16"	63	2 1/2"	1,5	2/0837	180,00
CRFE-125 500x60x1,5 GC	500	20"	63	2 1/2"	1,5	2/0838	200,78
CRFE-125 600x60x1,5 GC	600	24"	63	2 1/2"	1,5	2/0839	250,11



12/100 x B2 (2/6792-HDG)




REFE 60



	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
REFE 50x60 GC	50	2"	63	2 1/2"	2	2/6799	5,78
REFE 100x60 GC	100	4"	63	2 1/2"	2	2/6800	6,67
REFE 150x60 GC	150	6"	63	2 1/2"	2	2/6801	7,67
REFE 200x60 GC	200	8"	63	2 1/2"	2	2/6802	8,56




4/100 x B2 (2/6792-HDG)







BFE





	e	HDG	
	mm	REF.	€/u
BFE 6/8 GC	2	2/0863	1,18
BFE 10/12 GC	3	2/0864	1,18



PTFE i304





	Pap	e	i304	
	Nm	mm	REF.	€/u
PTFE i304	6	2	2/7054	2,28



JUFE 60/75




	H		e	HDG	
	mm	inch	mm	REF.	€/u
JUFE 60/75 GC	60	2 1/3"	2	2/0854	2,72



JUFE-A 60/75




	H		e	HDG	
	mm	inch	mm	REF.	€/u
JUFE-A 60/75 GC	60	2 1/3"	2	2/0857	5,22



JUFE-B 60/75




	H		e	HDG	
	mm	inch	mm	REF.	€/u
JUFE-B 60/75 GC	60	2 1/3"	2	2/0860	4,22



B2-100




	Pap	HDG		i304	
	Nm	REF.	€/u	REF.	€/u
B2-100	15	2/6792	67,11	2/5392	150,11





PS




L = 3 m (10 ft)

	H		PG		HDG	
	mm	inch	REF.	€/m	REF.	€/m

PS 35	35	1 3/8"	2/3476	4,89	2/3479	5,67
-------	----	--------	--------	------	--------	------

B2 - L=3m→3/100 (2/6792)

PS 35→ H60.




BJCFE



	e	HDG	
	mm	REF.	€/u

BJCFE FE 100 GC	1,5	2/10021	18,00
BJCFE FE 150 GC	1,5	2/10022	23,11
BJCFE FE 200 GC	1,5	2/10023	28,22
BJCFE FE 300 GC	1,5	2/10024	38,22
BJCFE FE 400 GC	1,5	2/10025	46,78
BJCFE FE 500 GC	1,5	2/10026	55,22
BJCFE FE 600 GC	1,5	2/10027	63,78





$L > 100 \text{ m}^*$
UNE-EN 61537

UNE-EN 61537
UNE 23727

150°C
-50°C
UNE-EN 61537

UNE-EN 61537

20J
UNE-EN 61537



CPFE



CCFE




CXFE



TEFE




CRFE



T FE



PS



JUFE



JUFE-A



JUFE-B



REFE



BFE



PTFE



B2 M8X15

B		H75 (3")							
		H75 (3")		H100 (4")		H120 (4 5/7")		H150 (6")	
mm	inch	cm ²	in ²	cm ²	in ²	cm ²	in ²	cm ²	in ²
100	4"	59	9,1	84	13,0	-	-	-	-
150	6"	89	13,8	126	19,5	156	24,2	201	31,2
200	8"	118	18,3	168	26,0	208	32,2	268	41,5
300	12"	177	27,4	252	39,1	312	48,4	402	62,3
400	16"	236	36,6	336	52,1	416	64,5	536	83,1
500	20"	295	45,7	420	65,1	520	80,6	670	103,9
600	24"	354	54,9	504	78,1	624	96,7	804	124,6




FE H75



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/m
FE 100x75x2-333 3M GC	100	4"	75	3"	2	2/0865	56,22
FE 150x75x2-333 3M GC	150	6"	75	3"	2	2/0866	58,11
FE 200x75x2-333 3M GC	200	8"	75	3"	2	2/0867	60,00
FE 300x75x2-333 3M GC	300	12"	75	3"	2	2/0868	63,78
FE 400x75x2-333 3M GC	400	16"	75	3"	2	2/0869	67,56
FE 500x75x2-333 3M GC	500	20"	75	3"	2	2/0870	73,89
FE 600x75x2-333 3M GC	600	24"	75	3"	2	2/0871	77,67

4/100 x B2 (2/6792-HDG)




FE H100



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/m
FE 100x100x2-333 3M GC	100	4"	100	4"	2	2/0872	71,11
FE 150x100x2-333 3M GC	150	6"	100	4"	2	2/0873	73,00
FE 200x100x2-333 3M GC	200	8"	100	4"	2	2/0874	74,89
FE 300x100x2-333 3M GC	300	12"	100	4"	2	2/0875	78,67
FE 400x100x2-333 3M GC	400	16"	100	4"	2	2/0876	82,44
FE 500x100x2-333 3M GC	500	20"	100	4"	2	2/0877	88,78
FE 600x100x2-333 3M GC	600	24"	100	4"	2	2/0878	92,56

4/100 x B2 (2/6792-HDG)




FE H120



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/m
FE 150x120x2-333 3M GC	150	6"	120	4 5/7"	2	2/6854	82,78
FE 200x120x2-333 3M GC	200	8"	120	4 5/7"	2	2/6855	85,11
FE 300x120x2-333 3M GC	300	12"	120	4 5/7"	2	2/6856	89,67
FE 400x120x2-333 3M GC	400	16"	120	4 5/7"	2	2/6857	94,33
FE 500x120x2-333 3M GC	500	20"	120	4 5/7"	2	2/6858	101,44
FE 600x120x2-333 3M GC	600	24"	120	4 5/7"	2	2/6859	106,11

4/100 x B2 (2/6792-HDG)




FE H150



L = 3 m (10 ft)


	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/m
FE 150x150x2-333 3M GC	150	6"	150	6"	2	2/6860	95,56
FE 200x150x2-333 3M GC	200	8"	150	6"	2	2/6861	100,33
FE 300x150x2-333 3M GC	300	12"	150	6"	2	2/6862	105,00
FE 400x150x2-333 3M GC	400	16"	150	6"	2	2/6863	109,56
FE 500x150x2-333 3M GC	500	20"	150	6"	2	2/6864	114,22
FE 600x150x2-333 3M GC	600	24"	150	6"	2	2/6865	118,89

8/100 x B2 (2/6792-HDG)






FE H75-250



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch		REF.	€/m
FE 100x75x2-250 3M GC	100	4"	75	3"	2	2/6215	58,97
FE 150x75x2-250 3M GC	150	6"	75	3"	2	2/6992	61,75
FE 200x75x2-250 3M GC	200	8"	75	3"	2	2/7003	64,54
FE 300x75x2-250 3M GC	300	12"	75	3"	2	2/6239	70,12
FE 400x75x2-250 3M GC	400	16"	75	3"	2	2/4954	75,68
FE 500x75x2-250 3M GC	500	20"	75	3"	2	2/7004	81,26
FE 600x75x2-250 3M GC	600	24"	75	3"	2	2/6216	86,82

4/100 x B2 (2/6792-HDG)




FE H100-250



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch		REF.	€/m
FE 100x100x2-250 3M GC	100	4"	100	4"	2	2/7005	69,42
FE 150x100x2-250 3M GC	150	6"	100	4"	2	2/6059	72,07
FE 200x100x2-250 3M GC	200	8"	100	4"	2	2/6249	74,72
FE 300x100x2-250 3M GC	300	12"	100	4"	2	2/6060	80,02
FE 400x100x2-250 3M GC	400	16"	100	4"	2	2/6061	85,34
FE 500x100x2-250 3M GC	500	20"	100	4"	2	2/7006	90,64
FE 600x100x2-250 3M GC	600	24"	100	4"	2	2/6062	95,95

4/100 x B2 (2/6792-HDG)




FE H120-250



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch		REF.	€/m
FE 150x120x2-250 3M GC	150	6"	120	4 5/8"	2	2/7024	80,51
FE 200x120x2-250 3M GC	200	8"	120	4 5/8"	2	2/7025	83,46
FE 300x120x2-250 3M GC	300	12"	120	4 5/8"	2	2/7026	89,34
FE 400x120x2-250 3M GC	400	16"	120	4 5/8"	2	2/7027	95,23
FE 500x120x2-250 3M GC	500	20"	120	4 5/8"	2	2/7028	101,11
FE 600x120x2-250 3M GC	600	24"	120	4 5/8"	2	2/7029	107,00

4/100 x B2 (2/6792-HDG)




FE H150-250



L = 3 m (10 ft)

	B		H		e	HDG	
	mm	inch	mm	inch		REF.	€/m
FE 150x150x2-250 3M GC	150	6"	150	6"	2	2/7030	101,55
FE 200x150x2-250 3M GC	200	8"	150	6"	2	2/7031	104,80
FE 300x150x2-250 3M GC	300	12"	150	6"	2	2/7032	111,31
FE 400x150x2-250 3M GC	400	16"	150	6"	2	2/7033	117,81
FE 500x150x2-250 3M GC	500	20"	150	6"	2	2/7034	124,31
FE 600x150x2-250 3M GC	600	24"	150	6"	2	2/7035	130,82

8/100 x B2 (2/6792-HDG)






CPFE




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
CPFE-300 100x75x2 GC	100	4"	75	3"	2	2/0887	122,00
CPFE-300 150x75x2 GC	150	6"	75	3"	2	2/0888	129,33
CPFE-300 200x75x2 GC	200	8"	75	3"	2	2/0889	136,79
CPFE-300 300x75x2 GC	300	12"	75	3"	2	2/0890	151,56
CPFE-300 400x75x2 GC	400	16"	75	3"	2	2/0891	176,89
CPFE-300 500x75x2 GC	500	20"	75	3"	2	2/0892	210,89
CPFE-300 600x75x2 GC	600	24"	75	3"	2	2/0893	227,67
CPFE-300 100x100x2 GC	100	4"	100	4"	2	2/0895	137,22
CPFE-300 150x100x2 GC	150	6"	100	4"	2	2/0896	145,22
CPFE-300 200x100x2 GC	200	8"	100	4"	2	2/0897	153,33
CPFE-300 300x100x2 GC	300	12"	100	4"	2	2/0898	169,56
CPFE-300 400x100x2 GC	400	16"	100	4"	2	2/0899	196,33
CPFE-300 500x100x2 GC	500	20"	100	4"	2	2/0900	231,78
CPFE-300 600x100x2 GC	600	24"	100	4"	2	2/0901	249,89
CPFE-300 150x120x2 GC	150	6"	120	4 5/7"	2	2/6880	160,78
CPFE-300 200x120x2 GC	200	8"	120	4 5/7"	2	2/6881	170,33
CPFE-300 300x120x2 GC	300	12"	120	4 5/7"	2	2/6882	189,44
CPFE-300 400x120x2 GC	400	16"	120	4 5/7"	2	2/6883	221,00
CPFE-300 500x120x2 GC	500	20"	120	4 5/7"	2	2/6884	259,89
CPFE-300 600x120x2 GC	600	24"	120	4 5/7"	2	2/6885	281,44
CPFE-300 150x150x2 GC	150	6"	150	6"	2	2/6886	179,78
CPFE-300 200x150x2 GC	200	8"	150	6"	2	2/6887	190,22
CPFE-300 300x150x2 GC	300	12"	150	6"	2	2/6888	211,00
CPFE-300 400x150x2 GC	400	16"	150	6"	2	2/6889	244,33
CPFE-300 500x150x2 GC	500	20"	150	6"	2	2/6890	284,78
CPFE-300 600x150x2 GC	600	24"	150	6"	2	2/6891	308,00



4/100 x B2 (2/6792-HDG) (8/100 x B2 ↑ 150)



CPFE H75/100/120



CPFE H150




CCFE




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
CCFE-300 100x75x2 GC	100	4"	75	3"	2	2/4794	122,78
CCFE-300 150x75x2 GC	150	6"	75	3"	2	2/4596	126,67
CCFE-300 200x75x2 GC	200	8"	75	3"	2	2/4548	130,56
CCFE-300 300x75x2 GC	300	12"	75	3"	2	2/4549	138,22
CCFE-300 400x75x2 GC	400	16"	75	3"	2	2/0802	146,00
CCFE-300 500x75x2 GC	500	20"	75	3"	2	2/0803	153,78
CCFE-300 600x75x2 GC	600	24"	75	3"	2	2/0804	161,56
CCFE-300 100x100x2 GC	100	4"	100	4"	2	2/0805	145,78
CCFE-300 150x100x2 GC	150	6"	100	4"	2	2/0806	149,67
CCFE-300 200x100x2 GC	200	8"	100	4"	2	2/0807	153,56
CCFE-300 300x100x2 GC	300	12"	100	4"	2	2/0808	161,22
CCFE-300 400x100x2 GC	400	16"	100	4"	2	2/0809	169,00
CCFE-300 500x100x2 GC	500	20"	100	4"	2	2/0810	176,78
CCFE-300 600x100x2 GC	600	24"	100	4"	2	2/0811	184,56
CCFE-300 150x120x2 GC	150	6"	120	4 5/7"	2	2/6892	171,44
CCFE-300 200x120x2 GC	200	8"	120	4 5/7"	2	2/6893	176,22
CCFE-300 300x120x2 GC	300	12"	120	4 5/7"	2	2/6894	185,89
CCFE-300 400x120x2 GC	400	16"	120	4 5/7"	2	2/6895	195,44
CCFE-300 500x120x2 GC	500	20"	120	4 5/7"	2	2/6896	205,00
CCFE-300 600x120x2 GC	600	24"	120	4 5/7"	2	2/6897	214,56
CCFE-300 150x150x2 GC	150	6"	150	6"	2	2/6898	202,00
CCFE-300 200x150x2 GC	200	8"	150	6"	2	2/6899	206,78
CCFE-300 300x150x2 GC	300	12"	150	6"	2	2/6900	216,44
CCFE-300 400x150x2 GC	400	16"	150	6"	2	2/6901	226,00
CCFE-300 500x150x2 GC	500	20"	150	6"	2	2/6902	235,56
CCFE-300 600x150x2 GC	600	24"	150	6"	2	2/6903	245,11

4 JUFE (H75/100/120/150)



CCFE H75/100/120



CCFE H150




CXFE




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
CXFE-300 100x75x2 GC	100	4"	75	3"	2	2/0909	122,78
CXFE-300 150x75x2 GC	150	6"	75	3"	2	2/0910	126,67
CXFE-300 200x75x2 GC	200	8"	75	3"	2	2/0911	130,56
CXFE-300 300x75x2 GC	300	12"	75	3"	2	2/0912	138,22
CXFE-300 400x75x2 GC	400	16"	75	3"	2	2/0913	146,00
CXFE-300 500x75x2 GC	500	20"	75	3"	2	2/0914	153,78
CXFE-300 600x75x2 GC	600	24"	75	3"	2	2/0915	161,56
CXFE-300 100x100x2 GC	100	4"	100	4"	2	2/0916	145,78
CXFE-300 150x100x2 GC	150	6"	100	4"	2	2/0917	149,67
CXFE-300 200x100x2 GC	200	8"	100	4"	2	2/0918	153,56
CXFE-300 300x100x2 GC	300	12"	100	4"	2	2/0919	161,22
CXFE-300 400x100x2 GC	400	16"	100	4"	2	2/0920	169,00
CXFE-300 500x100x2 GC	500	20"	100	4"	2	2/0921	176,78
CXFE-300 600x100x2 GC	600	24"	100	4"	2	2/0922	184,56
CXFE-300 150x120x2 GC	150	6"	120	4 5/7"	2	2/6904	171,44
CXFE-300 200x120x2 GC	200	8"	120	4 5/7"	2	2/6905	176,22
CXFE-300 300x120x2 GC	300	12"	120	4 5/7"	2	2/6906	185,89
CXFE-300 400x120x2 GC	400	16"	120	4 5/7"	2	2/6907	195,44
CXFE-300 500x120x2 GC	500	20"	120	4 5/7"	2	2/6908	205,00
CXFE-300 600x120x2 GC	600	24"	120	4 5/7"	2	2/6909	214,56
CXFE-300 150x150x2 GC	150	6"	150	6"	2	2/6910	202,00
CXFE-300 200x150x2 GC	200	8"	150	6"	2	2/6911	206,78
CXFE-300 300x150x2 GC	300	12"	150	6"	2	2/6912	216,44
CXFE-300 400x150x2 GC	400	16"	150	6"	2	2/6913	226,00
CXFE-300 500x150x2 GC	500	20"	150	6"	2	2/6914	235,56
CXFE-300 600x150x2 GC	600	24"	150	6"	2	2/6915	245,11

4 JUF (H75/100/120/150)



CXFE H75/100/120



CXFE H150




TEFE




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
TEFE-300 100x75x2 GC	100	4"	75	3"	2	2/0930	177,89
TEFE-300 150x75x2 GC	150	6"	75	3"	2	2/0931	185,78
TEFE-300 200x75x2 GC	200	8"	75	3"	2	2/0932	200,33
TEFE-300 300x75x2 GC	300	12"	75	3"	2	2/0933	218,00
TEFE-300 400x75x2 GC	400	16"	75	3"	2	2/0934	235,67
TEFE-300 500x75x2 GC	500	20"	75	3"	2	2/0935	291,67
TEFE-300 600x75x2 GC	600	24"	75	3"	2	2/0936	311,22
TEFE-300 100x100x2 GC	100	4"	100	4"	2	2/0937	200,67
TEFE-300 150x100x2 GC	150	6"	100	4"	2	2/0938	209,00
TEFE-300 200x100x2 GC	200	8"	100	4"	2	2/0939	224,00
TEFE-300 300x100x2 GC	300	12"	100	4"	2	2/0940	242,56
TEFE-300 400x100x2 GC	400	16"	100	4"	2	2/0941	261,11
TEFE-300 500x100x2 GC	500	20"	100	4"	2	2/0942	318,00
TEFE-300 600x100x2 GC	600	24"	100	4"	2	2/0943	338,44
TEFE-300 150x120x2 GC	150	6"	120	4 5/7"	2	2/6916	234,44
TEFE-300 200x120x2 GC	200	8"	120	4 5/7"	2	2/6917	252,11
TEFE-300 300x120x2 GC	300	12"	120	4 5/7"	2	2/6918	274,56
TEFE-300 400x120x2 GC	400	16"	120	4 5/7"	2	2/6919	297,11
TEFE-300 500x120x2 GC	500	20"	120	4 5/7"	2	2/6920	360,11
TEFE-300 600x120x2 GC	600	24"	120	4 5/7"	2	2/6921	385,00
TEFE-300 150x150x2 GC	150	6"	150	6"	2	2/6922	262,22
TEFE-300 200x150x2 GC	200	8"	150	6"	2	2/6923	280,44
TEFE-300 300x150x2 GC	300	12"	150	6"	2	2/6924	304,00
TEFE-300 400x150x2 GC	400	16"	150	6"	2	2/6925	327,56
TEFE-300 500x150x2 GC	500	20"	150	6"	2	2/6926	391,67
TEFE-300 600x150x2 GC	600	24"	150	6"	2	2/6927	416,33



4/100 x B2 (2/6792-HDG) (8/100 x B2 ↑ 150)



TEFE H75/100/120



TEFE H150




CRFE




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
CRFE-300 100x75x2 GC	100	4"	75	3"	2	2/0951	237,56
CRFE-300 150x75x2 GC	150	6"	75	3"	2	2/0952	245,22
CRFE-300 200x75x2 GC	200	8"	75	3"	2	2/0953	259,67
CRFE-300 300x75x2 GC	300	12"	75	3"	2	2/0954	277,11
CRFE-300 400x75x2 GC	400	16"	75	3"	2	2/0955	294,44
CRFE-300 500x75x2 GC	500	20"	75	3"	2	2/0956	355,89
CRFE-300 600x75x2 GC	600	24"	75	3"	2	2/0957	375,22
CRFE-300 100x100x2 GC	100	4"	100	4"	2	2/0958	265,11
CRFE-300 150x100x2 GC	150	6"	100	4"	2	2/0959	272,78
CRFE-300 200x100x2 GC	200	8"	100	4"	2	2/0960	287,22
CRFE-300 300x100x2 GC	300	12"	100	4"	2	2/0961	304,67
CRFE-300 400x100x2 GC	400	16"	100	4"	2	2/0962	322,11
CRFE-300 500x100x2 GC	500	20"	100	4"	2	2/0963	383,44
CRFE-300 600x100x2 GC	600	24"	100	4"	2	2/0964	402,78
CRFE-300 150x120x2 GC	150	6"	120	4 5/7"	2	2/6928	305,89
CRFE-300 200x120x2 GC	200	8"	120	4 5/7"	2	2/6929	323,11
CRFE-300 300x120x2 GC	300	12"	120	4 5/7"	2	2/6930	344,67
CRFE-300 400x120x2 GC	400	16"	120	4 5/7"	2	2/6931	366,22
CRFE-300 500x120x2 GC	500	20"	120	4 5/7"	2	2/6932	434,00
CRFE-300 600x120x2 GC	600	24"	120	4 5/7"	2	2/6933	457,89
CRFE-300 150x150x2 GC	150	6"	150	6"	2	2/6934	339,00
CRFE-300 200x150x2 GC	200	8"	150	6"	2	2/6935	356,22
CRFE-300 300x150x2 GC	300	12"	150	6"	2	2/6936	377,78
CRFE-300 400x150x2 GC	400	16"	150	6"	2	2/6937	399,22
CRFE-300 500x150x2 GC	500	20"	150	6"	2	2/6938	467,11
CRFE-300 600x150x2 GC	600	24"	150	6"	2	2/6939	491,00



4/100 x B2 (2/6792-HDG) (8/100 x B2 ↑ 150)




CRFE H75/100/120



CRFE H150



TFE




L = 3 m (10 ft)

400/500/600 - L=2 m (6,56 ft)




	B		e	HDG	
	mm	inch	mm	REF.	€/m
TFE 100x1,5 3M GC	100	4"	1,5	2/4937	30,78
TFE 150x1,5 3M GC	150	6"	1,5	2/4472	39,00
TFE 200x1,5 3M GC	200	8"	1,5	2/4473	48,33
TFE 300x1,5 3M GC	300	12"	1,5	2/3579	63,44
TFE 400x1,5 2M GC	400	16"	1,5	2/4430	79,89
TFE 500x1,5 2M GC	500	20"	1,5	2/4509	96,78
TFE 600x1,5 2M GC	600	24"	1,5	2/4494	113,11





TFEL




L = 3 m (10 ft)

400/500/600 - L= 2 m (6,56 ft)



	B		e	HDG	
	mm	inch	mm	REF.	€/m
TFEL 100x0,8 3M GC	100	4"	0,8	2/10000	
TFEL 150x0,8 3M GC	150	6"	0,8	2/10001	
TFEL 200x0,8 3M GC	200	8"	0,8	2/10002	
TFEL 300x0,8 3M GC	300	12"	0,8	2/10003	
TFEL 400x1 2M GC	400	16"	1	2/10004	
TFEL 500x1 2M GC	500	20"	1	2/10005	
TFEL 600x1 2M GC	600	24"	1	2/10006	




PTFE i304



2x ←1m→



	Pap	e	i304	
	Nm	mm	REF.	€/u
PTFE i304	6	2	2/7054	2,28



PS




L = 3 m (10 ft)



B2 - L=3m→3/100 (2/6792)

PS 35→ H60, PS 60→ H75, PS 80→H100, PS 100→H120/H150.


	H		PG		HDG		i304	
	mm	inch	REF.	€/m	REF.	€/m	REF.	€/m
PS 35	35	1 3/8"	2/3476	4,89	2/3479	5,67	-	-
PS 60	60	2 1/3"	2/2066	6,00	2/3480	7,78	2/3645	20,33
PS 80	80	3 1/7"	2/3477	7,33	2/3481	9,44	-	-
PS 100	100	4"	2/3478	8,33	2/3482	11,00	2/5138	29,89



BJCFE



	e	HDG	
	mm	REF.	€/u
BJCFE FE 100 GC	1,5	2/10021	18,00
BJCFE FE 150 GC	1,5	2/10022	23,11
BJCFE FE 200 GC	1,5	2/10023	28,22
BJCFE FE 300 GC	1,5	2/10024	38,22
BJCFE FE 400 GC	1,5	2/10025	46,78
BJCFE FE 500 GC	1,5	2/10026	55,22
BJCFE FE 600 GC	1,5	2/10027	63,78






JUFE




	H		e	HDG	
	mm	inch	mm	REF.	€/u
JUFE 60/75 GC	75	3"	2	2/0854	2,72
JUFE 100 GC	100	4"	2	2/0856	5,44
JUFE 120 GC	120	4 5/7"	2	2/6940	6,78
JUFE 150 GC	150	6"	2	2/6941	8,89


4/100 x B2 (2/6792-HDG) / 8/100 x B2 ↑150



JUFE 75



JUFE 100/120



JUFE 150




JUFE-A




	H		e	HDG	
	mm	inch	mm	REF.	€/u
JUFE-A 60/75 GC	75	3"	2	2/0857	5,22
JUFE-A 100 GC	100	4"	2	2/0859	10,11
JUFE-A 120 GC	120	4 5/7"	2	2/6942	12,33
JUFE-A 150 GC	150	6"	2	2/6943	15,44

4/100 x B2 (2/6792-HDG) / 8/100 x B2 ↑150



JUFE-A 75/100/120



JUFE-A 150



JUFE-B




JUFE-B 75




JUFE-B 150

	H		e	HDG	
	mm	inch	mm	REF.	€/u
JUFE-B 60/75 GC	75	3"	2	2/0860	4,22
JUFE-B 100 GC	100	4"	2	2/0862	7,78
JUFE-B 120 GC	120	4 5/7"	2	2/6944	9,33
JUFE-B 150 GC	150	6"	2	2/6945	13,33


4/100 x B2 (2/6792-HDG) / 8/100 x B2 ↑150



JUFE-B 75/100




JUFE-B 120



JUFE-B 150




REFE




	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/u
REFE 50x75x2 GC	50	2"	75	3"	2	2/6803	8,44
REFE 100x75x2 GC	100	4"	75	3"	2	2/6804	9,89
REFE 150x75x2 GC	150	6"	75	3"	2	2/6805	11,33
REFE 200x75x2 GC	200	8"	75	3"	2	2/6806	12,78
REFE 50x100x2 GC	50	2"	100	4"	2	2/6807	10,78
REFE 100x100x2 GC	100	4"	100	4"	2	2/6808	12,67
REFE 150x100x2 GC	150	6"	100	4"	2	2/6809	14,56
REFE 200x100x2 GC	200	8"	100	4"	2	2/6810	16,44
REFE 50x120x2 GC	50	2"	120	4 5/7"	2	2/6954	12,56
REFE 100x120x2 GC	100	4"	120	4 5/7"	2	2/6955	14,78
REFE 150x120x2 GC	150	6"	120	4 5/7"	2	2/6956	17,11
REFE 200x120x2 GC	200	8"	120	4 5/7"	2	2/6957	19,33
REFE 50x150x2 GC	50	2"	150	6"	2	2/6958	15,22
REFE 100x150x2 GC	100	4"	150	6"	2	2/6959	18,00
REFE 150x150x2 GC	150	6"	150	6"	2	2/6960	20,89
REFE 200x150x2 GC	200	8"	150	6"	2	2/6961	23,67

4/100 x B2 (2/6792-HDG) / 8/100 x B2 ↑150




REFE H75/100/120




REFE H150




BFE



	e	HDG	
	mm	REF.	€/u
BFE 6/8 GC	2	2/0863	1,18
BFE 10/12 GC	3	2/0864	1,18



BFE 6/8



BFE 10/12




BEV



BEV


	H		HDG		i304	
	inch	mm	REF.	€/u	REF.	€/u
BEV	6	150	2/11805	2,60	2/14473	3,44




B2-100







	Pap Nm	HDG		i304	
		REF.	€/u	REF.	€/u
B2-100	15	2/6792	67,11	2/5392	150,11









basorsupport



P. 68



P. 73




P. 78



SPM P. 80

UNE-EN 61537
UNE 23727

UNE-EN 61537




UNE-EN 61537



SWL kg (lb)



B mm (inch)

		50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")	1000 (40")
	C-SHO	 3 6 9A	-	98 (217)	90 (199)	69 (153)	45 (100)	-	-	-	-	-
	SCR	 3 6 9A	70 (155)	70 (155)	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	-
	SRB	 3 6	-	70 (155)	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	-
	SHL	 6	-	205 (450)	205 (450)	205 (450)	250 (550)	250 (550)	250 (550)	250 (550)	-	-
	SHR	 6	-	-	-	480 (1058)	365 (804)	300 (661)	285 (628)	270 (595)	265 (584)	-
	SP	 6	-	-	350 (772)	350 (772)	290 (640)	250 (552)	220 (486)	200 (441)	-	-
	SPD	 6	-	-	-	-	-	500 (1103)	430 (948)	370 (816)	320 (706)	260 (574)
	SP+R450	 6	-	-	-	-	724 (1597)	592 (1306)	501 (1105)	434 (957)	383 (845)	310 (684)
	SPD+R450	 6	-	-	-	-	-	1123 (2476)	950 (2095)	823 (1815)	726 (1601)	588 (1297)
	SVP+SP	 6	-	-	350 (772)	350 (772)	290 (640)	250 (552)	220 (486)	200 (441)	-	-
	I8+SHV	 6	-	-	-	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	-
	KS+SCR/SRB	 3 6	60 (133)	60 (133)	60 (133)	60 (133)	60 (133)	55 (122)	50 (111)	40 (89)	40 (89)	-
	KSR+SR	 3 6	-	-	-	135 (298)	120 (265)	110 (243)	100 (221)	80 (177)	-	-



C-SHO



C-SHO



PSHO



	B		e	SWL		PG		HDG		e i304	i304	
	mm	inch	mm	kg	lb	REF.	€/u	REF.	€/u	mm	REF.	€/u
C-SHO 100	100	4"	1,5	98	217	2/7230	4,22	2/7239	7,33	1,5	2/7490	32,70
C-SHO 150	150	6"	2	90	199	2/7231	6,22	2/7240	10,67	1,5	2/7491	42,75
C-SHO 200	200	8"	2	69	153	2/7232	7,00	2/7241	11,89	1,5	2/7492	54,60
C-SHO 300	300	12"	2	45	100	2/7233	8,22	2/7242	14,44	1,5	2/7493	78,45
PSHO	-	-	2	-	-	2/6240	1,56	2/6318	2,12	-	-	-


TFSHO/SVO (2/0894)




B1 (2/4356-ZN / 2/6826-HDG)



TFSHO/SVO



C-SHO



PSHO




SCR




	B		e	SWL		PG		HDG		e i304	i304	
	mm	inch	mm	kg	lb	REF.	€/u	REF.	€/u	mm	REF.	€/u
SCR 50	50	2"	1,5	70	155	2/0975	3,92	2/3450	5,22	-	-	-
SCR 100	100	4"	1,5	70	155	2/0976	3,93	2/0980	5,56	1,5	2/0995	12,33
SCR 150	150	6"	1,5	60	133	2/0977	4,31	2/0981	6,44	1,5	2/0996	15,00
SCR 200	200	8"	1,5	60	133	2/0978	4,69	2/0982	7,67	1,5	2/4691	17,56
SCR 300	300	12"	2	60	133	2/0997	7,33	2/1002	12,44	1,5	2/1020	22,78
SCR 400	400	16"	2	60	133	2/0998	9,44	2/1003	15,67	1,5	2/1021	28,78
SCR 500	500	20"	2	60	133	2/0999	17,56	2/1004	30,11	1,5	2/4464	39,22
SCR 600	600	24"	2	60	133	2/1000	19,56	2/1005	34,44	1,5	2/1022	45,67

B1 (2/4356-ZN / 2/6826-HDG)

BF (2/4362-ZN / 2/7132-HDG / 2/4923-i304)



SCR 50/100/200/300/400




SCR 500/600/750




SRB




		B		e	SWL		PG		HDG	
		mm	inch	mm	kg	lb	REF.	€/u	REF.	€/u
SRB 100	2	100	4"	1,5	70	155	2/6372	4,56	2/6379	6,11
SRB 150	2	150	6"	1,5	60	133	2/6373	5,33	2/6380	7,22
SRB 200	3	200	8"	1,5	60	133	2/6374	5,67	2/6381	8,11
SRB 300	4	300	12"	2	60	133	2/6375	8,11	2/6382	13,22
SRB 400	4	400	16"	2	60	133	2/6376	10,00	2/6383	16,67
SRB 500	4	500	20"	2	60	133	2/6377	19,11	2/6384	29,78
SRB 600	4	600	24"	2	60	133	2/6378	21,11	2/6385	33,44



SRB 100/150/200/300/400



SRB 500




SRB 600




SHL

	B		e	ep	H		SWL		HDG		i
	mm	inch	mm	mm	mm	inch	kg	lb	REF.	€/u	
SHL 100 GC	100	4"	1,5	4	47	1 6/7"	205	450	2/6866	10,33	304 / i316
SHL 150 GC	150	6"	1,5	4	53	2"	205	450	2/6867	12,00	
SHL 200 GC	200	8"	1,5	4	58	2 2/7"	205	450	2/6868	14,22	
SHL 300 GC	300	12"	1,5	6	68	2 2/3"	250	550	2/6869	21,78	
SHL 400 GC	400	16"	1,5	6	79	3 1/9"	250	550	2/6870	25,67	
SHL 500 GC	500	20"	2	6	89	3 1/2"	250	550	2/6871	36,33	
SHL 600 GC	600	24"	2	6	100	4"	250	550	2/6872	41,44	

- B1 (2/4356-ZN / 2/6826-HDG)
- BF (2/4362-ZN / 2/7132-HDG)
- BE (2/0863-HDG) + B2 (2/6792-HDG)



SHL 100/150/200




SHL 300/400/500/600

SHR

	B		e	ep	H		SWL		HDG		i
	mm	inch	mm	mm	mm	inch	kg	lb	REF.	€/u	
SHR 300 GC	300	12"	2,5	6	68	2 2/3"	480	1058	2/5525	24,78	304 / i316
SHR 400 GC	400	16"	2,5	6	79	3 1/9"	365	804	2/1023	29,44	
SHR 500 GC	500	20"	2,5	6	89	3 1/2"	300	661	2/1024	36,00	
SHR 600 GC	600	24"	2,5	6	100	4"	285	628	2/1025	41,89	
SHR 700 GC	700	28"	2,5	6	110	4 1/3"	270	595	2/1026	49,33	
SHR 800 GC	800	31 1/2"	2,5	6	120	4 5/7"	265	584	2/1027	56,11	


- B1 (2/4356-ZN / 2/6826-HDG)
- BF (2/4362-ZN / 2/7132-HDG)
- BE (2/0863-HDG) + B2 (2/6792-HDG)




SP

	B		e	ep	SP		SP+REF		HDG	
	mm	inch	mm	mm	kg	lb	kg	lb	REF.	€/u
SP 150 GC	150	6"	2,5	4	350	772	-	-	2/4939	17,44
SP 200 GC	200	8"	2,5	4	350	772	-	-	2/4733	19,67
SP 300 GC	300	12"	2,5	4	290	640	-	-	2/4734	24,00
SP 400 GC	400	16"	2,5	4	250	552	724	1597	2/1036	28,89
SP 500 GC	500	20"	2,5	4	220	486	592	1306	2/1037	34,44
SP 600 GC	600	24"	2,5	6	200	441	501	1105	2/4938	41,11
SP 700 GC	700	28"	2,5	6	-	-	434	957	-	-
SP 800 GC	800	32"	2,5	6	-	-	383	845	2/1038	49,44
SP 1000 GC	1000	40"	2,5	6	-	-	310	684	2/5086	44,44
R450 GC	450	18"	-	8	-	-	-	-	2/7325	44,44

- TM6x25 ISO7380 (0/1064-ZN / 2/9995-00880-i304) + TM6 (0/0427-ZN / 2/8225-HDG)
- CFBFR41 (2/10284) / TM6x25 ISO7380 (0/1064-ZN / 2/9995-00880-i304) + SSC (2/2064-ZN / 2/0363-HDG) + TM6 (0/0427-ZN / 2/8225-HDG)
- TM10x30 DIN933 (0/0320-i304) + BE M10 (2/0864-HDG) + TM10 (0/1071-HDG)



SP



R450



	B		e	ep	SPD		SPD+REF		HDG	
	mm	inch	mm	mm	kg	lb	kg	lb	REF.	€/u
SPD 500 GC	500	20"	2,5	8	500	1103	1123	2476	2/6272	65,11
SPD 600 GC	600	24"	2,5	8	430	948	950	2095	2/5621	74,33
SPD 700 GC	700	28"	2,5	8	370	816	823	1815	2/6273	83,89
SPD 800 GC	800	32"	2,5	8	320	706	726	1601	2/6274	93,33
SPD 1000 GC	1000	40"	2,5	8	260	574	588	1297	2/4641	111,78
SPD 1500 GC	1500	60"	2,5	8	-	-	275	606	2/4642	
R450 GC	450	18"	-	8	-	-	-	-	2/7325	44,44






 TM6x25 ISO7380 (0/1064-ZN / 2/9995-00880-i304) + TM6 (0/0427-ZN / 2/8225-HDG)



CFBFR41 (2/10284) / TM6x25 ISO7380 (0/1064-ZN / 2/9995-00880-i304) + SSC
(2/2064-ZN / 2/0363-HDG) + TM6 (0/0427-ZN / 2/8225-HDG)



 TM10x30 DIN933 (0/0320-i304) + BE M10 (2/0864-HDG) + TM10 (0/1071-HDG)



BI8 + I8 + SHV

[illegible]

 SHV + 2 x T M10x30 DIN 933 (0/0320) + 2 x DIN 934 M10 (0/0343)






 B1 (2/4356-ZN / 2/6826-HDG)



BF (2/4362-ZN / 2/7132-HDG)



BE (2/0863-HDG) + B2 (2/6792-HDG)






KS + SCR/SRB




KS

SCR / SRB + 2/100 B2 (2/6792-HDG / 2/4926-ZN)



	H		PG		HDG		i
	mm	inch	REF.	€/u	REF.	€/u	
KS 50_400	76	3"	2/7211	5,11	2/7215	6,76	304
KS 500_750	94	3 5/7"	2/6289	5,11	2/5881	6,76	



SCR




KS + SCR


	B		e	SWL		PG		HDG		e i304		i304
	mm	inch		kg	lb	REF.	€/u	REF.	€/u	mm	REF.	€/u
SCR 50	50	2"	1,5	70	155	2/0975	3,92	2/3450	5,22	-	-	-
SCR 100	100	4"	1,5	70	155	2/0976	3,93	2/0980	5,56	1,5	2/0995	12,33
SCR 150	150	6"	1,5	60	133	2/0977	4,31	2/0981	6,44	1,5	2/0996	15,00
SCR 200	200	8"	1,5	60	133	2/0978	4,69	2/0982	7,67	1,5	2/4691	17,56
SCR 300	300	12"	2	60	133	2/0997	7,33	2/1002	12,44	1,5	2/1020	22,78
SCR 400	400	16"	2	60	133	2/0998	9,44	2/1003	15,67	1,5	2/1021	28,78
SCR 500	500	20"	2	60	133	2/0999	17,56	2/1004	30,11	1,5	2/4464	39,22
SCR 600	600	24"	2	60	133	2/1000	19,56	2/1005	34,44	1,5	2/1022	45,67

B1 (2/4356-ZN / 2/6826-HDG)

BF (2/4362-ZN / 2/7132-HDG / 2/4923-i304)



SCR 50/100/200/300/400



SCR 500/600/750




SRB




KS + SRB


		B		e	SWL		PG		HDG	
		mm	inch		kg	lb	REF.	€/u	REF.	€/u
SRB 100	2	100	4"	1,5	70	155	2/6372	4,56	2/6379	6,11
SRB 150	2	150	6"	1,5	60	133	2/6373	5,33	2/6380	7,22
SRB 200	3	200	8"	1,5	60	133	2/6374	5,67	2/6381	8,11
SRB 300	4	300	12"	2	60	133	2/6375	8,11	2/6382	13,22
SRB 400	4	400	16"	2	60	133	2/6376	10,00	2/6383	16,67
SRB 500	4	500	20"	2	60	133	2/6377	19,11	2/6384	29,78
SRB 600	4	600	24"	2	60	133	2/6378	21,11	2/6385	33,44



SRB 500



SRB 100/150/200/300/400



SRB 600



KSR + C-SR




KSR+C-SR




KSR

	B		e	H		A		CTA		HDG		i
	mm	inch		mm	inch	mm	inch	kg	lb	REF.	€/u	
C-SR 200	200	8"	1,5	67	2 2/3"	30	1 1/6"	102	225	2/7264	SPM	304
C-SR 300	300	12"	1,5	67	2 2/3"	30	1 1/6"	90	198	2/7265	SPM	
C-SR 400	400	16"	1,5	100	4"	60	2 1/3"	159	351	2/7266	SPM	
C-SR 500	500	20"	1,5	100	4"	60	2 1/3"	134	295	2/7267	SPM	
C-SR 600	600	24"	1,5	100	4"	60	2 1/3"	117	258	2/7268	SPM	
KSR	-	-	2	-	-	-	-	-	-	2/6828	SPM	6
CT2 M8X75 (EZ)	-	-	-	-	-	-	-	-	-	2/6793	SPM	

KSR → 1 x CT2 M8X75 (2/6793) + 2/100 B2 (2/6792-HDG)



KSR



C-SR



UNE-EN 61537
UNE 23727



UNE-EN 61537



SWL (kg)

B mm (inch)



C-SHOT



50 (2") 100 (4") 150 (6") 200 (8") 300 (12") 400 (16") 500 (20") 600 (24") 700 (28") 800 (32") 1000 (40")

- 105 (232) 75 (166) 70 (155) 37 (82) - - - - -



C-SVO
+ 2 VR8



- 250 (552) 200 (441) 294 (649) 235 (519) 161 (355) 115 (254) 87 (192) - - -




C-SHO 400




80 (177) 69 (153) 58 (128) 50 (111) 39 (86) - - - - -

SU



431 (951) 431 (951) 368 (812) 321 (708) 255 (563) 212 (468) 182 (402) 160 (353) - - -

SUR



- - - 705 (1555) 582 (1284) 495 (1092) 431 (951) 382 (843) 342 (754) 310 (684) -

SU + R450



- - - 489 (1079) 349 (770) 272 (600) 222 (490) 188 (415) 163 (360) 144 (318) -

SUR + R450



- - - 813 (1793) 670 (1478) 570 (1257) 495 (1092) 438 (966) 393 (867) 356 (785) 300 (662)




SP



470 (1037) 470 (1037) 400 (882) 347 (766) 275 (607) 228 (503) 195 (430) 170 (375) - - -

SP + R450




- - - - 486 (1072) 378 (834) 309 (682) 262 (578) 227 (501) 200 (441) 162 (358)

SPD



837 (1846) 837 (1846) 748 (1650) 675 (1489) 566 (1248) 487 (1074) 428 (944) 381 (840) 344 (759) 313 (691) -

SPD + R450



- - - - 810 (1786) 630 (1389) 515 (1136) 436 (962) 378 (834) 333 (735) 270 (596)

C-SHOT



C-SHOT



PSHO

	B		SWL		e	PG		HDG		e	i304	
	mm	inch	(kg)	lb		REF.	€/u	REF.	€/u		REF.	€/u
C-SHOT 100	100	4"	105	232	1,5	2/7235	6,33	2/7244	11,33	1,5	2/7495	59,58
C-SHOT 150	150	6"	75	166	2	2/7236	9,11	2/7245	15,89	1,5	2/7496	62,73
C-SHOT 200	200	8"	80	155	2	2/7237	9,67	2/7246	17,56	1,5	2/7497	78,03
C-SHOT 300	300	12"	55	82	2	2/7238	10,78	2/7247	20,00	1,5	2/7498	95,40
PSHO	-	-	-	-	2	2/6240	1,56	2/6318	2,12	-	-	-


TFSHO PE 6011 (2/0894) / 1,48 €/u

1 PSHO (2/6240-PG / 2/6318-HDG)


B1 (2/4356-ZN / 2/6826-HDG)



TFSHO/SVO



C-SHOT



PSHO

C-SVO



TFSHO/SVO


	B		e	SWL		PG		HDG		e	i304	
	mm	inch		(kg)	lb	REF.	€/u	REF.	€/u		REF.	€/u
C-SVO 100	100	4"	1,5	241	552	2/3630	3,56	2/6280	6,00	1,5	2/6285	16,22
C-SVO 150	150	6"	1,5	198	441	2/1073	4,89	2/1078	7,33	1,5	2/1087	18,44
C-SVO 200	200	8"	2	218	649	2/1074	6,33	2/1079	10,11	1,5	2/1088	20,78
C-SVO 300	300	12"	2	168	519	2/1076	8,22	2/1081	13,44	1,5	2/1090	25,44
C-SVO 400	400	16"	2	136	355	2/3629	10,44	2/5719	16,33	1,5	2/6286	30,11
C-SVO 500	500	20"	2	115	254	2/1077	11,78	2/1082	18,78	1,5	2/6287	37,11
C-SVO 600	600	24"	2	99	192	2/5941	13,11	2/5720	20,00	1,5	2/6288	42,11

TFSHO PE 6011 (2/0894) / 1,48 €/u

	B		e	SWL		PG		HDG		e	i304	
	mm	inch		(kg)	lb	REF.	€/m	REF.	€/m		REF.	€/m
C-SVO 3000	-	-	-	-	-	2/1101	15,00	2/7436	20,33	-	-	-

2 x VR-8 (2/3397-ZN) + 4/100 x DIN6923 M8 (0/0338-ZN)

B1 (2/4356-ZN / 2/6826-HDG)



C-SHO




C-SHO 400




PSHO

	L		e	Fmáx	Mmáx	Cd	PG		HDG		i304	i316
	mm	inch		kg	kg-m	mm/kg-m	REF.	€/u	REF.	€/u		
C-SHO 400	400	16"	2	147	6,8	1,91	2/7234	9,78	2/7243	17,33	4	6
PSHO	-	-	2	-	-	-	2/6240	1,56	2/6318	2,12	S	S

1 SHO + 2/100 B2 (2/6792-HDG / 2/4926-ZN)



C-SHO



PSHO




SU



	L		e	ep	Fmáx	Mmáx	Cd	HDG		i	i
	mm	inch	mm	mm	kg	kg-m	mm/kg-m	REF.	€/u	304	316
SU 400 GC	400	16"	2,5	6	656	51,55	0,191	2/7142	31,22		
SU 600 GC	600	24"	2,5	6	656	51,55	0,287	2/7143	42,00		
SU 800 GC	800	31 1/2"	2,5	6	656	51,55	0,398	2/7144	53,22	S	S


SCR/SRB/SHL/SHR + 2/100 x B2 (2/6792-HDG)



SP3S




	L		e	Fmáx	Mmáx	Cd	HDG	
	mm	inch	mm	kg	kg-m	mm/kg-m	REF.	€/u
SP3S 400 GC	400	16"	2	630	37,4	0,428	2/17308	22,44
SP3S 600 GC	600	24"	2	630	37,4	0,615	2/17310	31,67
SP3S 800 GC	800	31 1/2"	2	630	37,4	0,802	2/17311	38,78




SHST



	L		e	SWL		PG		HDG	
	mm	inch	mm	kg	lb	REF.	€/u	REF.	€/u
SHST 100	100	4"	1,5	150	331	2/14489	SPM	2/14496	SPM
SHST 150	150	6"	1,5	150	331	2/14490	SPM	2/14497	SPM
SHST 200	200	8"	1,5	150	331	2/14491	SPM	2/14498	SPM
SHST 300	300	12"	2	150	331	2/14492	SPM	2/14499	SPM
SHST 400	400	16"	2	120	265	2/14493	SPM	2/14500	SPM
SHST 500	500	20"	2	100	221	2/14494	SPM	2/14501	SPM
SHST 600	600	24"	2	100	221	2/14495	SPM	2/14502	SPM



CLICK




KI8 + I8


KI8+I8





KI8

	L		Fmáx kg	Mmáx kg-m	Cd mm/kg-m	HDG	
	mm	inch				REF.	€/u
I8 600 GC	600	24"	1337	165	0,069	2/6345	SPM
I8 1000 GC	1000	39 3/8"	1337	165	0,092	2/6346	SPM
I8 1300 GC	1300	51 1/6"	1337	165	0,117	2/6347	SPM
I8 1500 GC	1500	59"	1337	165	0,138	2/6348	SPM
I8 2000 GC	2000	78 3/4"	1337	165	0,172	2/6349	SPM
I8 3000 GC	3000	118 1/9"	1337	165	0,275	2/6350	SPM
KI8 GC	-	-	-	-	-	2/6056	SPM



SHV + 2/100 x M12x35 DIN 933 (0/0609-i304) + 2/100 x M12 DIN 934 (0/0347-i304)


SP


	L		e mm	ep mm	Fmáx kg	Mmáx kg-m	Cd mm/kg-m	HDG	
	mm	inch						REF.	€/u
SP 300 GC	300	12"	2,5	4	725	55,15	0,142	2/4734	24,00
SP 400 GC	400	16"	2,5	4	725	55,15	0,203	2/1036	28,89
SP 500 GC	500	20"	2,5	4	725	55,15	0,265	2/1037	34,44
SP 600 GC	600	24"	2,5	6	725	55,15	0,326	2/4938	41,11
SP 800 GC	800	31 1/2"	2,5	6	725	55,15	0,509	2/1038	49,44




SCR/SRB + 2 x TE M10 (0/0907-ZN)

SHL/SP/SHR + 2/100 x T M10x30 DIN933 (0/0320-i304) + 2/100 x TM M10 (0/1071-HDG / 0/0970-i316)



SCR/SRB + 2/100 x B2 (2/6792-HDG)

SPL/SHL/SP + 2/50 x B3 (2/8827-HDG)



SPD




	L		e	ep	Fmáx	Mmáx	Cd	HDG	
	mm	inch			kg	kg-m	mm/kg-m	REF.	€/u
SPD 500 GC	500	20"	2,5	8	1100	133	0,147	2/6272	65,11
SPD 600 GC	600	24"	2,5	8	1100	133	0,179	2/5621	74,33
SPD 700 GC	700	27 5/9"	2,5	8	1100	133	0,211	2/6273	83,89
SPD 800 GC	800	31 1/2"	2,5	8	1100	133	0,263	2/6274	93,33
SPD 1000 GC	1000	39 3/8"	2,5	8	1100	133	0,316	2/4641	111,78



SCR/SRB + 2/100 TE M10 (0/0907-ZN)

SHL/SHR/SP/SPD + 2/100 T M10x30 DIN933 (0/0320-i304) + 2/100 x TM M10 (0/1071-HDG / 0/0970-i316)




SUR



	L		e	ep	Fmáx	Mmáx	Cd	HDG	
	mm	inch			kg	kg-m	mm/kg-m	REF.	€/u
SUR 600 GC	600	24"	4	8	1225	166	0,080	2/7487	68,98
SUR 800 GC	800	31 1/2"	4	8	1225	166	0,131	2/7488	86,63
SUR 1000 GC	1000	39 3/8"	4	8	1225	166	0,204	2/7489	103,93



SHL/SHR/SP/SPD + 2/50 B3 (2/8827-HDG)



R450



	L		e	HDG	
	mm	inch		REF.	€/u
R450 GC	450	18"	8	2/7325	44,44



+ SU + 1/100 x T M8x20 DIN933 (0/0318-i304) + 1/100 x TAG M8 DIN6923 (0/0348-i304)




+ SP + 1/50 x B3 (2/8827-HDG)



+ SPD + 1/100 x T M10x30 DIN933 (0/0320-i304) + 1/100 x TM M10 (0/1071-HDG)



+ SUR + 1/50 x B3 (2/8827-HDG)





UNE-EN 61537
UNE 23727



UNE-EN 61537



UNE-EN 61537



SWL kg (lb)

B mm (inch)

100 (4") 150 (6") 200 (8") 300 (12") 400 (16") 500 (20") 600 (24")



SV



276 (609) 260 (573) 253 (558) 207 (456) 506 (1116) 460 (1014) 414 (912)

PBF



250 (551) x 1 250 (551) x 1 250 (551) x 1 250 (551) x 2 250 (551) x 2 250 (551) x 2 250 (551) x 3

SFS+C-SVO



176 (388) 176 (388) 176 (388) 176 (388) 161 (354) 115 (253) 87 (191)




SP



470 (1037) 400 (882) 347 (766) 275 (607) 228 (503) 195 (430) 170 (375)

SU



431 (951) 368 (812) 321 (708) 255 (563) 212 (468) 182 (402) 160 (353)

SPD



748 (1650) 748 (1650) 675 (1489) 566 (1248) 487 (1074) 428 (944) 381 (840)



SV



SV 100/150/200/300




SV 400/500/600


	B		e	SWL		PG		HDG		i304	
	mm	inch		kg	lb	REF.	€/u	REF.	€/u	REF.	€/u
SV 100	100	4"	1,5	276	609	2/1046	3,93	2/1050	5,60	2/1062	9,67
SV 150	150	6"	1,5	260	573	2/1047	4,31	2/1051	6,39	2/1063	11,44
SV 200	200	8"	1,5	253	558	2/1048	4,69	2/1052	7,17	2/1064	13,11
SV 300	300	12"	1,5	207	456	2/1049	6,39	2/1053	9,48	2/1065	15,89
SV 400	400	16"	1,5	506	1116	2/3413	13,78	2/3418	20,00	-	-
SV 500	500	20"	1,5	460	1014	2/3414	18,44	2/3419	23,00	-	-
SV 600	600	24"	1,5	414	912	2/3415	17,67	2/3420	26,11	-	-

B1 (2/4356-ZN / 2/6826-HDG)

BF (2/4362-ZN / 2/7132-HDG)



SVO 100/150/200/300




SVO 400/500/600

PBF



	e	SWL		PG		HDG		i304	
	mm	kg	lb	REF.	€/u	REF.	€/u	REF.	€/u
PBF	1,5	250	551	2/5590	4,67	2/4397	6,00	2/8777	8,44



SFS + C-SVO



SFS



C-SVO



2 SFS+C-SVO



TFSHO/SVO

	B		e	SWL		PG		HDG		e	i304	
	mm	inch		(kg)	lb	REF.	€/u	REF.	€/u		REF.	€/u
C-SVO 100	100	4"	1,5	241	552	2/3630	3,56	2/6280	6,00	1,5	2/6285	16,22
C-SVO 150	150	6"	1,5	198	441	2/1073	4,89	2/1078	7,33	1,5	2/1087	18,44
C-SVO 200	200	8"	2	218	649	2/1074	6,33	2/1079	10,11	1,5	2/1088	20,78
C-SVO 300	300	12"	2	168	519	2/1076	8,22	2/1081	13,44	1,5	2/1090	25,44
C-SVO 400	400	16"	2	136	355	2/3629	10,44	2/5719	16,33	1,5	2/6286	30,11
C-SVO 500	500	20"	2	115	254	2/1077	11,78	2/1082	18,78	1,5	2/6287	37,11
C-SVO 600	600	24"	2	99	192	2/5941	13,11	2/5720	20,00	1,5	2/6288	42,11
SFS 140 GS	-	-	2	-	-	2/5602	4,89	-	-	-	-	-

TFSHO PE 6011 (2/0894) / 1,48 €/u


	B		e	SWL		PG		HDG		e	i304	
	mm	inch		(kg)	lb	REF.	€/m	REF.	€/m		REF.	€/m
C-SVO 3M	-	-	-	-	-	2/1101	15,00	2/7436	20,33	-	-	-




2 x VR-8 (2/3397-ZN) + 4/100 x DIN6923 M8 (0/0338-ZN)



B1 (2/4356-ZN / 2/6826-HDG)



C-SVO



SFS


SOLUTIONS/SOLUÇÕES/SOLUTIONS

 CT30 / KCT30

 C-PC / KPC / KLPC / KAPC

 PC / KAPC / KLPC2

 SP3S


 I8


 CT30 / KCT30




	Fmáx ud	Mmáx kg	PG		HDG	
			REF.	€/u	REF.	€/u
CT30	-	-	2/6784	5,19	2/6785	
KCT30	500	19,5	2/7071	3,62	2/7070	
CT4-100 M10X20 EZ	-	-	2/7074	23,81	-	-
CT2 M8X75 EZ	-	-	2/6793	0,33	-	-

 SCR / SRB

KCT30



KCT30+CT30+P-SR



M10x20 CT30 



P-SR M8x75 



CT30

 SCR



	B		e	SWL		PG		HDG		e i304		i304	
	mm	inch		kg	lb	REF.	€/u	REF.	€/u	mm	REF.	€/u	
SCR 50	50	2"	1,5	70	155	2/0975	SCM	2/3450	SCM	-	-	-	-
SCR 100	100	4"	1,5	70	155	2/0976	SCM	2/0980	SCM	1,5	2/0995	SCM	-
SCR 150	150	6"	1,5	60	133	2/0977	SCM	2/0981	SCM	1,5	2/0996	SCM	-
SCR 200	200	8"	1,5	60	133	2/0978	SCM	2/0982	SCM	1,5	2/4691	SCM	-
SCR 300	300	12"	2	60	133	2/0997	SCM	2/1002	SCM	1,5	2/1020	SCM	-
SCR 400	400	16"	2	60	133	2/0998	SCM	2/1003	SCM	1,5	2/1021	SCM	-
SCR 500	500	20"	2	60	133	2/0999	SCM	2/1004	SCM	1,5	2/4464	SCM	-
SCR 600	600	24"	2	60	133	2/1000	SCM	2/1005	SCM	1,5	2/1022	SCM	-

 B1 (2/4356-ZN / 2/6826-HDG)
 BF (2/4362-ZN / 2/7132-HDG / 2/4923-i304)





 SRB



		B		e	SWL		PG		HDG	
		mm	inch		kg	lb	REF.	€/u	REF.	€/u
SRB 100	2	100	4"	1,5	70	155	2/6372	SCM	2/6379	SCM
SRB 150	2	150	6"	1,5	60	133	2/6373	SCM	2/6380	SCM
SRB 200	3	200	8"	1,5	60	133	2/6374	SCM	2/6381	SCM
SRB 300	4	300	12"	2	60	133	2/6375	SCM	2/6382	SCM
SRB 400	4	400	16"	2	60	133	2/6376	SCM	2/6383	SCM
SRB 500	4	500	20"	2	60	133	2/6377	SCM	2/6384	SCM
SRB 600	4	600	24"	2	60	133	2/6378	SCM	2/6385	SCM




PC / KAPC / KLPC2


PC



KAPC




KLPC2


	B		H		e	HDG	
	mm	inch	mm	inch	mm	REF.	€/m
PC 3000 GC	58	2 2/7"	35	1 3/8"	2	2/0229	11,00 €/m
KAPC GC	-	-	-	-	2	2/1117	5,05 €/u
KLPC2 GC	-	-	-	-	3	2/6787	7,29 €/u
TFPC PVC	-	-	-	-	-	2/14809	0,72 €/u

4/100 (2/4356-PG / 2/6826-HDG)


SR



KAPC



KLPC2



C-PC (HDG)

SR



SR



	B		H		e	SWL		HDG	
	mm	inch	mm	inch	mm	kg	lb	REF.	€/u
SR 200	200	8"	80	3 1/7"	1,5	250	551	2/3460	7,00
SR 300	300	12"	80	3 1/7"	1,5	250	551	2/1032	8,95
SR 400	400	16"	100	4"	1,5	250	551	2/1033	10,90
SR 500	500	20"	100	4"	1,5	200	441	2/1034	13,05
SR 600	600	24"	100	4"	1,5	175	386	2/1035	15,29
P-SR (EZ)	-	-	-	-	-	-	-	2/6793	0,33




SR → C-PC: 2/100 x P-SR




SR

SRB



		B		e	SWL		PG		HDG	
		mm	inch	mm	kg	lb	REF.	€/u	REF.	€/u
SRB 100	2	100	4"	1,5	70	155	2/6372	SCM	2/6379	SCM
SRB 150	2	150	6"	1,5	60	133	2/6373	SCM	2/6380	SCM
SRB 200	3	200	8"	1,5	60	133	2/6374	SCM	2/6381	SCM
SRB 300	4	300	12"	2	60	133	2/6375	SCM	2/6382	SCM
SRB 400	4	400	16"	2	60	133	2/6376	SCM	2/6383	SCM
SRB 500	4	500	20"	2	60	133	2/6377	SCM	2/6384	SCM
SRB 600	4	600	24"	2	60	133	2/6378	SCM	2/6385	SCM



SRB 600



SRB 100/150/200/300/400




SRB 500

SCR



	B		e	SWL		PG		HDG		e i304		i304	
	mm	inch	mm	kg	lb	REF.	€/u	REF.	€/u	mm	REF.	€/u	€/u
SCR 50	50	2"	1,5	70	155	2/0975	SCM	2/3450	SCM	1,5	2/0995	SCM	SCM
SCR 100	100	4"	1,5	70	155	2/0976	SCM	2/0980	SCM	1,5	2/0996	SCM	SCM
SCR 150	150	6"	1,5	60	133	2/0977	SCM	2/0981	SCM	1,5	2/4691	SCM	SCM
SCR 200	200	8"	1,5	60	133	2/0978	SCM	2/0982	SCM	1,5	2/1020	SCM	SCM
SCR 300	300	12"	2	60	133	2/0997	SCM	2/1002	SCM	1,5	2/1021	SCM	SCM
SCR 400	400	16"	2	60	133	2/0998	SCM	2/1003	SCM	1,5	2/4464	SCM	SCM
SCR 500	500	20"	2	60	133	2/0999	SCM	2/1004	SCM	1,5	2/1022	SCM	SCM
SCR 600	600	24"	2	60	133	2/1000	SCM	2/1005	SCM	1,5	-	-	-

B1 (2/4356-ZN / 2/6826-HDG)

BF (2/4362-ZN / 2/7132-HDG / 2/4923-i304)



SCR 50/100/200/300/400



SCR 500/600/750

P41-3S 41X41X2 3M



L = 3 m (10 ft)

SBL41



P-SR M8x75

13

	e mm	PG		HDG	
		REF.	€/m	REF.	€/m
P41-3S 41X41X2 3M	2	2/17313	9,43	2/17312	





	Qreac kg	Pap N-m	e mm	PG		e mm	HDG	
				REF.	€/u		REF.	€/u
SBL41	600	40	3	2/7058	4,38	4	2/6472	6,68
CT2 M8X75 EZ	-	-	-	2/6793	0,33	-	-	-



2 x DIN933 M10X30 (0/0320) + 2 x TM41 M10 (0/107)




2/50 x B3 (2/8827)



SHST



	L		e mm	SWL		PG		HDG	
	mm	inch		kg	lb	REF.	€/u	REF.	€/u
SHST 100	100	4"	1,5	150	331	2/14489	3,81	2/14496	
SHST 150	150	6"	1,5	150	331	2/14490	4,48	2/14497	
SHST 200	200	8"	1,5	150	331	2/14491	4,90	2/14498	
SHST 300	300	12"	2	150	331	2/14492	6,71	2/14499	
SHST 400	400	16"	2	120	265	2/14493	7,86	2/14500	
SHST 500	500	20"	2	100	221	2/14494	9,29	2/14501	
SHST 600	600	24"	2	100	221	2/14495	10,71	2/14502	




CLICK




SRB




		B		e mm	SWL		PG		HDG	
		mm	inch		kg	lb	REF.	€/u	REF.	€/u
SRB 100	2	100	4"	1,5	70	155	2/6372	SCM	2/6379	SCM
SRB 150	2	150	6"	1,5	60	133	2/6373	SCM	2/6380	SCM
SRB 200	3	200	8"	1,5	60	133	2/6374	SCM	2/6381	SCM
SRB 300	4	300	12"	2	60	133	2/6375	SCM	2/6382	SCM
SRB 400	4	400	16"	2	60	133	2/6376	SCM	2/6383	SCM
SRB 500	4	500	20"	2	60	133	2/6377	SCM	2/6384	SCM
SRB 600	4	600	24"	2	60	133	2/6378	SCM	2/6385	SCM



SRB 100/150/200/300/400



SRB 500



SRB 600

P41-3S 41X41X2 3M



L = 3 m (10 ft)

SBL41



P-SR M8x75

13

	e	PG		HDG	
		mm	REF.	€/m	REF.
P41-3S 41X41X2 3M	2	2/17313	9,43	2/17312	



	Qreac kg	Pap N-m	e mm	PG		e mm	HDG	
				REF.	€/u		REF.	€/u
SBL41	600	40	3	2/7058	4,38	4	2/6472	6,68
CT2 M8X75 EZ	-	-	-	2/6793	0,33	-	-	-



2 x DIN933 M10X30 (0/0320) + 2 x TM41 M10 (0/107)



2/50 x B3 (2/8827)



SHL



	B		e	ep	H		SWL		HDG		i
	mm	inch			mm	inch	kg	lb	REF.	€/u	
SHL 100	100	4"	1,5	4	47	1 6/7"	205	450	2/6866	SCM	304
SHL 150	150	6"	1,5	4	53	2"	205	450	2/6867	SCM	304
SHL 200	200	8"	1,5	4	58	2 2/7"	205	450	2/6868	SCM	304
SHL 300	300	12"	1,5	6	68	2 2/3"	250	550	2/6869	SCM	316
SHL 400	400	16"	1,5	6	79	3 1/9"	250	550	2/6870	SCM	316
SHL 500	500	20"	2	6	89	3 1/2"	250	550	2/6871	SCM	316
SHL 600	600	24"	2	6	100	4"	250	550	2/6872	SCM	316




B1 (2/4356-ZN / 2/6826-HDG)




BF (2/4362-ZN / 2/7132-HDG)



BE (2/0863-HDG) + B2 (2/6792-HDG)



SHL 100/150/200



SHL 300/400/500/600



SHR



	B		e	ep	H		SWL		HDG		i
	mm	inch			mm	inch	kg	lb	REF.	€/u	
SHR 300	300	12"	2,5	6	68	2 2/3"	480	1058	2/5525	SCM	304
SHR 400	400	16"	2,5	6	79	3 1/9"	365	804	2/1023	SCM	304
SHR 500	500	20"	2,5	6	89	3 1/2"	300	661	2/1024	SCM	304
SHR 600	600	24"	2,5	6	100	4"	285	628	2/1025	SCM	316
SHR 700	700	28"	2,5	6	110	4 1/3"	270	595	2/1026	SCM	316
SHR 800	800	31 1/2"	2,5	6	120	4 5/7"	265	584	2/1027	SCM	316




B1 (2/4356-ZN / 2/6826-HDG)



BF (2/4362-ZN / 2/7132-HDG)



BE (2/0863-HDG) + B2 (2/6792-HDG)





I8 3M



I8

	L		HDG		PE	
	m	ft	REF.	€/u	REF.	€/u
I8 3M	3	10	2/6350	116,81	-	-
KI8	-	-	2/6056	21,19	-	-
KAI8	-	-	2/7052	31,90	-	-
TFI8	-	-	-	-	2/6947	7,86



P IPN80 ----> CAR ART IPN 80: 4/50 x B3 (2/8827-HDG)




KI8





KAI8



TFI8




KI8



KAI8



I8




SHV




	B		e	ep	HDG	
	mm	inch	mm	mm	REF.	€/u
SHV 200	200	8"	2,5	3	2/6058	8,67
SHV 300	300	12"	2,5	3	2/6271	10,19
SHV 400	400	16"	2,5	3	2/6259	12,14
SHV 500	500	20"	2,5	3	2/6057	14,38
SHV 600	600	24"	2,5	3	2/6275	16,62
SHV 700	700	28"	2,5	3	2/6276	19,57
SHV 800	800	32"	2,5	3	2/6277	22,24
PACK 100 M10x30 (i304)	-	-	-	-	2/6320	50,00



SHV → IPN80: 2/100 x TM10X30 (2/6320 i304)



BI8 + I8 + SHV



BI8



I8



SHV

	L	B	BRD P	e	ep	H		SWL		HDG	
	mm	inch	n	mm	mm	mm	inch	kg	lb	REF.	€/u
I8 600	600	24"	3	-	-	-	-	-	-	2/6345	24,00
I8 1000	1000	39" 3/8	3	-	-	-	-	-	-	2/6346	38,67
I8 1300	1300	51" 1/6	4	-	-	-	-	-	-	2/6347	49,62
I8 1500	1500	59"	5	-	-	-	-	-	-	2/6348	60,19
I8 2000	2000	78" 3/4	6	-	-	-	-	-	-	2/6349	79,43
I8 3000	3000	118" 1/9	8	-	-	-	-	-	-	2/6350	116,81
SHV 200	200	8"	-	2,5	3	58	2 2/7	200	441	2/6058	8,67
SHV 300	300	12"	-	2,5	3	68	2 2/3	200	441	2/6271	10,19
SHV 400	400	16"	-	2,5	3	79	3 1/9	200	441	2/6259	12,14
SHV 500	500	20"	-	2,5	3	89	3 1/2	200	441	2/6057	14,38
SHV 600	600	24"	-	2,5	3	100	4	200	441	2/6275	16,62
SHV 700	700	28"	-	2,5	3	110	4 1/3	200	441	2/6276	19,57
SHV 800	800	32"	-	2,5	3	120	4 5/7	200	441	2/6277	22,24
BI8	-	-	-	-	-	-	-	-	-	2/6342	3,29



SHV + 2 x T M10x30 DIN 933 (0/0320) + 2 x DIN 934 M10 (0/0343)




B1 (2/4356-ZN / 2/6826-HDG)



BF (2/4362-ZN / 2/7132-HDG)



BE (2/0863-HDG) + B2 (2/6792-HDG)



SHV

80

42

50

100

63x13

I8

L

20

60

e

14


50

20

70



SHO400+SHO	KCT30+CT30+SCR	KCT30+CT30+2XSCR	SPL+SCR
SPL+SCR	KLPC2+PC+SCR	KAPC+PC+SR	SP+SP
SPD+SHR	KI8+I8+SHV	BVP+41X21+SPD+SHR	SZ+SCR
SU+SCR	SU+SHL	PC+SR	BI8+I8+SHV
C-SVO+VR8	SP+41X41+4182C	SPD+SCR	KI8+I8+SHV+TFI8
SPD+41X41+4182D	SPD+K82+SHR	KI8+I8+SHV	PC+KAPC+SR



basorplast



BPE P. 90



BPI P. 98



..... P. 106



RAL 7035



UNE-EN 61537
UNE-EN 50085



UNE-EN 61537
UNE-EN 50085
UNE 23727
UL94



UNE-EN 60695




UNE-EN 61537



UNE-EN 50085




Mod. 60x100 10J
UNE-EN 61537
UNE-EN 50085



IEC 60529



IEC 50102



TBPE



CPBPE



TCPBPE



CCBPE



TCCBPE



CXBPE



TCXBPE



PDBPE



TFBPE



PSBPE



JUBPE



JUBPE-A



JUBPE-B



B2-P

B		H60 (2 1/3")		H100 (4")	
mm	inch	cm ²	in ²	cm ²	in ²
100	4"	52	8,06	-	-
150	6"	80	12,4	-	-
200	8"	101	15,7	175	27,1
300	12"	152	23,6	263	40,8
400	16"	-	-	354	54,8
600	24"	-	-	539	83,5






BPE H60 PVC M1 UV 7035




2 JUBPE 60 (2/10084)



BPE-C H60 PVC M1 UV 7035




2 JUBPE 60 (2/10084)



BPE H100 PVC M1 UV 7035




2 JU BPE H100 (2/10085)



BPE-C H100 PVC M1 UV 7035



2 JUBPE 100 (2/10085)





TBPE PVC1 UV 7035




L = 3 m (10 ft)



T BPE 600

	B		PVC1 UV	
	mm	inch	REF.	€/m
TBPE 100 PVC1 UV 7035	100	4"	2/10078	7,63
TBPE 150 PVC1 UV 7035	150	6"	2/10079	9,26
TBPE 200 PVC1 UV 7035	200	8"	2/10080	11,26
TBPE 300 PVC1 UV 7035	300	12"	2/10081	16,56
TBPE 400 PVC1 UV 7035	400	16"	2/10082	24,69
TBPE 600 PVC1 UV 7035	600	24"	2/10083	42,56






CPBPE PVC1 UV 7035



	B		H		PVC1 UV	
	mm	inch	mm	inch	REF.	€/u
CPBPE 60X100 PVC1 UV 7035	100	4"	60	2 2/5	2/10089	55,63
CPBPE 60X150 PVC1 UV 7035	150	6"	60	2 2/5	2/10090	58,59
CPBPE 60X200 PVC1 UV 7035	200	8"	60	2 2/5	2/10091	63,85
CPBPE 60X300 PVC1 UV 7035	300	12"	60	2 2/5	2/10092	76,96
CPBPE 100X200 PVC1 UV 7035	200	8"	100	4"	2/10093	81,93
CPBPE 100X300 PVC1 UV 7035	300	12"	100	4"	2/10094	97,04
CPBPE 100X400 PVC1 UV 7035	400	16"	100	4"	2/10095	124,15
CPBPE 100X600 PVC1 UV 7035	600	24"	100	4"	2/10096	194,37

2 JUBPE 60 (2/10084) + 4/100 B2-P (2/10017) - 2 JUBPE 100 (2/10085) + 8/100 B2-P (2/10017)



H100




TCPBPE PVC1 UV 7035



	B		PVC1 UV	
	mm	inch	REF.	€/u
TCPBPE 100 PVC1 UV 7035	100	4"	2/10097	34,22
TCPBPE 150 PVC1 UV 7035	150	6"	2/10098	45,11
TCPBPE 200 PVC1 UV 7035	200	8"	2/10099	51,48
TCPBPE 300 PVC1 UV 7035	300	12"	2/10100	63,76
TCPBPE 400 PVC1 UV 7035	400	16"	2/10101	78,67
TCPBPE 600 PVC1 UV 7035	600	24"	2/10102	115,65



TCPBPE 600







CCBPE PVCM1 UV 7035



	B		H		PVCM1 UV	
	mm	inch	mm	inch	REF.	€/u
CCBPE 60X100 PVCM1 UV 7035	100	4"	60	2 2/5	2/10103	54,52
CCBPE 60X150 PVCM1 UV 7035	150	6"	60	2 2/5	2/10104	56,89
CCBPE 60X200 PVCM1 UV 7035	200	8"	60	2 2/5	2/10105	60,37
CCBPE 60X300 PVCM1 UV 7035	300	12"	60	2 2/5	2/10106	68,89
CCBPE 100X200 PVCM1 UV 7035	200	8"	100	4"	2/10107	71,85
CCBPE 100X300 PVCM1 UV 7035	300	12"	100	4"	2/10108	83,63
CCBPE 100X400 PVCM1 UV 7035	400	16"	100	4"	2/10109	113,04
CCBPE 100X600 PVCM1 UV 7035	600	24"	100	4"	2/10110	135,85



2 JU H60 BPE (2/10084) + 4/100 B2-P (2/10017) - 2 JU H100 BPE (2/10085) + 8/100 B2-P (2/10017)




TCCBPE PVCM1 UV 7035



	B		PVCM1 UV	
	mm	inch	REF.	€/u
TCCBPE 60X100 PVCM1 UV 7035	100	4"	2/10111	53,63
TCCBPE 60X150 PVCM1 UV 7035	150	6"	2/10112	64,30
TCCBPE 60X200 PVCM1 UV 7035	200	8"	2/10113	66,81
TCCBPE 60X300 PVCM1 UV 7035	300	12"	2/10114	75,41
TCCBPE 100X200 PVCM1 UV 7035	200	8"	2/10115	76,89
TCCBPE 100X300 PVCM1 UV 7035	300	12"	2/10116	83,33
TCCBPE 100X400 PVCM1 UV 7035	400	16"	2/10117	97,93
TCCBPE 100X600 PVCM1 UV 7035	600	24"	2/10118	121,63



TCCBPE 100X600






CXBPE PVCM1 UV 7035




	B		H		PVCM1 UV	
	mm	inch	mm	inch	REF.	€/u
CXBPE 60X100 PVCM1 UV 7035	100	4"	60	2 2/5	2/10119	54,52
CXBPE 60X150 PVCM1 UV 7035	150	6"	60	2 2/5	2/10120	56,89
CXBPE 60X200 PVCM1 UV 7035	200	8"	60	2 2/5	2/10121	60,37
CXBPE 60X300 PVCM1 UV 7035	300	12"	60	2 2/5	2/10122	68,89
CXBPE 100X200 PVCM1 UV 7035	200	8"	100	4"	2/10123	71,85
CXBPE 100X300 PVCM1 UV 7035	300	12"	100	4"	2/10124	83,63
CXBPE 100X400 PVCM1 UV 7035	400	16"	100	4"	2/10125	113,04
CXBPE 100X600 PVCM1 UV 7035	600	24"	100	4"	2/10126	135,85



2 JUBPE 60 (2/10084) + 4/100 B2-P (2/10017) - 2 JUBPE 100 (2/10085) + 8/100 B2-P (2/10017)



H60



H100




TCXBPE PVCM1 UV 7035



	B		H		PVCM1 UV	
	mm	inch	mm	inch	REF.	€/u
TCXBPE 60X100 PVCM1 UV 7035	100	4"	60	2,4"	2/10127	53,63
TCXBPE 60X150 PVCM1 UV 7035	150	6"	60	2,4"	2/10128	64,30
TCXBPE 60X200 PVCM1 UV 7035	200	8"	60	2,4"	2/10129	66,81
TCXBPE 60X300 PVCM1 UV 7035	300	12"	60	2,4"	2/10130	75,41
TCXBPE 100X200 PVCM1 UV 7035	200	8"	100	4"	2/10131	76,89
TCXBPE 100X300 PVCM1 UV 7035	300	12"	100	4"	2/10132	83,33
TCXBPE 100X400 PVCM1 UV 7035	400	16"	100	4"	2/10133	97,93
TCXBPE 100X600 PVCM1 UV 7035	600	24"	100	4"	2/10134	121,63



TCXBPE 100X600



PDBPE 60/100 GSP 7035



	B		H		GSP 7035	
	mm	inch	mm	inch	REF.	€/u
PDBPE 60/100 GSP 7035	100	4"	60	2,4"	2/10135	7,23




4/100 B2-P (2/10017)



↑60




↑100






TFBPE GSP 7035



	B		H		GSP 7035	
	mm	inch	mm	inch	REF.	€/u
TFBPE 60X100 GSP 7035	100	4"	60	2 2/5"	2/10136	12,22
TFBPE 60X150 GSP 7035	150	6"	60	2 2/5"	2/10137	13,19
TFBPE 60X200 GSP 7035	200	8"	60	2 2/5"	2/10138	13,48
TFBPE 60X300 GSP 7035	300	12"	60	2 2/5"	2/10139	15,48
TFBPE 100X200 GSP 7035	200	8"	100	4"	2/10140	17,63
TFBPE 100X300 GSP 7035	300	12"	100	4"	2/10141	21,19
TFBPE 100X400 GSP 7035	400	16"	100	4"	2/10142	23,63
TFBPE 100X600 GSP 7035	600	24"	100	4"	2/10143	24,81

2/100 B2-P (2/10017)




PSBPE PVCM1 UV 7035



	H		PVCM1 UV	
	mm	inch	REF.	€/m
PSBPE 60 PVCM1 UV 7035	60	2 2/5"	2/10144	7,11
PSBPE 100 PVCM1 UV 7035	100	4"	2/10145	8,59

4/100 B2-P (2/10017)





JUBPE PVCM1 UV 7035



	H		PVCM1 UV	
	mm	inch	REF.	€/u
JUBPE 60 PVCM1 UV 7035	60	2 2/5"	2/10084	2,37
JUBPE 100 PVCM1 UV 7035	100	4"	2/10085	2,96

2 x JUBPE 60 → 4/100 B2-P (2/10017)
2 x JUBPE 100 → 8/100 B2-P (2/10017)






JUBPE-A i304




	H		i304	
	mm	inch	REF.	€/u
JUBPE-A 60 i304	60	2 2/5	2/5036	10,37
JUBPE-A 100 i304	100	4"	2/5037	13,48

🔧 2 x JUBPE-A → 8/100 B2-P (2/10017)



JUBPE-A 60



JUBPE-A 100




JUBPE-B i304




	H		i304	
	mm	inch	REF.	€/u
JUBPE-B 60 i304	60	2 2/5	2/3520	6,52
JUBPE-B 100 i304	100	4"	2/5038	8,15

🔧 2 x JUBPE-B → B2-P (2/10017)



JUBPE-B 60




JUBPE-B 100



CTBP-100 PVCM1 UV 7035





	PVCM1 UV	
	REF.	€/u
CTBP-100 PVCM1 UV 7035	2/10017	51,33







BPE





RAL 7030



UNE-EN 61537
UNE-EN 50085



UNE-EN 61537
UNE-EN 50085
UNE 23727
UL94



UNE-EN 60695



UNE-EN 61537



UNE-EN 50085



Mod. 60x100 10J
UNE-EN 61537
UNE-EN 50085



IEC 60529



IEC 50102




ISO/TR 10358
DIN 8061



BIK10




RA50



CPBPI



TCPBPI



CCBPI



TCCBPI



CXBPI



TCXBPI



PDBPI



TFBPI



PSBPI



JUBPI



JUBPI-A



JUBPI-B



M8 PVC

B		H60 (2 1/3")		H100 (4")	
		cm ²	in ²	cm ²	in ²
100	4"	52	8,06	-	-
150	6"	80	12,4	-	-
200	8"	93	14,4	169	26,2
300	12"	143	22,2	259	40,1
400	16"	-	-	349	54,1
600	24"	-	-	529	82,0





BPI H60 PVC M1 7030




L = 3 m (10 ft)
B 100/150





L = 3 m (10 ft)
B 200/300

	B		H		PVC M1	
	mm	inch	mm	inch	REF.	€/m
BPI 60X100 PVC M1 7030	100	4"	60	2 1/3"	2/1162	10,07
BPI 60X150 PVC M1 7030	150	6"	60	2 1/3"	2/1163	12,44
BPI 60X200 PVC M1 7030	200	8"	60	2 1/3"	2/1164	15,14
BPI 60X300 PVC M1 7030	300	12"	60	2 1/3"	2/1165	22,92

2 JUBPI 60 (2/2061)



B 100/150



B 200/300

BPI-C H60 PVC M1 7030




L = 3 m (10 ft)
B 100/150




L = 3 m (10 ft)
B 200/300

	B		H		PVC M1	
	mm	inch	mm	inch	REF.	€/m
BPI-C 60X100 PVC M1 7030	100	4"	60	2 1/3"	2/1156	10,07
BPI-C 60X150 PVC M1 7030	150	6"	60	2 1/3"	2/1157	12,44
BPI-C 60X200 PVC M1 7030	200	8"	60	2 1/3"	2/1158	15,14
BPI-C 60X300 PVC M1 7030	300	12"	60	2 1/3"	2/1159	22,92

2 JUBPI 60 (2/2061)




B 100/150



B 200/300


BPI H100 PVC M1 7030



L = 3 m (10 ft)

	B		H		PVC M1	
	mm	inch	mm	inch	REF.	€/m
BPI 100X200 PVC M1 7030	200	8"	100	4"	2/4898	21,15
BPI 100X300 PVC M1 7030	300	12"	100	4"	2/4964	30,68
BPI 100X400 PVC M1 7030	400	16"	100	4"	2/1166	39,75
BPI 100X600 PVC M1 7030	600	24"	100	4"	2/1167	55,49

2 JUBPI 100 (2/2062)





BPI-C H100 PVC M1 7030




L = 3 m (10 ft)




2 JUBPI 100 (2/2062)



	B		H		PVC M1	
	mm	inch	mm	inch	REF.	€/m
BPI-C 100X200 PVC M1 7030	200	8"	100	4"	2/5091	21,15
BPI-C 100X300 PVC M1 7030	300	12"	100	4"	2/5092	30,68
BPI-C 100X400 PVC M1 7030	400	16"	100	4"	2/1160	39,75
BPI-C 100X600 PVC M1 7030	600	24"	100	4"	2/1161	55,49



TBPI PVC M1 7030




L = 3 m (10 ft)



TBPI 600

	B		PVC M1	
	mm	inch	REF.	€/m
TBPI 100 PVC M1 7030	100	4"	2/1185	7,19
TBPI 150 PVC M1 7030	150	6"	2/1186	8,74
TBPI 200 PVC M1 7030	200	8"	2/1187	10,37
TBPI 300 PVC M1 7030	300	12"	2/1188	13,33
TBPI 400 PVC M1 7030	400	16"	2/1189	20,61
TBPI 600 PVC M1 7030	600	24"	2/1190	32,97




BIK10-BPI



IK10





	A		e	Mod.	AL	
	mm	inch	mm	H x B	REF.	€/u
BIK10-BPI 60X100 AL	53	2"	1,5	60x100	2/7063	2,77
BIK10-BPI 60X150 AL	95	3 3/4"	1,5	60x150	2/7064	2,88
BIK10-BPI 60/100X200 AL	140	5 1/2"	1,5	60/100X200	2/7065	2,99
BIK10-BPI 300X60 AL	226	8 8/9"	1,5	300x60	2/7066	3,22
BIK10-BPI 300X100 AL	235	9 1/4"	1,5	300x100	2/7067	3,37
BIK10-BPI 400X100 AL	317	12 1/2"	2	400x100	2/7068	3,60
BIK10-BPI 600X100 AL	502	19 3/4"	2	600x100	2/7069	4,07



RA50 2M PVC M1




	PVC M1	
	REF.	€/m
RA50 2M PVC M1	2/6357	10,67









CPBPI PVC1 7030



	B		H		C		R		PVC1	
	mm	inch	mm	inch	mm	inch	mm	inch	REF.	€/u
CPBPI 60X100 PVC1 7030	100	4"	60	2 1/3"	224	8 5/6"	80	3 1/7"	2/1168	54,52
CPBPI 60X150 PVC1 7030	150	6"	60	2 1/3"	224	8 5/6"	80	3 1/7"	2/1169	57,19
CPBPI 60X200 PVC1 7030	200	8"	60	2 1/3"	218	8 4/7"	80	3 1/7"	2/1170	59,63
CPBPI 60X300 PVC1 7030	300	12"	60	2 1/3"	218	8 4/7"	80	3 1/7"	2/1171	66,37
CPBPI 100X200 PVC1 7030	200	8"	100	4"	218	8 4/7"	80	3 1/7"	2/5188	72,52
CPBPI 100X300 PVC1 7030	300	12"	100	4"	218	8 4/7"	80	3 1/7"	2/5189	78,15
CPBPI 100X400 PVC1 7030	400	16"	100	4"	218	8 4/7"	80	3 1/7"	2/1172	97,11
CPBPI 100X600 PVC1 7030	600	24"	100	4"	241	9 1/2"	100	4"	2/1173	146,96

2 JUBPI 60 (2/2061)
2 JUBPI 100 (2/2062)



TCPBPI PVC1 7030




	B		C		PVC1	
	mm	inch	mm	inch	REF.	€/u
TCPBPI 100 PVC1 7030	100	4"	219	8 5/8"	2/5194	33,78
TCPBPI 150 PVC1 7030	150	6"	217	8 1/2"	2/5195	44,52
TCPBPI 200 PVC1 7030	200	8"	218	8 4/7"	2/5198	50,52
TCPBPI 300 PVC1 7030	300	12"	217	8 1/2"	2/5199	62,15
TCPBPI 400 PVC1 7030	400	16"	215	8 1/2"	2/5200	76,07
TCPBPI 600 PVC1 7030	600	24"	215	8 1/2"	2/5201	111,11


2 JUBPI 60 (2/2061)
2 JUBPI 100 (2/2062)



TCPBPI 600





CCBPI PVC1 7030




	B		H		C		R		PVC1	
	mm	inch	mm	inch	mm	inch	mm	inch	REF.	€/u
CCBPI 60X100 PVC1 7030	100	4"	60	2 1/3"	238	9 3/8"	130	5 1/8"	2/1174	53,41
CCBPI 60X150 PVC1 7030	150	6"	60	2 1/3"	238	9 3/8"	130	5 1/8"	2/1175	55,56
CCBPI 60X200 PVC1 7030	200	8"	60	2 1/3"	238	9 3/8"	130	5 1/8"	2/1176	56,81
CCBPI 60X300 PVC1 7030	300	12"	60	2 1/3"	238	9 3/8"	130	5 1/8"	2/1177	61,11
CCBPI 100X200 PVC1 7030	200	8"	100	4"	274	10 4/5"	170	6 2/3"	2/5190	62,44
CCBPI 100X300 PVC1 7030	300	12"	100	4"	274	10 4/5"	170	6 2/3"	2/5191	66,89
CCBPI 100X400 PVC1 7030	400	16"	100	4"	274	10 4/5"	170	6 2/3"	2/1178	91,93
CCBPI 100X600 PVC1 7030	600	24"	100	4"	274	10 4/5"	170	6 2/3"	2/1179	106,59

2 JUBPI 60 (2/2061)
2 JUBPI 100 (2/2062)






TCCBPI PVCM1 7030



	B		PVCM1	
	mm	inch	REF.	€/u
TCCBPI 60X100 PVCM1 7030	100	4"	2/5202	53,26
TCCBPI 60X150 PVCM1 7030	150	6"	2/5203	63,85
TCCBPI 60X200 PVCM1 7030	200	8"	2/5204	66,07
TCCBPI 60X300 PVCM1 7030	300	12"	2/5205	74,30
TCCBPI 100X200 PVCM1 7030	200	8"	2/5207	76,00
TCCBPI 100X300 PVCM1 7030	300	12"	2/5208	82,15
TCCBPI 100X400 PVCM1 7030	400	16"	2/5209	96,30
TCCBPI 100X600 PVCM1 7030	600	24"	2/5210	119,26



TCCBPI 100X600



CXBPI PVCM1 7030




	B		H		C		R		PVCM1	
	mm	inch	mm	inch	mm	inch	mm	inch	REF.	€/u
CXBPI 60X100 PVCM1 7030	100	4"	60	2 1/3"	238	9 3/8"	100	4"	2/1180	53,41
CXBPI 60X150 PVCM1 7030	150	6"	60	2 1/3"	238	9 3/8"	100	4"	2/1181	55,56
CXBPI 60X200 PVCM1 7030	200	8"	60	2 1/3"	243	9 4/7"	100	4"	2/1182	56,81
CXBPI 60X300 PVCM1 7030	300	12"	60	2 1/3"	243	9 4/7"	100	4"	2/1183	61,11
CXBPI 100X200 PVCM1 7030	200	8"	100	4"	279	11"	120	4 5/7"	2/5192	62,44
CXBPI 100X300 PVCM1 7030	300	12"	100	4"	279	11"	120	4 5/7"	2/5193	66,89
CXBPI 100X400 PVCM1 7030	400	16"	100	4"	279	11"	120	4 5/7"	2/1184	91,93
CXBPI 100X600 PVCM1 7030	600	24"	100	4"	279	11"	120	4 5/7"	2/4707	106,59




2 JUBPI 60 (2/2061)

2 JUBPI 100 (2/2062)




H60



H100




TCXBPI PVCM1 7030



	B		PVCM1	
	mm	inch	REF.	€/u
TCXBPI 60X100 PVCM1 7030	100	4"	2/5211	53,26
TCXBPI 60X150 PVCM1 7030	150	6"	2/5212	63,85
TCXBPI 60X200 PVCM1 7030	200	8"	2/5213	66,07
TCXBPI 60X300 PVCM1 7030	300	12"	2/5214	74,30
TCXBPI 100X200 PVCM1 7030	200	8"	2/5215	76,00
TCXBPI 100X300 PVCM1 7030	300	12"	2/5216	82,15
TCXBPI 100X400 PVCM1 7030	400	16"	2/5217	96,30
TCXBPI 100X600 PVCM1 7030	600	24"	2/5218	119,26



TCXBPI 100X600





PDBPI 60/100 GSP 7030



PDBPI 60/100 GSP 7030


4/100 M8 PVC (2/10020)

↑60 ↑100




GSP

REF.	€/u
2/3521	7,23




TFBPI GSP 7030




	B		H		GSP	
	mm	inch	mm	inch	REF.	€/u
TFBPI 60X100 GSP 7030	100	4"	60	2 1/3"	2/4395	12,22
TFBPI 60X150 GSP 7030	150	6"	60	2 1/3"	2/4800	13,19
TFBPI 60X200 GSP 7030	200	8"	60	2 1/3"	2/4396	13,48
TFBPI 60X300 GSP 7030	300	12"	60	2 1/3"	2/4838	15,48
TFBPI 100X200 GSP 7030	200	8"	100	4"	2/5220	17,63
TFBPI 100X300 GSP 7030	300	12"	100	4"	2/5221	21,19
TFBPI 100X400 GSP 7030	400	16"	100	4"	2/5125	23,63
TFBPI 100X600 GSP 7030	600	24"	100	4"	2/5219	24,81

2/100 M8 PVC (2/10020)



PSBPI PVCM1 7030



	H		PVCM1	
	mm	inch	REF.	€/m
PSBPI 60 PVCM1 7030	60	2 1/3"	2/3522	6,89
PSBPI 100 PVCM1 7030	100	4"	2/3523	8,07

4/100 M8 PVC (2/10020)



H60



H100




JUBPI PVC M1 7030




	H		PVC M1	
	mm	inch	REF.	€/u
JUBPI 60 PVC M1 7030	41	1 3/5"	2/2061	2,30
JUBPI 100 PVC M1 7030	74	3"	2/2062	2,81

JUBPI 60 --> 2/100 M8 PVC (2/10020)
 JUBPI 100 --> 4/100 M8 PVC (2/10020)



JUBPI 60



JUBPI 100




JUBPI-A i304




	H		i304	
	mm	inch	REF.	€/u
JUBPI-A 60 i304	60	2 1/3"	2/5036	10,37
JUBPI-A 100 i304	100	4"	2/5037	13,48

4/100 M8 PVC (2/10020)



JUBPI-A 60



JUBPI-B 100




JUBPI-B i304




	H		i304	
	mm	inch	REF.	€/u
JUBPI-B 60 i304	60	2 1/3"	2/3520	6,52
JUBPI-B 100 i304	100	4"	2/5038	8,15

4/100 M8 PVC (2/10020)



JUBPI-B 60




JUBPI-B 100



CTBP-100 PVC M1 7030



	PVC M1	
	REF.	€/u
CTBP-100 PVC M1 7030	2/10020	51,19








SHG




B mm (inch)

100 (4") 150 (6") 200 (8") 300 (12") 400 (16") 600 (24")

90 (199) 105 (232) 120 (265) 130 (287) 220 (486) 180 (397)



UNE-EN 61537



PVCMI



PVCMI UV



ISO/TR 10358
DIN 8061




PSHG



B mm (inch)

100 (4") 150 (6") 200 (8") 300 (12") 400 (16") 600 (24")

90 (199) 105 (232) 120 (265) 130 (287) 220 (486) 180 (397)



UNE-EN 61537



ISO/TR 10358
DIN 8061




SVG




B mm (inch)

100 (4") 150 (6") 200 (8") 300 (12") 400 (16") 600 (24")

384 (846) 384 (846) 384 (846) 204 (450) 120 (263) 60 (132)




UNE-EN 61537



PVCMI



PVCMI UV




ISO/TR 10358
DIN 8061




SHG




	B		40°	60°	PVC M1		PVC M1 UV	
	mm	inch	CTA (kg)	CTA (kg)	REF.	€/u	REF.	€/u
SHG 100	100	4"	90	45	2/6779	6,67	2/10011	6,96
SHG 150	150	6"	105	52,5	2/6780	8,00	2/10012	8,22
SHG 200	200	8"	120	60	2/6781	12,81	2/10013	13,26
SHG 300	300	12"	130	65	2/6782	16,00	2/10014	16,37
SHG 400	400	16"	220	110	2/7134	21,26	2/10015	21,78
SHG 600	600	24"	180	90	2/7135	23,41	2/10016	24,15




SHG100




SHG150



SHG200




SHG300



SHG 400/600

PSHG 2M



PSHG 2M i304
CT2 M10X100 i304



1 CP SHG i304 (2/7228)
1 M10x100 DIN 931 + 1 M10 DIN6923.



PAS SHG

GSP / i304

REF.	€/u
2/7203	27,78
2/7228	2,37





KSHGR + PSHGR 600



KSHGR



PSHGR

KSHGR GSP 7030
PSHGR 600 GSP 7030
CT2 M10X100 i304
TFSHGR PVC

GSP / i304

REF.	€/u
2/7403	14,00
2/7404	25,41
2/7228	2,37
2/12112	1,30


PSHGR ----> KSHGR 4 x B2 i304

SHG 100~300 ----> KSHGR 1 x P SHG i304


SHG 400~600 ----> KSHGR 2 x P SHG i304




PAS SHG



PAS SHG



KSHGR



PSHGR




SVG




	B		CTA		PVC M1		PVC M1 UV	
	mm	inch	kg	lb	REF.	€/u	REF.	€/u
SVG 100	100	4"	384	846	2/10056	7,56	2/10050	8,30
SVG 150	150	6"	384	846	2/10057	8,15	2/10051	8,96
SVG 200	200	8"	384	846	2/10058	8,67	2/10052	9,56
SVG 300	300	12"	204	450	2/10059	9,85	2/10053	10,89
SVG 400	400	16"	120	263	2/10060	10,96	2/10054	12,15
SVG 600	600	24"	60	132	2/10061	12,74	2/10055	14,30

BPI ----> SVG: 2/100 x M8 PVC








B/P BPI+SHG	SHG+P	P+3 SHG	KSHGR + PSHGR
			

BPI+SVG	BPI+SVG+VR8	B/P BPE + SHG	B/P BPE + SVG
			

B/P BPE + SVG + VR10





UNE-EN 50085



UNE-EN 61537
UNE 23727



UNE-EN 50085



UNE-EN 50085



UNE-EN 50085



IEC 60529



IEC 50102



CPWT



TCPWT



TSCPWT



CP45WT



TCP45WT



TSCP45WT



TEWT



TTEWT



TSTEWT



CCCXWT



PSWT



REWt



TFWT



JUWT



SV



B1



DIN 7991 M6



TMK

B		H100 (4")	
mm	inch	cm ²	in ²
100	4	85,56	13,26
200	8	181,56	28,14
300	12	277,56	43,02
400	16	371,32	57,55
500	20	467,32	72,43
600	24	563,32	87,31



WT GS



L = 2 m (6,6 ft)


	CTA	(Kg)	B		H		PG	
			mm	inch	mm	inch	REF.	€/m
WT 100X100 GS	21	150	100	4	100	4	2/10146	40,06
WT 200X100 GS	45	150	200	8	100	4	2/10147	52,65
WT 300X100 GS	69	150	300	12	100	4	2/10148	62,65
WT 400X100 GS	93	150	400	16	100	4	2/10149	72,71
WT 500X100 GS	117	150	500	20	100	4	2/10150	82,39
WT 600X100 GS	141	150	600	24	100	4	2/10151	91,94



2 x JUWT



3 x SV (B) B=100 --> 2/1046 ; B=200 --> 2/1048 ; B=300 --> 2/1049 ; B=400 --> 2/3413 ;
B=500 --> 2/3414 ; B=600 --> 2/3415



TWT AL



L = 2 m (6,6 ft)


	(Kg)	B		AL	
		mm	inch	REF.	€/m
TWT 100 AL	150	100	4	2/10191	37,61
TWT 200 AL	150	200	8	2/10192	60,97
TWT 300 AL	150	300	12	2/10193	89,55
TWT 400 AL	150	400	16	2/10194	114,13
TWT 500 AL	150	500	20	2/10195	139,10
TWT 600 AL	150	600	24	2/10196	163,87



6 x DIN 7991 (0/1220)



1 PSWT (2/10180) --> TWT (400 - 600)



TSWT GS




L = 2 m (6,6 ft)

	B		PG	
	mm	inch	REF.	€/m
TSWT 100 GS	100	4	2/10185	17,35
TSWT 200 GS	200	8	2/10186	26,45
TSWT 300 GS	300	12	2/10187	37,42
TSWT 400 GS	400	16	2/10188	46,90
TSWT 500 GS	500	20	2/10189	56,52
TSWT 600 GS	600	24	2/10190	66,06



6 x DIN 7991 (0/1220)



CPWT GS



	(Kg)	B		H		PG	
		mm	inch	mm	inch	REF.	€/u
CPWT 100X100 GS	150	100	4	100	4	2/10152	43,35
CPWT 200X100 GS	150	200	8	100	4	2/10153	53,94
CPWT 300X100 GS	150	300	12	100	4	2/10154	66,77
CPWT 400X100 GS	150	400	16	100	4	2/10155	81,94
CPWT 500X100 GS	150	500	20	100	4	2/10156	99,42
CPWT 600X100 GS	150	600	24	100	4	2/10157	117,87




4 x B1 (2/4356)



1 x SV (B) B=100 --> 2/1046 ; B=200 --> 2/1048 ; B=300 --> 2/1049 ; B=400 --> 2/3413 ;
B=500 --> 2/3414 ; B=600 --> 2/3415



JUWT






TCPWT AL



	(Kg)	B		AL	
		mm	inch	REF.	€/u
TCPWT 100 AL	150	100	4	2/10197	22,97
TCPWT 200 AL	150	200	8	2/10198	39,81
TCPWT 300 AL	150	300	12	2/10199	61,23
TCPWT 400 AL	150	400	16	2/10200	87,10
TCPWT 500 AL	150	500	20	2/10201	118,13
TCPWT 600 AL	150	600	24	2/10202	154,32

B=100,200,300 3 x DIN 7991 (0/1220)

B=400,500,600 5 x DIN 7991 (0/1220)




TSCPWT GS



	B		PG	
	mm	inch	REF.	€/u
TSCPWT 100 GS	100	4	2/10203	14,00
TSCPWT 200 GS	200	8	2/10204	20,65
TSCPWT 300 GS	300	12	2/10205	29,55
TSCPWT 400 GS	400	16	2/10206	40,77
TSCPWT 500 GS	500	20	2/10207	54,32
TSCPWT 600 GS	600	24	2/10208	70,13

B=100,200,300 3 x DIN 7991 (0/1220)

B=400,500,600 5 x DIN 7991 (0/1220)




CP45WT GS



	(Kg)	B		H		PG	
		mm	inch	mm	inch	REF.	€/u
CP45WT 100X100 GS	150	100	4	100	4	2/10158	45,03
CP45WT 200X100 GS	150	200	8	100	4	2/10159	54,39
CP45WT 300X100 GS	150	300	12	100	4	2/10160	63,42
CP45WT 400X100 GS	150	400	16	100	4	2/10161	79,68
CP45WT 500X100 GS	150	500	20	100	4	2/10162	96,58
CP45WT 600X100 GS	150	600	24	100	4	2/10164	114,90

4 x B1 (2/4356)

1 x SV (B) B=100 --> 2/1046 ; B=200 --> 2/1048 ; B=300 --> 2/1049 ; B=400 --> 2/3413 ; B=500 --> 2/3414 ; B=600 --> 2/3415




TCP45WT AL



	(Kg)	B		AL	
		mm	inch	REF.	€/u
TCP45WT 100 AL	150	100	4	2/10209	23,48
TCP45WT 200 AL	150	200	8	2/10210	34,13
TCP45WT 300 AL	150	300	12	2/10211	47,68
TCP45WT 400 AL	150	400	16	2/10212	62,32
TCP45WT 500 AL	150	500	20	2/10213	83,94
TCP45WT 600 AL	150	600	24	2/10214	109,23

3 x DIN 7991 (0/1220)







TSCP45WT GS



	B		PG	
	mm	inch	REF.	€/u
TSCP45WT 100 GS	100	4	2/10215	14,19
TSCP45WT 200 GS	200	8	2/10216	18,39
TSCP45WT 300 GS	300	12	2/10217	23,74
TSCP45WT 400 GS	400	16	2/10218	30,00
TSCP45WT 500 GS	500	20	2/10219	39,35
TSCP45WT 600 GS	600	24	2/10220	50,39



3 x DIN 7991 (0/1220)



TEWT GS



	(Kg)	B		H		PG	
		mm	inch	mm	inch	REF.	€/u
TEWT 100X100 GS	150	100	4	100	4	2/10165	48,71
TEWT 200X100 GS	150	200	8	100	4	2/10166	60,00
TEWT 300X100 GS	150	300	12	100	4	2/10167	73,68
TEWT 400X100 GS	150	400	16	100	4	2/10168	89,61
TEWT 500X100 GS	150	500	20	100	4	2/10169	107,87
TEWT 600X100 GS	150	600	24	100	4	2/10170	126,77





6 x B1 (2/4356)



1 x SV (B) B=100 --> 2/1046 ; B=200 --> 2/1048 ; B=300 --> 2/1049 ; B=400 --> 2/3413 ;
B=500 --> 2/3414 ; B=600 --> 2/3415



JUWT





TTEWT AL



	(Kg)	B		AL	
		mm	inch	REF.	€/u
TTEWT 100 AL	150	100	4	2/10221	28,84
TTEWT 200 AL	150	200	8	2/10222	48,19
TTEWT 300 AL	150	300	12	2/10223	71,16
TTEWT 400 AL	150	400	16	2/10224	99,23
TTEWT 500 AL	150	500	20	2/10225	132,45
TTEWT 600 AL	150	600	24	2/10226	170,84



4 x DIN 7991 (0/1220)





TSTEWT GS



	B		PG	
	mm	inch	REF.	€/u
TSTEWT 100 GS	100	4	2/10227	16,39
TSTEWT 200 GS	200	8	2/10228	23,94
TSTEWT 300 GS	300	12	2/10229	33,81
TSTEWT 400 GS	400	16	2/10230	46,00
TSTEWT 500 GS	500	20	2/10231	60,52
TSTEWT 600 GS	600	24	2/10232	77,35



4 x DIN 7991 (0/1220)






CCCXWT GS



	B		H		PG	
	mm	inch	mm	inch	REF.	€/u
CCCXWT 100 GS	100	4	100	4	2/10171	66,45
CCCXWT 200 GS	200	8	100	4	2/10172	74,06
CCCXWT 300 GS	300	12	100	4	2/10173	81,68
CCCXWT 400 GS	400	16	100	4	2/10174	89,29
CCCXWT 500 GS	500	20	100	4	2/10175	96,84
CCCXWT 600 GS	600	24	100	4	2/10176	104,45

4 x B1 (2/4356)




CCCX WT

PSWT GS



	PG	
	REF.	€/m
PSWT GS	2/10180	17,16

4 x B1 (2/4356)




REWT GS



	H		PG	
	mm	inch	REF.	€/u
REWT 100 GS	107	4	2/10087	3,55

2 x B1 (2/4356)




TFWT GS



	B		H		PG	
	mm	inch	mm	inch	REF.	€/u
TFWT 100 GS	100	4	100	4	2/10240	5,16
TFWT 200 GS	200	8	100	4	2/10241	6,71
TFWT 300 GS	300	12	100	4	2/10242	8,06
TFWT 400 GS	400	16	100	4	2/10243	9,42
TFWT 500 GS	500	20	100	4	2/10244	10,77
TFWT 600 GS	600	24	100	4	2/10245	12,13

2 x B1 (2/4356)






JUWT GS



	PG	
	REF.	€/u
JUWT GS	2/10177	2,32

4 x B1 (2/4356)



SV GS




SV 100/150/200/300




SV 400/500/600

	CTA		B		e	PG	
	kg	lb	mm	inch	mm	REF.	€/u
SV 100 GS	276	609	100	4"	1,5	2/1046	SCM
SV 200 GS	253	558	200	8"	1,5	2/1048	SCM
SV 300 GS	207	456	300	12"	1,5	2/1049	SCM
SV 400 GS	506	1116	400	16"	1,5	2/3413	SCM
SV 500 GS	460	1014	500	20"	1,5	2/3414	SCM
SV 600 GS	414	912	600	24"	1,5	2/3415	SCM

2 x B1 (2/4356-EZ)



SVO 100/150/200/300




SVO 400/500/600



B1-100 EZ




	L mm	EZ	
		REF.	€/u
B1-100 EZ	14	2/4356	23,00



DIN7991-100 M6X16 EZ




	EZ	
	REF.	€/u
DIN7991-100 M6X16 EZ	2/10265	10,90



TMK-100 M6



	EZ	
	REF.	€/u
TMK-100 M6	2/10266	42,32







PVC / RLH



RE1250 RLH 7035 P. 120



R1250 CLH 7035 P. 120



R1250 PVC 7035 P. 121




COFLEX P. 123



RE1250 RLH




	DN		A		UNE-EN 61386	IP	IK	RLH 7035	
	mm	inch	mm	inch				REF.	€/m
RE1250 16	16	5/8"	14	5/9"	4322	54	07	2/6453	1,93
RE1250 20	20	4/5"	16	5/8"	4322	54	07	2/6454	2,58
RE1250 25	25	1"	20	4/5"	4322	54	07	2/6455	3,44
RE1250 32	32	1 1/4"	22	6/7"	4322	54	07	2/6456	5,47
RE1250 40	40	1 4/7"	26	1"	4322	54	07	2/6457	6,88
RE1250 50	50	2"	31	1 2/9"	4322	54	07	2/6458	9,45
RE1250 63	63	2 1/2"	60	2 3/8"	4322	54	07	2/6459	13,67



R1250 CLH



	DN		UNE-EN 61386	IK	CLH 7035	
	mm	inch			REF.	€/m
R1250 16	16	5/8"	4422	08	2/7217	2,58
R1250 20	20	4/5"	4422	08	2/7218	3,44
R1250 25	25	1"	4422	08	2/7219	4,45
R1250 32	32	1 1/4"	4422	08	2/7220	6,17
R1250 40	40	1 4/7"	4422	08	2/7221	8,83
R1250 50	50	2"	4422	08	2/7222	13,36
R1250 63	63	2 1/2"	4422	08	2/7223	






R1250 PVC



	DN		UNE-EN 61386	IK	PVC 7035	
	mm	inch			REF.	€/m
R1250 16	16	5/8"	4321	07	2/6460	1,04
R1250 20	20	4/5"	4321	07	2/6461	1,40
R1250 25	25	1"	4321	07	2/6462	1,95
R1250 32	32	1 1/4"	4321	07	2/6463	2,58
R1250 40	40	1 4/7"	4321	07	2/6464	3,28
R1250 50	50	2"	4321	07	2/6465	4,69
R1250 63	63	2 1/2"	4321	07	2/6466	6,33





JUR 1250



JUR1250




	DN		L		IP	RLH 7035	
	mm	inch	mm	inch		REF.	€/u
JUR1250 16	16	5/8"	50	2"	40	2/6732	0,27
JUR1250 20	20	4/5"	55	2 1/6"	40	2/6733	0,31
JUR1250 25	25	1"	60	2 1/3"	40	2/6734	0,43
JUR1250 32	32	1 1/4"	70	2 3/4"	40	2/6735	0,66
JUR1250 40	40	1 4/7"	80	3 1/7"	40	2/6736	1,13
JUR1250 50	50	2"	90	3 1/2"	40	2/6737	1,49
JUR1250 63	63	2 1/2"	130	5 1/8"	40	2/6738	3,28



CPR




	DN		R		IP	RLH 7035	
	mm	inch	mm	inch		REF.	€/u
CPR 16	16	5/8"	54	2 1/8"	40	2/6739	0,68
CPR 20	20	4/5"	67	2 2/3"	40	2/6740	0,92
CPR 25	25	1"	85	3 1/3"	40	2/6741	1,38
CPR 32	32	1 1/4"	110	4 1/3"	40	2/6742	2,58
CPR 40	40	1 4/7"	138	5 3/7"	40	2/6743	3,83
CPR 50	50	2"	172	6 7/9"	40	2/6744	5,70
CPR 63	63	2 1/2"	217	8 1/2"	40	2/6745	9,30



CFR



	DN		L		IP	RLH 7035	
	mm	inch	mm	inch		REF.	€/u
CFR 16	16	5/8"	220	8 2/3"	65	2/6819	5,78
CFR 20	20	4/5"	230	9"	65	2/6820	6,41
CFR 25	25	1"	540	9 4/9"	65	2/6821	7,66
CFR 32	32	1 1/4"	270	10 5/8"	65	2/6822	11,56
CFR 40	40	1 4/7"	300	11 4/5"	65	2/6823	16,17
CFR 50	50	2"	340	13 2/5"	65	2/6824	20,23









MCR1250





	DN		L	A	IP	RLH 7035	
	mm	inch				REF.	€/u
MCR1250 16	16	5/8"	15	42	65	2/6746	2,81
MCR1250 20	20	4/5"	15	44	65	2/6747	3,20
MCR1250 25	25	1"	15	47	65	2/6748	3,59
MCR1250 32	32	1 1/4"	16	52	65	2/6749	4,53
MCR1250 40	40	1 4/7"	16	64	65	2/6750	6,56
MCR1250 50	50	2"	18	72	65	2/6751	7,42



SPR1250





	DN		A		B		C		F	RLH 7035	
	mm	inch	mm	inch	mm	inch	mm	inch		REF.	€/u
SPR1250 16	16	5/8"	12	1/2"	25	1"	21	5/6"	3	2/6753	0,22
SPR1250 20	20	4/5"	12	1/2"	28	1 1/9"	26	1"	3	2/6754	0,24
SPR1250 25	25	1"	12	1/2"	32	1 1/4"	31	1 2/9"	3	2/6755	0,26
SPR1250 32	32	1 1/4"	12	1/2"	43	1 2/3"	44	1 3/4"	3	2/6756	0,37
SPR1250 40	40	1 4/7"	14	5/9"	50	2"	52	2"	3	2/6757	0,62
SPR1250 50	50	2"	14	5/9"	56	2 1/5"	62	2 4/9"	3	2/6758	0,74





ABR1250



	DN		F	RLH 7035	
	mm	inch		REF.	€/u
ABR1250 16-32	16/32	5/8" - 1 1/4"	15	2/6760	0,59
ABR1250 20-63	20/63	4/5 - 2 1/2"	15	2/6761	0,97









COFLEX



	Dext		Dint		UNE-EN	RLH 7035	
	mm	inch	mm	inch	61386	REF.	€/m
COFLEX 16	16	5/8"	11	3/7"	2322	2/6995	0,88
COFLEX 20	20	4/5"	15	3/5"	2322	2/6996	1,11
COFLEX 25	25	1"	20	4/5"	2322	2/6997	1,67
COFLEX 32	32	1 1/4"	27	1"	2322	2/6998	2,34
COFLEX 40	40	1 4/7"	34	1 1/3"	2322	2/6999	3,83
COFLEX 50	50	2"	44	1 3/4"	2322	2/7000	5,00









	41/82	P. 126
	CT, RA	P. 130
	SE/TRIPLE/IM - PAFV	P. 136
	OBP / OBC / OAP / OAC	P. 137
	RA / CT - JURA	P. 137
	GV2, GVV2, BRP, BCA, CSJ	P. 138
	VR, SBL, SBC, SBZ	P. 140
	DIN933, DIN912, DIN934, DIN125, DIN6923, DIN9021, ISO7380	P. 141
	SCM, CCM, CM	P. 142
	TT, TTL	P. 143

P41X21


L = 3 m (10 ft)






	e mm	A		Wx		Wy		PG		HDG	
		cm ²	in ²	cm ³	in ³	cm ³	in ³	REF.	€/m	REF.	€/m
P41 41X21X1,5 3M	1,5	1,44	0,22	0,79	0,04	1,86	0,11	2/6366	4,98	-	-
P41 41X21X2,5 3M	2,5	2,14	0,33	1,08	0,06	2,73	0,16	2/0235	7,29	2/0236	9,74


P41X41


L = 3 m (10 ft)





	e mm	A		Wx		Wy		PG		HDG	
		cm ²	in ²	cm ³	in ³	cm ³	in ³	REF.	€/m	REF.	€/m
P41 41X41X1,5 3M	1,5	1,95	0,30	2,09	0,12	2,92	0,17	2/6365	6,77	-	-
P41 41X41X2,5 3M	2,5	3,13	0,48	3,16	0,19	4,54	0,27	2/0233	10,04	2/0234	13,54
P41 41X41X2,5(Ø13) 3M	2,5	3,13	0,48	3,16	0,19	4,54	0,27	2/7388	-	-	-


P41-D 82X41


L = 3 m (10 ft)



	e mm	A		Wx		Wy		HDG	
		cm ²	in ²	cm ³	in ³	cm ³	in ³	REF.	€/m
P41-D 41X82X2,5 3M	2,5	6,37	0,98	9,49	0,57	9,11	0,55	2/5573	29,83





A



K41 / Qreac 700 kg



K82 / Qreac 1100 kg



K82ME / Qreac 1100 kg



SB41 / Qreac 700 kg



SBL41 / Qreac 600 kg



KA41 / Qreac 1000 kg



4182H / Qreac 800 kg

A



4182CR



4182TE



4182CV / Qreac 500 kg



4182A



4182B / Qreac 350 kg



4182C / Qreac 350 kg



4182CD / Qreac 350 kg



4182D / Qreac 1.050 kg



4182E / Qreac 700 kg



4182F / Qreac 700 kg



4182G / Qreac 250 kg



4182I



SB41 / Qreac 700 kg



SBL41 / Qreac 600 kg



4182H / Qreac 800 kg

A



TF41



TM41



TAD




TEP

K41



	Qreac kg	Pap N-m	HDG	
			REF.	€/u
K41	700	40	2/5622	11,57

2 x T M10X30 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG)


K82


	Qreac kg	Pap N-m	HDG	
			REF.	€/u
K82	1100	40	2/5574	15,90

4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)



K82ME


	Qreac kg	Pap N-m	HDG	
			REF.	€/u
K82ME	1100	40	2/7020	26,37

2x 4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)
4 x B3 (2/8827 - HDG)

1x + + 2 x T M10X30 DIN933 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG) + 2 x T M8X20 DIN933 (0/0318 - i304) + 2 x TAG M8 DIN6923 (0/0348 - i304)


2x 4 x T M8X20 DIN933 (0/0318 - i304) + 4 x TAG M8 DIN6923 (0/0348 - i304)


SBL41


	Qreac kg	Pap N-m	HDG	
			REF.	€/u
SB L 41X41	600	40	2/6472	6,68

2 x T M10X30 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG)

2 x B3 (2/8827 - HDG)




KA41


KA41	Qreac kg	Pap N·m	HDG	
			REF.	€/u
KA41	1000	40	2/6475	14,56

2 x T M10X30 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG)


2 x B3 (2/8827 - HDG)


SB41


SB41	Qreac kg	Pap N·m	HDG	
			REF.	€/u
SB41	700	40	2/6471	6,81

2 x T M10X30 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG)


2 x B3 (2/8827 - HDG)


4182CR


4182CR	Reducc z	Reducc y	Pap N·m	HDG	
				REF.	€/u
4182CR	0%	0%	40	2/6473	10,12

5 x T M10X30 (0/0320 - i304) + 5 x TM M10 (0/1071 HDG)

5 x B3 (2/8827 - HDG)




4182TE


4182TE	Reducc z	Reducc y	Pap N-m	HDG	
	0%	0%	40	REF.	€/u


4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)

4 x B3 (2/8827 - HDG)


4182CV


4182CV	Qreac kg	Pap N-m	HDG	
	500	20	REF.	€/u



M8 & M10


4182A


4182A	Reducc z	Pap N-m	HDG	
	20%	40	REF.	€/u

4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)


4 x B3 (2/8827 - HDG)


4182B


4182B	Qreacc kg	Pap N-m	HDG	
	350	40	REF.	€/u

4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)

4 x B3 (2/8827 - HDG)




4182C


	Qreacc kg	Pap N·m	HDG	
			REF.	€/u
4182C	350	40	2/6313	1,31

2 x T M10X30 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG)


2 x B3 (2/8827 - HDG)


4182CD


	Qreacc kg	Pap N·m	HDG	
			REF.	€/u
4182CD	700		2/7127	2,40

3 x T M10X30 (0/0320 - i304) + 3 x TM M10 (0/1071 HDG)


3 x B3 (2/8827 - HDG)


4182D


	Qreacc kg	Pap N·m	HDG	
			REF.	€/u
4182D	1.050	40	2/6314	7,21

4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)

4 x B3 (2/8827 - HDG)




4182E


4182E	Qreacc kg	Pap N·m	HDG	
			REF.	€/u
	700	40	2/6315	4,67

3 x T M10X30 (0/0320 - i304) + 3 x TM M10 (0/1071 HDG)


2 x B3 (2/8827 - HDG)


4182F


4182F	Qreacc kg	Pap N·m	HDG	
			REF.	€/u
	700	40	2/6316	5,63

3/4 x T M10X30 (0/0320 - i304) + 3/4 x TM M10 (0/1071 HDG)


3/4 x B3 (2/8827 - HDG)


4182G


4182G	Qreacc kg	Pap N·m	HDG	
			REF.	€/u
	250	40	2/6317	2,88

2 x T M10X30 (0/0320 - i304) + 2 x TM M10 (0/1071 HDG)

2 x B3 (2/8827 - HDG)




4182H


4182H	Qreacc kg	Pap N-m	HDG	
			REF.	€/u
	800	40	2/6948	7,16

4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)



4 x B3 (2/8827 - HDG)


4182I


4182I	Reducc Z	HDG	
		REF.	€/u
	0%	2/7011	6,11


4 x T M10X30 (0/0320 - i304) + 4 x TM M10 (0/1071 HDG)

4 x B3 (2/8827 - HDG)




TSO



TSO	e mm	HDG	
		REF.	€/u
TSO	4	2/6332	


PSOS



	B		H		e mm	HDG	
	mm	inch	mm	inch		REF.	€/u
PSOS 60X140X5	60	2 1/3"	140	5 1/2"	5	2/1132	
PSOS 80X180X8	80	3 1/7"	180	7"	8	2/1131	0,77


PSOM


	e mm	HDG	
		REF.	€/u
PSOM 200X200X5	5	2/1155	
PSOM 200X200X10	10	2/0245	


TF41 PVC M1



TF41 PVC M1	PVC M1	
	REF.	€/u
TF41 PVC M1	2/5627	0,41



TM41




	e mm	Qtrac kg	Qcort kg	Pap N-m	ZN		HDG		i316	
					REF.	€/u	REF.	€/u	REF.	€/u
TM41 M6	6	500	100	3,5	2/17556	0,41	2/8225	0,48	-	-
TM41 M8	6	600	240	8,4	2/17557	0,46	2/17583	0,52	-	-
TM41 M10	8	700	350	17	2/17551	0,51	2/17584	0,57	-	-



TAD EZ






	e mm	Qtrac kg	Qcort kg	Pap N-m	ZN	
					REF.	€/u
TAD M8 EZ	6	600	240	8,4	2/17558	0,41
TAD M10 EZ	8	700	350	17	2/5543	0,44



TEP EZ



	e mm	Qtrac kg	Qcort kg	Pap N-m	ZN	
					REF.	€/u
TEP M8 EZ	6	600	240	8,4	-	-
TEP M10 EZ	8	700	350	17	2/17567	0,93





SE PAFV



	A mm	B mm	W mm	D mm	d mm	RM kN		PAFV	
								REF.	€/u
SE 15-26 PAFV	77	45	50	15-26	10	20,0	✓	2/7282	13,71
SE 26-38 PAFV	92	60	60	26-38	12	30,0	X	2/7283	14,28
SE 36-52 PAFV	105	60	75	36-52	12	20,0	X	2/7284	16,68
SE 50-75 PAFV	126	60	95	50-75	12	10,0	X	2/7285	19,04
SE 75-100 PAFV	200	80	150	75-100	15	68,8	X	2/7286	40,09
SE 100-135 PAFV	225	85	175	100-135	15	67,4	X	2/7287	58,34
SE 135-170 PAFV	260	90	210	135-170	15	66,3	X	2/7288	147,07



UNE-EN 61537





TRIPLE PAFV




	A mm	B mm	W mm	D mm	d mm	RM kN		PAFV	
								REF.	€/u
TRIPLE 27-38 PAFV	180	75	125	3X 27-38	15	35,9	✓	2/7289	49,52
TRIPLE 38-51 PAFV	195	80	145	3X 38-51	15	39,8	✓	2/7290	57,90
TRIPLE 51-69 PAFV	220	85	170	3X 51-69	15	69,9	✓	2/7291	71,88
TRIPLE 69-90 PAFV	252	90	215	3X 69-90	15	56,7	✓	2/7292	117,03
TRIPLE 90-118 PAFV	321	100	270	3X 90-118	15	54,3	✓	2/7293	165,68
TRIPLE 118-150 PAFV	400	110	340	3X 118-150	15	54,3	✓	2/7294	279,34



UNE-EN 61537




IM PAFV



	A mm	B mm	H mm	W mm	D mm	d mm	RM kN		PAFV	
									REF.	€/u
IM 12-32 PAFV	180	50	50	148	12-32	14	29,5	✓	2/7295	50,22
IM 32-48 PAFV	345	50	50	170	32-48	15	29,5	✓	2/7296	71,18




UNE-EN 61537



SE41 GC



	e mm	HDG	
		REF.	€/u
SE41 20-24 GC	1,5	2/7355	2,84
SE41 24-28 GC	1,5	2/7356	3,19
SE41 28-32 GC	1,5	2/7357	3,49
SE41 34-36 GC	1,5	2/7358	3,80
SE41 36-40 GC	1,5	2/7359	4,50






OBP / OBC / OAP / OAC


	e mm	B	H	PG		AL	
				REF.	€/m	REF.	€/m
OBP 2M	1	35	7	2/0248	1,66	-	-
OBC 2M	1	35	7	2/7214	1,66	-	-
OAP 2M	1,5	35	14	2/0250	3,54	-	-
OAC 2M EZ	1,5	35	14	2/7227	5,27	-	-
OR 3M AL	1,5	35	14	-	-	2/9806	5,72



L = 2 m (6,7 ft)




RA / CT


L = 2 -3 m (6,56 -10 ft)



	B mm	H mm	C mm	e mm	A cm ²	Wx cm ³	Wy cm ³	PG		HDG	
								REF.	€/m	REF.	€/m
RA35 3000	35	14	15	1,5	0,9	0,28	1,00	2/0237	3,58	2/0238	5,41
RA35 35X14 2M	35	14	15	1,5	0,9	0,28	1,00	2/3484	3,71	-	-
RA50 3M	50	14	30	1,5	1,1	0,30	1,68	2/0239	4,45	2/0240	6,64
CT40 3M	40	20	20	1,5	1,25	0,65	1,63	2/4471	4,28	2/0246	6,20
CT40 2000	40	20	20	1,5	1,25	0,65	1,63	2/5656	4,32	-	-
CT20C	20	20	20	1,0	0,38	0,09	0,25	2/0241	1,57	-	-
CT20 2M	20	10	10	1,0	0,38	0,09	0,25	2/0242	1,57	-	-




M6, M8



RA / CT




CT20

JURA


	B mm	PG		HDG	
		REF.	€/db	REF.	€/db
JURA 35	28	2/1122	1,89	2/1123	2,24
JURA 50	40	2/1124	2,04	2/3473	2,56




M6




BCA


	H mm	HDG	
		REF.	€/u
BCA 41X41	80	2/8809	5,59
BCA 41X82	130	2/8810	6,38


CSJ


	ALU		ZN		i430	
	REF.	€/m	REF.	€/m	REF.	€/m
CSJ AL / i430	2/3461	1,27	2/4291		2/3462	2,23




VR



MVR

	Qtrac kg	ZN	
		REF.	€/u
VR M6 L1	400	2/17562	0,83
VR M8 L1	800	2/3397	1,44
VR M10 L1	1400	2/5535	2,27
VR M12 L1	2500	2/6502	3,89
MVR M6	-	2/6323	0,26
MVR M8	-	2/4462	0,22




SBL



	PG		HDG	
	REF.	€/u	REF.	€/u
SBL	2/0351	0,91	2/0361	1,53



M8 & M10




SBC



	Qreac 1 kg	Qreac 2 kg	PG		HDG	
			REF.	€/u	REF.	€/u
SBC	40	40	2/0352	1,88	2/0362	1,70



M8 & M10




SBZ



	Qreac kg	PG		HDG	
		REF.	€/u	REF.	€/u
SBZ	35	2/0354	1,02	2/0364	1,62



M8 & M10



DIN 933 / DIN 912 / ISO 7380

		UVM	UVE	P	M	L	H	ZN		i304		
		ud	ud	Nm	mm	mm	mm	REF.	€/u	REF.	€/u	
	DIN933 M10X30	100	100	35	10	30	6,6	2/17559	0,22	2/17547	0,41	
	DIN933 M10X20	100	100	35	10	20	6,6	2/17563	-	2/17578	0,35	
	DIN933 M8X55	100	100	15	8	55	5,4	2/17556	0,16	-	-	
	DIN933 M8X25	100	100	15	8	25	5,4	2/17545	0,15	-	-	
	DIN933 M8X20	100	100	15	8	20	5,4	-	-	2/17546	0,35	
	DIN933 M6X25	100	100	8	6	25	4,1	2/5545	0,14	2/17549	0,14	
	DIN933 M6X20	100	100	8	6	20	4,1	-	-	-	-	
	DIN912 M10X30	100	100	35	10	30	10	-	-	-	-	
	DIN912 M8X70	100	100	15	8	70	8	2/17580	0,32	2/17581	0,76	
	DIN912 M8X55	100	100	15	8	55	8	2/17577	0,39	2/17579	0,80	
	ISO7380 M8X30	100	100	15	8	30	4,4	-	-	2/17585	0,25	
	ISO7380 M6X25	100	100	8	6	25	3,3	2/17582	0,16	-	-	

DIN 6923

		d	Dext	A	H	ZN		i304		
		mm	mm	mm	mm	REF.	€/u	REF.	€/u	
	DIN6923 M6	M6	14	10	6	2/17552	0,03	2/17554	0,09	
	DIN6923 M8	M8	18	13	8	2/17553	0,04	2/17555	0,14	

DIN 934

		d	A	H	ZN		i304		
		mm	mm	mm	REF.	€/u	REF.	€/u	
	DIN934 M6	M6	10	4,8	-	-	-	-	
	DIN934 M8	M8	13	6,2	-	-	-	-	
	DIN934 M10	M10	17	7,7	-	-	-	-	
	DIN934 M12	M12	19	9,7	-	-	-	-	

DIN 125

		Dint	Dext	e	ZN		i304		
		mm	mm	mm	REF.	€/u	REF.	€/u	
	DIN125 M6	6,4	12	1,6	2/17565	0,03	2/5539	0,08	
	DIN125 M8	8,4	16	1,6	2/17541	0,03	2/17544	0,08	
	DIN125 M10	10,5	20	2	2/17561	0,05	2/17542	0,05	
	DIN125 M12	13	24	2,5	-	-	2/17560	0,11	

DIN 9021


		Dint	Dext	e	ZN		i304		
		mm	mm	mm	REF.	€/u	REF.	€/u	
	DIN9021 M6	6,4	18	1,6	2/7023	0,07	2/7022	0,16	
	DIN9021 M8	8,4	25	2	2/7021	0,05	2/17543	0,12	

CCM



	M mm	L mm	Qtrac kg	ZN	
				REF.	€/u
CCM6x60 ZN	6	60	180	2/6419	0,59
CCM8x60 ZN	8	60	225	2/6420	0,63

↓ 65mm, Ø 8mm (CCM 6X60) / Ø10mm (CCM 8x60)




SCM



	D mm	L mm	Qtrac kg	ZN	
				REF.	€/u
SCM10x75 ZN	10	75	340	2/4672	0,72
SCM12x80 ZN	12	80	780	2/6258	1,14

↓ 62mm (SCM 10x75) - ↓ 72mm (SCM 12x80), Ø 10mm (SCM 10X75) / Ø12mm → (SCM 12x80)




CM



	D mm	M	Qtrac kg	ZN	
				REF.	€/u
CM6x30 ZN	8	6	280	2/6468	0,54
CM8x30 ZN	10	8	370	2/6469	0,67

↓ 32mm - Ø 8mm (CM 6x30) / ↓ 33mm - Ø 10mm (CM8x30)



TDC




BPZ


	REF.	€/u
TDC	2/5066	271,97
BPZ	2/7224	19,82

TT / TTL LTN



TT




TTL




	Smin mm ²	Smax mm ²	Dcable mm	A mm	B mm	LTN	
						REF.	€/u
TT 10-35 LTN	-	35	4 a 8	22	18	2/6796	4,98
TT 35-95 LTN	-	95	8 a 12	30	24	2/6797	6,29
TTL 10-35 LTN	10	35	4 a 8	25	-	2/8189	3,06




TT



TTL



FPS AL


FPSC





FPSL

	AL	
	REF.	€/u
FPSC AL	2/6794	2,31
FPSL AL	2/6795	2,31



FPSC



FPSL

	VR min	VR max
SE 15-26 PAFV	M8x85	M8x85
SE 26-38 PAFV	M10x100	M10x100
SE 36-52 PAFV	M10x100	M10x100
SE 50-75 PAFV	M10x100	M10x150
SE 75-100 PAFV	M12x150	M12x150
SE 100-135 PAFV	M12x150	M12x200
SE 135-170 PAFV	M12x200	M12x250
TRIPLE 27-38 PAFV	M12x150	M12x150
TRIPLE 38-51 PAFV	M12x150	M12x200
TRIPLE 51-69 PAFV	M12x150	M12x200
TRIPLE 69-90 PAFV	M12x200	M12x250
TRIPLE 90-118 PAFV	M12x250	M12x360
TRIPLE 118-150 PAFV	M12x250	M12x360
IM 4x12-32 PAFV	M12x150	M12x150
IM 4x32-48 PAFV	M12x200	M12x200

VR DIN 976 & DIN 934



MVR

	i304	
	REF.	€/u
VR M8X85	2/10246	1,62
VR M10X100	2/10247	1,53
VR M10X150	2/10248	2,05
VR M12X150	2/10249	2,93
VR M12X200	2/10250	3,45
VR M12X250	2/10251	
VR M12X360	2/10252	
M8 DIN 934	-	-
M10 DIN 934	-	
M12 DIN 934	-	-

GV2 GS




95 Kg

	B mm	Qreac kg	PG	
			REF.	€/u
GV2 GS	11	250	2/15501	3,06



M8 & M10



GVV2 GS



200 Kg



80 Kg




200 Kg

	B mm	PG	
		REF.	€/u
GVV2 GS	11	2/7073	5,07



M8 & M10




BRP GC




	Qreac kg	HDG	
		REF.	€/u
BRP	1000	2/5624	1,35




M10











3E basor


E L E C T R I C




 ER 50X50 (2"x2")

 ERE
ERE H35 (1 3/8")

ERE H60 (2 1/3")

ERE H60 (2 1/3") i304

ERE H80 (3 1/7")

ERE H100 (4")


MRE


MRE H60 (2 1/3")



MRE H80 (3 1/7")




MRE H100 (4")




FRE


FRE H35 (1 3/8")




FRE H60 (2 1/3")



FRE H80 (3 1/7")



FRE H100 (4")



**BFR (ANCE NMX-J-511)****EZ / HDG**

	CTA kg/m		Clasificación	
	5 ft	6 ft	5 ft	6 ft
	1,52 m	1,83 m	1,52 m	1,83 m
BFR 100x35	22,3	15,5	5AA	-
BFR 150x35	22,3	15,5	5AA	-
BFR 200x35	22,3	15,5	5AA	-
BFR 300x35	28,4	19,7	5AA	6AA
BFR 60x65	12,5	8,7	-	-
BFR 100x65	28,4	19,7	5AA	6AA
BFR 150x65	31,7	22	5AA	6AA
BFR 200x65	47,6	33,1	5BB	6AA
BFR 300x65	57,1	39,6	5BB	6BB
BFR 400x65	69,9	48,5	5BB	6BB
BFR 500x65	63,5	44,1	5BB	6BB
BFR 600x65	79,4	55,1	5BB	6BB
BFR 200x105	72,2	50,1	5BB	6BB
BFR 300x105	76	52,8	5BB	6BB
BFR 400x105	111,1	77,2	5BB	6A
BFR 500x105	107,8	74,8	5BB	6A
BFR 600x105	117,5	81,6	5BB	6A

i304 / i316






	CTA kg/m		Clasificación	
	5 ft	6 ft	5 ft	6 ft
	1,52 m	1,83 m	1,52 m	1,83 m
BFR 100x35	18,9	13,2	5AA	-
BFR 150x35	22,3	15,5	5AA	-
BFR 200x35	22,3	15,5	5AA	-
BFR 60x65	12,8	8,9	-	-
BFR 100x65	28,7	19,9	5AA	6AA
BFR 150x65	25,3	17,6	5AA	-
BFR 200x65	44,5	30,9	5BB	6AA
BFR 300x65	54	37,5	5BB	6BB
BFR 400x65	60,2	41,8	5BB	6BB
BFR 500x65	57,1	39,6	5BB	6BB
BFR 600x65	54	37,5	5BB	6BB
BFR 200x105	73	50,7	5BB	6BB
BFR 300x105	69,9	48,5	5BB	6BB
BFR 400x105	76	52,8	5BB	6BB
BFR 500x105	73	50,7	5BB	6BB
BFR 600x105	69,9	48,5	5BB	6BB

**BFR (NEMA VE 1)****EZ / HDG**

	CTA kg/m (lb/ft)		Clasificación	
	5 ft	8 ft	5 ft	8 ft
	1,52 m	2,44 m	1,52 m	2,44 m
BFR 4"x1"1/2 (100x35)	22,3 (15)	8,7 (5,8)	-	-
BFR 6"x1"1/2 (150x35)	22,3 (15)	8,7 (5,8)	-	-
BFR 8"x1"1/2 (200x35)	22,3 (15)	8,7 (5,8)	-	-
BFR 12"x1"1/2 (300x35)	28,4 (19,1)	11,1 (7,5)	-	-
BFR 2"x2" (60x65)	12,5 (8,4)	4,9 (3,3)	-	-
BFR 4"x2" (100x65)	28,4 (19,1)	11,1 (7,5)	-	-
BFR 6"x2" (150x65)	31,7 (21,3)	12,4 (8,3)	-	-
BFR 8"x2" (200x65)	47,6 (32)	18,6 (12,5)	5AA	-
BFR 12"x2" (300x65)	57,1 (38,4)	22,3 (15)	5AA	-
BFR 16"x2" (400x65)	69,9 (47)	27,3 (18,3)	5AA	-
BFR 20"x2" (500x65)	63,5 (42,7)	24,8 (16,7)	5AA	-
BFR 24"x2" (600x65)	79,4 (53,3)	31 (20,8)	5A	-
BFR 8"x4" (200x105)	72,2 (48,5)	28,2 (18,9)	5AA	-
BFR 12"x4" (300x105)	76 (51,1)	29,7 (20)	5A	-
BFR 16"x4" (400x105)	111,1 (74,7)	43,4 (29,2)	5A	8AA
BFR 20"x4" (500x105)	107,8 (72,4)	42,1 (28,3)	5A	8AA
BFR 24"x4" (600x105)	117,5 (79)	45,9 (30,8)	5A	8AA

i304 / i316

	CTA kg/m (lb/ft)		Clasificación	
	5 ft	8 ft	5 ft	8 ft
	1,52 m	2,44 m	1,52 m	2,44 m
BFR 4"x1"1/2 (100x35)	18,9 (12,7)	7,4 (5)	-	-
BFR 6"x1"1/2 (150x35)	22,3 (15)	8,7 (5,8)	-	-
BFR 8"x1"1/2 (200x35)	22,3 (15)	8,7 (5,8)	-	-
BFR 2"x2" (60x65)	12,8 (8,6)	5 (3,4)	-	-
BFR 4"x2" (100x65)	28,7 (19,3)	11,2 (7,5)	-	-
BFR 6"x2" (150x65)	25,3 (17)	9,9 (6,7)	-	-
BFR 8"x2" (200x65)	44,5 (29,9)	17,4 (11,7)	5AA	-
BFR 12"x2" (300x65)	54 (36,3)	21,1 (14,2)	5AA	-
BFR 16"x2" (400x65)	60,2 (40,4)	23,5 (15,8)	5AA	-
BFR 20"x2" (500x65)	57,1 (38,4)	22,3 (15)	5AA	-
BFR 24"x2" (600x65)	54 (36,3)	21,1 (14,2)	5AA	-
BFR 8"x4" (200x105)	73 (49)	28,5 (19,2)	5AA	-
BFR 12"x4" (300x105)	69,9 (47)	27,3 (18,3)	5AA	-
BFR 16"x4" (400x105)	76 (51,1)	29,7 (20)	5A	-
BFR 20"x4" (500x105)	73 (49)	28,5 (19,2)	5AA	-
BFR 24"x4" (600x105)	69,9 (47)	27,3 (18,3)	5AA	8AA

**BF2R****BF2R 60x65 (2"x2")****BF2R 100..300 (4"..12") H65 (2")****BF2R 400..600 (16"..24") H65 (2")****BF2R 200..300 (8"..12") H105 (4")****BF2R 400..600 (16"..24") H105 (4")**

**BF2R (ANCE NMX-J-511)****EZ / HDG**

	CTA kg/m		Clasificación	
	5 ft	6 ft	5 ft	6 ft
	1,52 m	1,83 m	1,52 m	1,83 m
BF2R 60x65	12,5	8,7	-	-
BF2R 100x65	28,4	19,7	5AA	6AA
BF2R 150x65	31,7	22	5AA	6AA
BF2R 200x65	47,6	33,1	5BB	6AA
BF2R 300x65	57,1	39,6	5BB	6BB
BF2R 400x65	69,9	48,5	5BB	6BB
BF2R 500x65	63,5	44,1	5BB	6BB
BF2R 600x65	79,4	55,1	5BB	6BB
BF2R 200x105 (E-BFR)	69,9	48,5	5BB	6BB
BF2R 300x105 (E-BFR)	66,6	46,2	5BB	6BB
BF2R 400x105 (E-BFR)	91,9	63,8	5BB	6BB
BF2R 500x105 (E-BFR)	98,3	68,3	5BB	6BB
BF2R 600x105 (E-BFR)	114,2	79,3	5BB	6A

i304 / i316

	CTA kg/m		Clasificación	
	5 ft	6 ft	5 ft	6 ft
	1,52 m	1,83 m	1,52 m	1,83 m
BF2R 60x65	12,8	8,9	-	-
BF2R 100x65	28,7	19,9	5AA	6AA
BF2R 150x65	25,3	17,6	5AA	-
BF2R 200x65	44,5	30,9	5BB	6AA
BF2R 300x65	54	37,5	5BB	6BB
BF2R 400x65	60,2	41,8	5BB	6BB
BF2R 500x65	57,1	39,6	5BB	6BB
BF2R 600x65	54	37,5	5BB	6BB
BF2R 200x105 (E-BFR)	69,9	48,5	5BB	6BB
BF2R 300x105 (E-BFR)	69,9	48,5	5BB	6BB
BF2R 400x105 (E-BFR)	76	52,8	5BB	6BB
BF2R 500x105 (E-BFR)	79,4	55,1	5BB	6BB
BF2R 600x105 (E-BFR)	63,5	44,1	5BB	6BB

**BF2R (NEMA VE 1)****EZ / HDG**

	CTA kg/m (lb/ft)		Clasificación	
	5 ft	8 ft	5 ft	8 ft
	1,52 m	2,44 m	1,52 m	2,44 m
BF2R 2"x2" (60x65)	12,5 (8,4)	4,9 (3,3)	-	-
BF2R 4"x2" (100x65)	28,4 (19,1)	11,1 (7,5)	-	-
BF2R 6"x2" (150x65)	31,7 (21,3)	12,4 (8,3)	-	-
BF2R 8"x2" (200x65)	47,6 (32)	18,6 (12,5)	5AA	-
BF2R 12"x2" (300x65)	57,1 (38,4)	22,3 (15)	5AA	-
BF2R 16"x2" (400x65)	69,9 (47)	27,3 (18,3)	5AA	-
BF2R 20"x2" (500x65)	63,5 (42,7)	24,8 (16,7)	5AA	-
BF2R 24"x2" (600x65)	79,4 (53,3)	31 (20,8)	5A	-
BF2R 8"x4" (200x105)	72,2 (48,5)	28,2 (18,9)	5AA	-
BF2R 12"x4" (300x105)	76 (51,1)	29,7 (20)	5A	-
BF2R 16"x4" (400x105)	111,1 (74,7)	43,4 (29,2)	5A	8AA
BF2R 20"x4" (500x105)	107,8 (72,4)	42,1 (28,3)	5A	8AA
BF2R 24"x4" (600x105)	117,5 (79)	45,9 (30,8)	5A	8AA


i304 / i316

	CTA kg/m (lb/ft)		Clasificación	
	5 ft	8 ft	5 ft	8 ft
	1,52 m	2,44 m	1,52 m	2,44 m
BF2R 2"x2" (60x65)	12,8 (8,6)	5 (3,4)	-	-
BF2R 4"x2" (100x65)	28,7 (19,3)	11,2 (7,5)	-	-
BF2R 6"x2" (150x65)	25,3 (17)	9,9 (6,7)	-	-
BF2R 8"x2" (200x65)	44,5 (29,9)	17,4 (11,7)	5AA	-
BF2R 12"x2" (300x65)	54 (36,3)	21,1 (14,2)	5AA	-
BF2R 16"x2" (400x65)	60,2 (40,4)	23,5 (15,8)	5AA	-
BF2R 20"x2" (500x65)	57,1 (38,4)	22,3 (15,)	5AA	-
BF2R 24"x2" (600x65)	54 (36,3)	21,1 (14,2)	5AA	-
BF2R 8"x4" (200x105)	73 (49)	28,5 (19,2)	5AA	-
BF2R 12"x4" (300x105)	69,9 (47)	27,3 (18,3)	5AA	-
BF2R 16"x4" (400x105)	76 (51,1)	29,7 (20)	5A	-
BF2R 20"x4" (500x105)	73 (49)	28,5 (19,2)	5AA	-
BF2R 24"x4" (600x105)	69,9 (47)	27,3 (18,3)	5AA	8AA




BFR


BFR 60x65 (2"x2")




BFR 60x65 (2"x2") i304




BFR H35 (1 3/8")




BFR H35 (1 3/8") i304




BFR H65 (2")




BFR H65 (2") i304












BFR H105 (4")





BFR H105 (4") i304



**FE****FE H60 (2 1/3")****FE H75 (3") d=333 (13 1/9")****FE H100 (4") d=333 (13 1/9")****FE H120 (4 5/7") d=333 (13 1/9")****FE H150 (6") d=333 (13 1/9")****FE H75 (3") d=250 (10")****FE H100 (4") d=250 (10")****FE H120 (4 5/7") d=250 (10")**

**FE H150 (6") d=250 (10")****FE (NEMA VE 1)**

Side Rail (Hxe)	Class
60x1,5	8C-12A
75x1,5	8C-12A
75x2	8C-12B
100x1,5	12C-16A
100x2	12C-16A
120x1,5	12C-16A
120x2	12C-16B-20A
150x1,5	12C-16A
150x2	12C-16B-20A

BSL & BSLR**BSL H150 (6")****BSL H200 (8")****BSL (NEMA VE 1)**

Side Rail (Hxe)	Class
150x2	16C - 20B
200x2	20C


BSLR (NEMA VE 1)

Side Rail (Hxe)	Class
125x2	20B
150x2	20C




SUPPORTS


C-SHO




SCR




KS + SCR




SCR i304/i316 100-400




SCR i304/i316 500-600




SRB



KS + SRB




C-SR+C-PC (GS)






SUPPORTS


SR+PC (GC)




KSR + SR




SHL




SHR










SHV



SP2




**SUPPORTS****SP+R450****SPD****SPD+R450****SUPPORTS****C-SHOT****C-SVO+VRO****SHO 400****CT30+KCT30**




SUPPORTS


KPC + C-PC (GS)




KPC + 2 x C-PC (GS)




KLPC + C-PC L450 (GS)




KLPC + C-PC L600 (GS)











KPC2 + PC (GC)



KLPC2 + PC (GC)




**SUPPORTS** **SU** **SU+R450** **SUR** **KI8 + I8** **KAI8 + I8** **SP** **SP + R450** **SPD** 



SUPPORTS

SPD + R450



SUPPORTS

SV

B		CTA	
mm	inch	kg	Lb
100	4"	276	609
150	6"	260	573
200	8"	253	558
300	12"	207	456
400	16"	506	1116
500	20"	460	1014
600	24"	414	912






BASORPLAST

BPI (iEC 61537)


MODEL (HxB)	d = 1,5 m & T = 40°C d = 1 m & T = 60°C
	CTA kg/m (lb/ft)
60x100	23 (15,5)
60x150	28 (18,9)
60x200	39 (26,3)
60x300	45 (30,3)
100x200	79 (53,1)
100x300	92 (61,9)
100x400	101 (67,9)
100x600	118 (79,3)

BPE (UNE-EN 61537)



MÁX. 40°C

MODELO	Carga admisible (Kg/m)	
	Distancia 1 m	Distancia 1,5 m
BPE-60x100	39	20
BPE-60x150	43	22
BPE-60x200	64	31
BPE-60x300	74	38
BPE-100x200	119	57
BPE-100x300	125	61
BPE-100x400	168	81
BPE-100x600	227	112




MÁX. 60°C


MODELO	Carga admisible (Kg/m)
	Distancia 1,5 m
BPE-60x100	20
BPE-60x150	22
BPE-60x200	31
BPE-60x300	38
BPE-100x200	57
BPE-100x300	61
BPE-100x400	81
BPE-100x600	112

BASORPLAST SUPPORTS


SHG 100..300 (4" ..12")



SHG 400..600 (16" ..24")



KSHGR + SHGR



SHG


B		CTA 40°		CTA 60°	
mm	inch	kg	Lb	kg	Lb
100	4"	90	199	?	?
150	6"	105	232		
200	8"	120	265		?
300	12"	130	287	?	
400	16"	220	486		?
600	24"	180	397	?	?

PSHG

B		CTA 40°		CTA 60°	
mm	inch	kg	Lb	kg	Lb
100	4"	90	199	?	?
150	6"	105	232		
200	8"	120	265		?
300	12"	130	287	?	
400	16"	220	486		?
600	24"	180	397	?	?

SVG

B		CTA 40°		CTA 60°	
mm	inch	kg	Lb	kg	Lb
100	4"	384	846	192	423
150	6"	384	846	192	423
200	8"	384	846	192	423
300	12"	204	450	102	225
400	16"	120	263	60	131
600	24"	60	132	30	66



**Avenida Alcodar 45-47
46701 Gandia (Valencia)
T. +34.962.876.695**

MEXICO Basor México SAPI

ITALY Basor Electric SRL**FRANCE Basor France**

PORTUGAL Basor Caminho de Cabos

UNITED KINGDOM Basor Electric LTD

HUNGARY Basor Elektro KFT

ARGELIA Basor SARL M.N.A Equipments

THAILAND Basor THAI**USA Basor Electric Inc.**

BEGREEN
CABLEMANAGEMENTSYSTEM

BASOR ELECTRIC, S.A.

basor@basor.com

www.basor.com



LinkedIn
Basor Electric S.A



Twitter
@Basorelectric



Youtube
youtube.com/user/
basorelectric